
**Industrial automation systems and
integration — Product data
representation and exchange —**

Part 28:

**Implementation methods: XML
representations of EXPRESS schemas
and data, using XML schemas**

*Systèmes d'automatisation industrielle et intégration — Représentation
et échange de données de produits —*

*Partie 28: Méthodes d'implémentation: représentations XML de
schémas et de données EXPRESS en utilisant des schémas XML*

<https://standards.iteh.ai/catalog/standards/iso/ccf777aa-fef8-4a73-b015-b4090f44af41/iso-10303-28-2007>



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 10303-28:2007](https://standards.iteh.ai/catalog/standards/iso/ccf777aa-fef8-4a73-b015-b4090f44af41/iso-10303-28-2007)

<https://standards.iteh.ai/catalog/standards/iso/ccf777aa-fef8-4a73-b015-b4090f44af41/iso-10303-28-2007>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

| Contents | Page |
|---|-------------|
| 1 Scope..... | 1 |
| 2 Normative references..... | 1 |
| 3 Terms, definitions, abbreviations, and conventions | 2 |
| 3.1 Terms defined in ISO 10303-1..... | 2 |
| 3.2 Terms defined in ISO 10303-11..... | 2 |
| 3.3 Terms defined in the XML Standards..... | 4 |
| 3.4 Other terms and definitions..... | 5 |
| 3.5 Conflicting terminology..... | 7 |
| 3.6 Abbreviations..... | 7 |
| 3.7 Conventions..... | 7 |
| 3.7.1 Text conventions..... | 8 |
| 3.7.2 Namespace conventions..... | 8 |
| 4 Conformance..... | 8 |
| 4.1 Conformance of an XML document..... | 9 |
| 4.1.1 Conformance of an iso-10303-28 document..... | 9 |
| 4.1.2 Conformance of a uos document..... | 10 |
| 4.1.3 Conformance of a configured document..... | 10 |
| 4.2 Conformance of a derived XML schema document..... | 10 |
| 4.3 Conformance of a configuration file..... | 11 |
| 4.4 Conformance of a pre-processor..... | 11 |
| 4.5 Conformance of a post-processor..... | 12 |
| 4.6 Conformance of an XML schema generator..... | 12 |
| 5 Document level elements..... | 12 |
| 5.1 The iso-10303-28 document..... | 13 |
| 5.2 Document and uos header information..... | 14 |
| 5.2.1 The exp:header element..... | 14 |
| 5.2.2 The name element..... | 15 |
| 5.2.3 The time_stamp element..... | 15 |
| 5.2.4 The author element..... | 15 |
| 5.2.5 The organization element..... | 15 |
| 5.2.6 The authorization element..... | 15 |
| 5.2.7 The originating_system element..... | 15 |
| 5.2.8 The preprocessor_version element..... | 15 |
| 5.3 The schema_population element..... | 15 |
| 5.4 The express element..... | 17 |
| 5.4.1 By-reference representation of an EXPRESS schema..... | 18 |
| 5.4.2 By-value representation of an EXPRESS schema..... | 18 |
| 5.5 The configuration element..... | 18 |
| 5.6 The unit of serialization element..... | 18 |
| 5.7 The uos document..... | 20 |
| 5.8 The configured document..... | 20 |
| 5.9 Enterprise data objects..... | 20 |
| 6 Derived XML Schema..... | 20 |
| 6.1 Preconditions..... | 21 |
| 6.2 Unmapped EXPRESS concepts..... | 21 |
| 6.3 Abstract entity data types..... | 21 |

| | | |
|-------|--|-----|
| 7 | Default XML Schema Binding | 22 |
| 7.1 | Naming conventions | 22 |
| 7.1.1 | Schema..... | 22 |
| 7.1.2 | EXPRESS identifiers | 22 |
| 7.1.3 | Data types | 22 |
| 7.2 | XML Schema data types corresponding to EXPRESS data types | 22 |
| 7.2.1 | EXPRESS simple data types..... | 23 |
| 7.2.2 | Aggregation data types | 30 |
| 7.2.3 | Constructed data types | 44 |
| 7.2.4 | Defined data types | 45 |
| 7.2.5 | ENTITY data types..... | 45 |
| 7.3 | XML Schema definitions and declarations for EXPRESS defined data types | 45 |
| 7.3.1 | Simple underlying types | 46 |
| 7.3.2 | Aggregate underlying types..... | 47 |
| 7.3.3 | ENUMERATION underlying types | 48 |
| 7.3.4 | SELECT underlying types..... | 49 |
| 7.3.5 | Defined data type underlying type..... | 53 |
| 7.4 | Instance elements corresponding to EXPRESS data types | 54 |
| 7.4.1 | Instance elements for simple data types..... | 55 |
| 7.4.2 | Instance elements for anonymous aggregation data types | 59 |
| 7.4.3 | Instance elements for defined data types | 62 |
| 7.4.4 | Instance elements for entity data types | 63 |
| 7.4.5 | Instance element attributes..... | 63 |
| 7.4.6 | Referenceable instances..... | 64 |
| 7.5 | XML Schema definitions and declarations for EXPRESS entity data types | 64 |
| 7.5.1 | Type graph associated with the EXPRESS entity data type | 65 |
| 7.5.2 | Complex entity instances..... | 66 |
| 7.5.3 | Base XML data types and elements for EXPRESS entity data types..... | 66 |
| 7.5.4 | XML data type definitions for entity data types | 69 |
| 7.5.5 | Instance elements corresponding to entity data types..... | 71 |
| 7.5.6 | XML groups corresponding to entity data types..... | 72 |
| 7.5.7 | Single entity value elements corresponding to entity data types | 75 |
| 7.5.8 | Proxy elements corresponding to entity data types..... | 77 |
| 7.5.9 | XML Uniqueness constraints for entity data types..... | 78 |
| 7.6 | XML Schema declarations for EXPRESS attributes | 79 |
| 7.6.1 | Accessor element and attribute naming | 79 |
| 7.6.2 | EXPRESS attributes mapped to XML schema..... | 80 |
| 7.6.3 | Accessor elements | 81 |
| 7.7 | XML Schema and namespaces for EXPRESS Schema | 86 |
| 7.7.1 | Namespace prefixes | 86 |
| 7.7.2 | URI for the target namespace of the derived XML schema | 87 |
| 7.7.3 | Namespace declarations for the derived XML schema | 88 |
| 7.7.4 | Import declarations for the derived XML schema..... | 88 |
| 7.8 | Context-schema specific unit of serialization | 89 |
| 8 | Configured XML Schema Binding..... | 91 |
| 8.1 | Naming conventions | 91 |
| 8.1.1 | Schema..... | 91 |
| 8.1.2 | EXPRESS identifiers | 91 |
| 8.1.3 | Data types | 91 |
| 8.2 | XML Schema data types corresponding to EXPRESS data types | 92 |
| 8.2.1 | EXPRESS simple data types..... | 92 |
| 8.2.2 | Aggregation data types | 97 |
| 8.2.3 | Constructed data types | 108 |
| 8.2.4 | Defined data types | 108 |

| | | |
|--------|--|-----|
| 8.2.5 | ENTITY data types..... | 108 |
| 8.3 | XML Schema definitions and declarations for EXPRESS defined data types | 108 |
| 8.3.1 | Simple underlying types | 109 |
| 8.3.2 | Aggregate underlying types | 111 |
| 8.3.3 | ENUMERATION underlying types | 112 |
| 8.3.4 | SELECT underlying types..... | 112 |
| 8.3.5 | Defined data type underlying type..... | 115 |
| 8.3.6 | Defined data types mapped by map configuration directive..... | 116 |
| 8.4 | Instance elements corresponding to EXPRESS data types | 116 |
| 8.4.1 | Instance elements for simple data types..... | 117 |
| 8.4.2 | Instance elements for anonymous aggregation data types | 120 |
| 8.4.3 | Instance elements for defined data types | 124 |
| 8.4.4 | Instance elements for entity data types | 124 |
| 8.4.5 | Instance element attributes..... | 124 |
| 8.4.6 | XML identity-constraints for instance elements..... | 125 |
| 8.4.7 | Referenceable instances..... | 128 |
| 8.5 | XML Schema definitions and declarations for EXPRESS entity data types | 129 |
| 8.5.1 | Type graph associated with the EXPRESS entity data type | 131 |
| 8.5.2 | Complex entity instances..... | 131 |
| 8.5.3 | Base XML data types and elements for EXPRESS entity data types..... | 132 |
| 8.5.4 | XML data type definitions for entity data types | 134 |
| 8.5.5 | Instance elements corresponding to entity data types..... | 146 |
| 8.5.6 | XML groups corresponding to entity data types..... | 147 |
| 8.5.7 | Single entity value elements corresponding to entity data types | 149 |
| 8.5.8 | Proxy elements corresponding to entity data types..... | 150 |
| 8.5.9 | XML Identity constraints corresponding to entity data types..... | 151 |
| 8.5.10 | XML Uniqueness constraints for entity data types..... | 154 |
| 8.5.11 | Dynamic subtype elements corresponding to entity data types | 155 |
| 8.6 | XML Schema declarations for EXPRESS attributes | 156 |
| 8.6.1 | Accessor element and attribute naming | 157 |
| 8.6.2 | EXPRESS attributes mapped to XML schema..... | 157 |
| 8.6.3 | Accessor attributes..... | 159 |
| 8.6.4 | Accessor elements | 163 |
| 8.6.5 | Type-tagged attributes | 170 |
| 8.6.6 | No-tag attributes | 173 |
| 8.7 | XML Schema and namespaces for EXPRESS Schema | 174 |
| 8.7.1 | Namespace prefixes | 175 |
| 8.7.2 | URI for the target namespace of the derived XML schema | 175 |
| 8.7.3 | Namespace declarations for the derived XML schema | 175 |
| 8.7.4 | Import declarations for the derived XML schema..... | 175 |
| 8.8 | Context-schema specific unit of serialization | 176 |
| 9 | XML document creation..... | 177 |
| 9.1 | Preconditions..... | 177 |
| 9.2 | General XML document structure | 177 |
| 9.2.1 | Structure of an iso-10303-28 document..... | 178 |
| 9.2.2 | Structure of a uos document | 178 |
| 9.2.3 | Encoding of EXPRESS schemas | 179 |
| 9.2.4 | Encoding of configuration files | 179 |
| 9.2.5 | Encoding of population definitions..... | 180 |
| 9.2.6 | Encoding of data sets – the unit of serialization | 180 |
| 9.3 | Representation of EXPRESS entity instances..... | 183 |
| 9.3.1 | By-value representation of entity instances | 184 |
| 9.3.2 | External representation of EXPRESS entity instances | 187 |
| 9.3.3 | By-reference representation of EXPRESS entity instances..... | 189 |

| | | |
|---------|--|-----|
| 9.3.4 | Complex entity representation of EXPRESS entity instances | 190 |
| 9.4 | Representation of an EXPRESS attribute | 192 |
| 9.4.1 | Determining by-reference or by-value representation | 192 |
| 9.4.2 | Representation of EXPRESS attribute value as accessor attribute | 193 |
| 9.4.3 | Attribute-tag representation of EXPRESS attribute value | 194 |
| 9.4.4 | Double-tag representation of EXPRESS attribute value | 196 |
| 9.4.5 | Type tag representation of EXPRESS attribute value | 197 |
| 9.4.6 | No-tag representation of entity instance as EXPRESS attribute value | 198 |
| 9.4.7 | No-tag-simple representation of entity instance as EXPRESS attribute value | 198 |
| 9.5 | Representation of simple values | 198 |
| 9.5.1 | Representation of BINARY values | 199 |
| 9.5.2 | Representation of BOOLEAN values | 199 |
| 9.5.3 | Representation of INTEGER values | 199 |
| 9.5.4 | Representation of LOGICAL values | 200 |
| 9.5.5 | Representation of NUMBER values | 201 |
| 9.5.6 | Representation of REAL values | 201 |
| 9.5.7 | Representation of STRING values | 202 |
| 9.6 | Representation of enumeration items | 203 |
| 9.7 | Representation of values of SELECT types | 204 |
| 9.8 | Representation of aggregate values | 206 |
| 9.8.1 | List-of-values representation of aggregate values | 207 |
| 9.8.2 | Sequence-of-elements representation of aggregate values | 209 |
| 9.8.3 | Indexed representation of aggregate values | 210 |
| 9.8.4 | List-of-references representation of aggregate values | 211 |
| 9.8.5 | Aggregates of aggregate values | 212 |
| 9.8.6 | Aggregates of values of defined data types | 219 |
| 9.8.7 | Instance elements for component values | 219 |
| 9.9 | Representation of values of defined data types | 220 |
| 9.10 | Representation of values in instance elements | 221 |
| 9.10.1 | By-value instance elements for non-entity data types | 222 |
| 9.10.2 | By-reference instance elements for non-entity data types | 223 |
| 10 | Configuration Language | 223 |
| 10.1 | The configuration element | 225 |
| 10.1.1 | By-reference representation of a configuration file | 226 |
| 10.1.2 | By-value representation of a configuration file | 226 |
| 10.2 | Configuration options | 226 |
| 10.2.1 | name | 227 |
| 10.2.2 | exp-type | 227 |
| 10.2.3 | content | 227 |
| 10.2.4 | aggregate-content | 228 |
| 10.2.5 | exp-attribute | 228 |
| 10.2.6 | entity-attribute | 229 |
| 10.2.7 | concrete-attribute | 229 |
| 10.2.8 | tagless | 229 |
| 10.2.9 | flatten | 230 |
| 10.2.10 | use-id | 230 |
| 10.2.11 | keep | 231 |
| 10.2.12 | keep-all | 231 |
| 10.2.13 | map | 232 |
| 10.2.14 | naming-convention | 234 |
| 10.2.15 | inheritance | 234 |
| 10.2.16 | notation | 234 |
| 10.2.17 | tag-source and tag-value | 234 |
| 10.2.18 | namespace | 235 |

| | | |
|-----------------------|--|-----|
| 10.2.19 | ref | 236 |
| 10.2.20 | use | 236 |
| 10.2.21 | implementation | 236 |
| 10.2.22 | facet | 237 |
| 10.2.23 | generate-keys | 237 |
| 10.2.24 | embed-schema-items | 238 |
| 10.2.25 | alias and prefix | 238 |
| 10.2.26 | select | 238 |
| 10.3 | Scoping elements | 239 |
| 10.3.1 | Option element | 240 |
| 10.3.2 | Type element | 240 |
| 10.3.3 | Entity element | 241 |
| 10.3.4 | Attribute element | 246 |
| 10.3.5 | Inverse element | 248 |
| 10.3.6 | Aggregate element | 250 |
| 10.3.7 | Schema element | 251 |
| 10.3.8 | UosElement element | 255 |
| 10.3.9 | UosEntity element | 255 |
| 10.3.10 | RootEntity element | 255 |
| 10.4 | Configuration attributes | 256 |
| 10.5 | Applicability of configuration directives | 257 |
| 10.5.1 | exp-attribute | 257 |
| 10.5.2 | content and use-id | 259 |
| 10.5.3 | exp-type | 260 |
| 10.5.4 | map | 260 |
| 10.5.5 | tagless | 261 |
| 10.5.6 | flatten | 261 |
| 10.5.7 | inheritance | 262 |
| 10.5.8 | notation | 262 |
| 10.5.9 | keep | 262 |
| 10.5.10 | ref | 262 |
| 10.5.11 | use | 262 |
| 10.5.12 | implementation | 263 |
| 10.5.13 | facet | 263 |
| | | |
| Annex A (normative) | Universal Resource Names for bindings of EXPRESS schemas | 264 |
| Annex B (normative) | XML Schema for the configuration language | 265 |
| Annex C (normative) | Base XML Schema | 272 |
| Annex D (normative) | Document Schema | 280 |
| Annex E (normative) | Valid populations of EXPRESS entity instances | 291 |
| Annex F (normative) | Information object registration | 302 |
| Annex G (informative) | Configuration language examples | 303 |
| Bibliography | | 307 |
| Index | | 308 |

Figures

| | | |
|------------|--|-----|
| Figure 1 - | Choice group..... | 73 |
| Figure 2 - | Choice group for inheritance mapping | 148 |

Tables

| | | |
|---------|--|-----|
| Table 1 | — Namespace prefixes..... | 8 |
| Table 2 | — Subclause governing aggregation data type correspondence | 30 |
| Table 3 | — Subclause governing aggregation data type correspondence | 99 |
| Table 4 | — Instance elements for STRING data types mapped to XML data types..... | 120 |
| Table 5 | — XML key names for anonymous EXPRESS data types..... | 127 |
| Table 6 | — Representation of EXPRESS characters invalid in XML normalizedString..... | 203 |
| Table 7 | — Subclause governing XML representation of aggregate value | 207 |
| Table 8 | — Subclause governing XML representation of aggregates of aggregate values . | 213 |
| Table 9 | — Pattern strings for select | 239 |

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 10303-28:2007](https://standards.iteh.ai/catalog/standards/iso/ccf777aa-fef8-4a73-b015-b4090f44af41/iso-10303-28-2007)

<https://standards.iteh.ai/catalog/standards/iso/ccf777aa-fef8-4a73-b015-b4090f44af41/iso-10303-28-2007>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/ IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10303-28 was prepared by Technical Committee ISO TC184, *Industrial automation systems and integration*, Subcommittee SC4 *Industrial data*.

ISO 10303-28 constitutes a technical revision of ISO/TS 10303-28:2003, which is provisionally retained in order to support continued use and maintenance of implementations based on it, and to satisfy the normative references of other parts of ISO 10303.

ISO 10303 is organized as a series of parts, each published separately. The structure of ISO 10303 is described in ISO 10303-1.

Each part of ISO 10303 is a member of one of the following series: description methods, implementation methods, conformance testing methodology and framework, integrated generic resources, integrated application resources, application protocols, abstract test suites, application interpreted constructs, and application modules. This part of ISO 10303 is a member of the implementation methods series.

A complete list of parts of ISO 10303 is available from the following URL:

http://www.tc184-sc4.org/titles/STEP_Titles.htm

Introduction

ISO 10303 is an International Standard for the computer-interpretable representation of product information and for the exchange of product data. The objective is to provide a neutral mechanism capable of describing products throughout their life cycle. This mechanism is suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and as a basis for archiving.

This part of ISO 10303 is a member of the implementation methods series. This part of ISO 10303 specifies means by which schemas specified using the EXPRESS language (defined in ISO 10303-11) and data governed by EXPRESS schemas can be represented as an XML document. This enables product data described in EXPRESS to be exchanged using XML and the many software tools developed to support XML technologies. It also permits product data sets so described to be readily incorporated into "electronic commerce" transactions represented in XML.

Readers of this part of ISO 10303 should have knowledge of the EXPRESS language, the XML Schema language, XML, and XML-related standards in order to understand its technical content.

For the representation of data corresponding to an EXPRESS schema, this part of ISO 10303 formally specifies the structure of conforming exchange documents using the XML Schema language. Some elements of those documents represent data sets conforming to EXPRESS schemas, and this part of ISO 10303 specifies the structure of those elements using XML Schema type definitions and element declarations that are derived from the EXPRESS schema declarations. This part of ISO 10303 also specifies the rules for encoding conforming data in XML to match the derived XML schema. In order to accommodate a number of conflicting requirements for the use of conforming exchange documents, this part of ISO 10303 also defines certain configuration directives that can be used to specify alternative structures in the derived XML schema and alternative encoding rules.

Several components of this part of ISO 10303 are available in electronic form. This access is provided through the specification of Universal Resource Locators (URLs) that identify the location of these files on the Internet. If there is difficulty accessing these files contact the ISO Central Secretariat, or contact the ISO TC 184/SC4 Secretariat directly at: sc4sec@tc184-sc4.org.

This part of ISO 10303 constitutes a technical revision of ISO/TS 10303-28:2003, which is provisionally retained to allow for the implementation of the Part 28 late binding. ISO/TS 10303-28:2003 was intended for trial use with emerging XML technologies, and although the fundamental capabilities remain the same, the underlying XML technologies have progressed, and this part of ISO 10303 uses technologies and features that were formerly unavailable or differently provided. This part of ISO 10303 therefore, is not "upwardly compatible" with ISO/TS 10303-28:2003. Neither a document nor a processor that conformed to ISO/TS 10303-28:2003 will conform to the specifications of this part of ISO 10303 without substantial modification.

The major technical changes from ISO/TS 10303-28:2003 are:

— This part of ISO 10303 specifies the structure of XML exchange documents using XML Schema, and specifies the mapping of the EXPRESS data model to an XML Schema data model. ISO/TS 10303-28:2003 specified the structure using Document Type Definitions (DTDs). It is expected that most future XML documents will be validated against an XML schema, instead of a DTD.

— The ISO/TS 10303-28:2003 mapping of EXPRESS schema text into a complex XML structure is no longer included in this part of ISO 10303; representation of an EXPRESS schema as a body of text is the only form retained.

— The ISO/TS 10303-28:2003 mapping of EXPRESS-modelled data sets designated the "late-binding" is not included in this part of ISO 10303.

— The ISO/TS 10303-28:2003 mapping of EXPRESS-modelled data sets designated the "ETEB" is not included as such. The major features of that binding, as they appear in the XML form of the data, are included in the "default mapping" in this part of ISO 10303. But this part of ISO 10303 makes use of an XML Schema feature that was not available in DTDs — context names — to simplify the names for the "accessor elements".

— The ISO/TS 10303-28:2003 mapping of EXPRESS-modelled data sets designated the "OSEB" is not included as such. The major features of that binding, as they appear in the XML form of the data, are included in the "attribute-content" mapping in this part of ISO 10303. But in this part of ISO 10303, there are several changes to the representation structures for aggregation data types and SELECT data types that provide for representation options and consistency across them.

— This part of ISO 10303 permits the use of XML Schema "simple list" structures to represent many values of aggregation data types, a feature that is not standardized in XML 1.0 and could not be specified in a DTD.

— Many separate options for re-configuring the EXPRESS schema, configuring the XML schema , and configuring the XML data are now supported by a configuration language, and support for that language is a mandatory feature of conforming processors.

Warning:

This part of ISO 10303 provides a specification intended to be implemented in software. Incompatibilities may result in machine-to-machine communication in the case of software developed on the basis of translations of this part of ISO 10303 into languages other than the official ISO languages. It is accordingly strongly recommended that any implementations be developed only on the basis of the texts in the official ISO languages.

Document Preview

[ISO 10303-28:2007](https://standards.iteh.ai/catalog/standards/iso/ccf777aa-fef8-4a73-b015-b4090f44af41/iso-10303-28-2007)

<https://standards.iteh.ai/catalog/standards/iso/ccf777aa-fef8-4a73-b015-b4090f44af41/iso-10303-28-2007>

Industrial automation systems and integration — Product data representation and exchange —

Part 28:

Implementation methods: XML representations of EXPRESS schemas and data, using XML schemas

1 Scope

This part of ISO 10303 specifies use of the Extensible Markup Language (XML) to represent schemas specified using the EXPRESS data specification language, ISO 10303-11, and data that is governed by EXPRESS schemas. This part of ISO 10303 formally specifies the XML representation by specifying an overall XML schema for the exchange document and additional XML schemas that correspond to the EXPRESS schemas that govern the exchange data sets.

The following are within the scope of this part of ISO 10303:

- specification of the form of XML documents containing EXPRESS schemas and data governed by EXPRESS schemas (see Clause 5);
- for an arbitrary EXPRESS schema, specification of an XML schema that corresponds to the EXPRESS schema and formally describes the XML representation of data governed by that schema (see Clause 6);
- specification of the representation of values of EXPRESS data types as XML element content and as XML attribute values (see Clause 9);
- specification of the set of configuration directives that may be used to specify options for the structure of the XML representation of data sets that conform to EXPRESS schemas (see Clause 10).

The following are outside the scope of this part of ISO 10303:

- specification of XML Schema declarations or definitions that depend on the semantic intent, as distinct from the EXPRESS language statements, of any particular EXPRESS schema;
- specification of mappings from the XML Schema language to the EXPRESS language;
- specification of the mapping to an EXPRESS schema from an XML schema that has been derived from an EXPRESS schema.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 8824-1:2002, *Information technology – Abstract Syntax Notation One (ASN.1) – Part 1: Specification of basic notation*

ISO 10303-1:1994, *Industrial automation systems and integration – Product data representation and exchange – Part 1: Overview and fundamental principles*

ISO 10303-28:2007(E)

ISO 10303-11:2004, *Industrial automation systems and integration – Product data representation and exchange – Part 11: Description methods: The EXPRESS language reference manual*

ISO 10303-22:1998, *Industrial automation systems and integration – Product data representation and exchange – Part 22: Implementation methods: Standard data access interface*

ISO 639-1:2002, *Codes for the representation of names of languages – Part 1: Alpha 2 code*

ISO 3166-1:2006, *Codes for the representation of names of countries and their subdivisions – Part 1: Country codes*

Uniform Resource Identifiers (URI): Generic Syntax. Internet Engineering Task Force RFC 2396 August 1998 [cited 2004-03-15]. Available from World Wide Web:
<<http://www.ietf.org/rfc/rfc2396.txt>>

Extensible Markup Language (XML) 1.0. World Wide Web Consortium Recommendation 4 February 2004 [cited 2004-03-15]. Available from World Wide Web:
<<http://www.w3.org/TR/REC-xml>>

Namespaces in XML. World Wide Web Consortium Recommendation 14 January 1999 [cited 2004-03-15]. Available from World Wide Web:
<www.w3.org/TR/REC-xml-names/>

XML Schema Part 1: Structures. World Wide Web Consortium Recommendation, 2 May 2001 [cited 2004-03-15]. Available from World Wide Web:
<<http://www.w3.org/TR/xmlschema-1/>>

XML Schema Part 2: Datatypes. World Wide Web Consortium Recommendation, 2 May 2001 [cited 2004-03-15]. Available from World Wide Web:
<<http://www.w3.org/TR/xmlschema-2/>>

Xpointer Framework Version 1.0. World Wide Web Consortium Recommendation 25 March 2003 [cited 2004-03-15]. Available from World Wide Web:
<<http://www.w3.org/TR/xptr-framework/>>

3 Terms, definitions, abbreviations, and conventions

3.1 Terms defined in ISO 10303-1

For the purposes of this document, the following terms defined in ISO 10303-1 apply.

- data;
- information.

3.2 Terms defined in ISO 10303-11

For the purposes of this document, the following terms defined in ISO 10303-11 apply.

3.2.1

data type

domain of values