

# INTERNATIONAL STANDARD

# ISO 2575

Seventh edition  
2004-05-01

**AMENDMENT 2**  
2006-04-15

---

---

## Road vehicles — Symbols for controls, indicators and tell-tales

### AMENDMENT 2

*Véhicules routiers — Symboles pour les commandes, indicateurs et  
témoins*

iTeh **STANDARD PREVIEW**  
AMENDEMENT 2  
(standards.iteh.ai)

[ISO 2575:2004/Amd 2:2006](https://standards.iteh.ai/catalog/standards/sist/8243d17a-c25f-4991-b908-dbb56bd4ebab/iso-2575-2004-amd-2-2006)

[https://standards.iteh.ai/catalog/standards/sist/8243d17a-c25f-4991-b908-  
dbb56bd4ebab/iso-2575-2004-amd-2-2006](https://standards.iteh.ai/catalog/standards/sist/8243d17a-c25f-4991-b908-dbb56bd4ebab/iso-2575-2004-amd-2-2006)



Reference number  
ISO 2575:2004/Amd.2:2006(E)

© ISO 2006

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO 2575:2004/Amd 2:2006](https://standards.iteh.ai/catalog/standards/sist/8243d17a-c25f-4991-b908-dbb56bd4ebab/iso-2575-2004-amd-2-2006)

<https://standards.iteh.ai/catalog/standards/sist/8243d17a-c25f-4991-b908-dbb56bd4ebab/iso-2575-2004-amd-2-2006>

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 2 to ISO 2575:2004 was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 13, *Ergonomics applicable to road vehicles*.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO 2575:2004/Amd 2:2006](https://standards.iteh.ai/catalog/standards/sist/8243d17a-c25f-4991-b908-dbb56bd4ebab/iso-2575-2004-amd-2-2006)

<https://standards.iteh.ai/catalog/standards/sist/8243d17a-c25f-4991-b908-dbb56bd4ebab/iso-2575-2004-amd-2-2006>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO 2575:2004/Amd 2:2006](https://standards.iteh.ai/catalog/standards/sist/8243d17a-c25f-4991-b908-dbb56bd4ebab/iso-2575-2004-amd-2-2006)






<https://standards.iteh.ai/catalog/standards/sist/8243d17a-c25f-4991-b908-dbb56bd4ebab/iso-2575-2004-amd-2-2006>

## Road vehicles — Symbols for controls, indicators and tell-tales




### AMENDMENT 2

Page 6, Annex A

Add the following symbols to those of Annex A, in sequence according to symbol number.

Symbol number	Symbol form/shape	Symbol description/application	ISO/IEC registration number
A.17		Turn signal trailer, road vehicles Trailer shape may be omitted. If trailer shape is omitted arrows may be separated, the box shape shall be included with each separate arrow.	Application of ISO 7000-2664
A.28		Night vision	Application of ISO 7000-2665
A.29		Footwell illumination	Application of ISO 7000-2666
A.30		Low-level interior illumination (night driving)	Application of ISO 7000-2667
A.31		Sleeper compartment illumination	Application of ISO 7000-2668




Add the following symbols to those of Annex B, in sequence according to symbol number.

Symbol number	Symbol form/shape	Symbol description/application	ISO/IEC registration number
B.06		ABS Anti-lock brake system trailer If second trailer designation is required, a "2" may be added to the right side of the ABS brake graphic.	Application of ISO 7000-2670
B.08		ABS Anti-lock brake system trailer off or not available If second trailer designation is required, a "2" may be added to the right side of the ABS brake graphic.	Application of ISO 7000-2671
B.19		Trailer brake If second trailer designation is required, a "2" may be added to the right side brake graphic.	Application of ISO 7000-2672

ISO 2575:2004/Amd 2:2006


<https://standards.iteh.ai/catalog/standards/sist/8243d17a-c25f-4991-b908-dbb56bd4ebab/iso-2575-2004-amd-2-2006>

Add the following symbols to those of Annex D, in sequence according to symbol number.

Symbol number	Symbol form/shape	Symbol description/application	ISO/IEC registration number
D.37		Sleeper compartment air circulation	Application of ISO 7000-2675
D.38		Refrigerator	Application of ISO 7000-2676
D.39		Truck body heater	Application of ISO 7000-2677



Page 24, Annex E

Add the following symbols to those of Annex E, in sequence according to symbol number.



Symbol number	Symbol form/shape	Symbol description/application	ISO/IEC registration number
E.13		Height control Arrows may be relocated as needed to show front or rear control.	Application of ISO 7000-2645

Page 27, Annex F

Add the following symbols to those of Annex F, in sequence according to symbol number.


Symbol number	Symbol form/shape	Symbol description/application	ISO/IEC registration number
F.23		Turbocharger temperature	Application of ISO 7000-2646
F.25		Engine status information Only to be used on controls	Application of ISO 7000-2679

Add the following symbols to those of Annex H, in sequence according to symbol number.

Symbol number	Symbol form/shape	Symbol description/application	ISO/IEC registration number
H.15		Automatic mode Can be used for manual or automatic transmissions per clause 4.8. Can be used to denote Automatic function in combination with other functions or symbols. May match type style used throughout the instrument panel.	See 4.8
H.16		Manual mode (manual or automatic transmission) May match type style used throughout the instrument panel.	See 4.8




**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

Add the following symbols to those of Annex J, in sequence according to symbol number.

Symbol number	Symbol form/shape	Symbol description/application	ISO/IEC registration number
J.18		Steering wheel lock	Application of ISO 7000-2680






Add the following symbols to those of Annex K, in sequence according to symbol number.

Symbol number	Symbol form/shape	Symbol description/application	ISO/IEC registration number
K.08		Door(s) ajar This symbol may be used to indicate one or more doors ajar. Alternatively, other doors may be shown as needed.	Application of ISO 7000-2239
K.15		FCWS Forward collision warning system	Application of ISO 7000-2681
K.16		LDWS Lane departure warning system	Application of ISO 7000-2682

ISO 2575:2004/Amd 2:2006

Add the following symbols to those of Annex L, in sequence according to symbol number.

Symbol number	Symbol form/shape	Symbol description/application	ISO/IEC registration number
L.16		Rear Liftglass	Application of ISO 7000-2650
L.17		Rear Liftgate	Application of ISO 7000-2651
L.18		Sliding door Windows and/or arrows may be relocated or omitted. Symbol allows for mirror image or additional door.	Application of ISO 7000-2652