

SLOVENSKI STANDARD SIST EN ISO 19901-3:2015

01-marec-2015

Nadomešča:

SIST EN ISO 19901-3:2012

Industrija za predelavo nafte in zemeljskega plina - Posebne zahteve za naftne ploščadi - 3. del: Strukture na palubi (ISO 19901-3:2014)

Petroleum and natural gas industries - Specific requirements for offshore structures - Part 3: Topsides structure (ISO 19901-3:2014)

Erdöl- und Erdgasindustrie - Spezielle Anforderungen an Offshore-Anlagen - Teil 3: Topsides structure (ISO 19901-3:2014) (Standards.iteh.ai)

Industries du pétrole et du gaz naturel Exigences spécifiques aux structures en mer - Partie 3: Superstructures (ISOs1990443:2014)rds/sist/cf02304f-2659-4713-9ed1-467ee6785f56/sist-en-iso-19901-3-2015

Ta slovenski standard je istoveten z: EN ISO 19901-3:2014

ICS:

75.180.10 Oprema za raziskovanje in

odkopavanje

Exploratory and extraction

equipment

SIST EN ISO 19901-3:2015

en

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN ISO 19901-3

December 2014

ICS 75.180.10

Supersedes EN ISO 19901-3:2010

English Version

Petroleum and natural gas industries - Specific requirements for offshore structures - Part 3: Topsides structure (ISO 19901-3:2014)

Industries du pétrole et du gaz naturel - Exigences spécifiques relatives aux structures en mer - Partie 3: Superstructures (ISO 19901-3:2014)

Erdöl- und Erdgasindustrie - Spezielle Anforderungen an Offshore-Anlagen - Teil 3: Topsides structure (ISO 19901-3:2014)

This European Standard was approved by CEN on 4 December 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

467ee6785f56/sist-en-iso-19901-3-2015



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 19901-3:2014 (E)

Contents	Pag
Foreword	

iTeh STANDARD PREVIEW (standards.iteh.ai)

EN ISO 19901-3:2014 (E)

Foreword

This document (EN ISO 19901-3:2014) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2015, and conflicting national standards shall be withdrawn at the latest by June 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 19901-3:2010.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANEndorsement notice VIEW

The text of ISO 19901-3:2014 has been approved by CEN as EN ISO 19901-3:2014 without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL STANDARD

ISO 19901-3

Second edition 2014-12-15

Petroleum and natural gas industries — Specific requirements for offshore structures —

Part 3: **Topsides structure**

iTeh ST Industries du pétrole et du gaz naturel — Exigences spécifiques relatives aux structures en mer —

(Standards : Superstructures



ISO 19901-3:2014(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 19901-3:2015</u> https://standards.iteh.ai/catalog/standards/sist/cf02304f-2659-4713-9ed1-467ee6785f56/sist-en-iso-19901-3-2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents			
Fore	word		v
Intr	oduction	1	vi i
1	Scone)	1
_	-		
2		ative references	
3	Term	s and definitions	2
4	Symb	ols and abbreviated terms	
	4.1	Symbols	
	4.2	Abbreviated terms	
5		all considerations	
	5.1	Design situations	
	5.2	Codes and standards	
	5.3 5.4	Deck elevation and green water Exposure level	
	5.5	Operational considerations	
	5.6	Selecting the design environmental conditions	
	5.7	Assessment of existing topsides structures	
	5.8	Reuse of topsides structure	11
	5.9	Modifications and refurbishment	
6	Desig	n requir ents STANDARD PREVIEW	11
	6.1	General Materials selection (Standards.iteh.ai)	11
	6.2	Materials selection standards.iteh.ai)	11
	6.3	Design conditions	
	6.4	Structural interfaces SIST EN ISO 19901-3:2015	
	6.5 6.6	Design for serviceability limit states (SLS)02304f-2659-4713-9ed1- Design for ultimate limit states (ULS)-19901-3-2015	12 17
	6.7	Design for fatigue limit states (FLS)	
	6.8	Design for accidental limit states (ALS)	
	6.9	Robustness	
	6.10	Corrosion control	
	6.11	Design for fabrication and inspection	
	6.12	Design considerations for structural integrity management	
	6.13	Design for decommissioning, removal and disposal	17
7	Actio	ns	
	7.1	General	
	7.2	In-place actions	
	7.3 7.4	Action factorsVortex-induced vibrations	
	7. 4 7.5	Deformations	
	7.6	Wave and current actions	
	7.7	Wind actions	
	7.8	Seismic actions	
	7.9	Actions during fabrication and installation	
	7.10	Accidental situations	
	7.11	Other actions	34
8		gth and resistance of structural components	
	8.1	Use of local building standards	
	8.2	Cylindrical tubular member design	
	8.3	Design of non-cylindrical sections	
	8.4 8.5	Connections Castings	
0			
9	Struc	tural systems	39

ISO 19901-3:2014(E)

	9.1	Topsides design	
	9.2	Topsides structure design models	
	9.3	Support structure interface	
	9.4	Flare towers, booms, vents and similar structures	40
	9.5	Helicopter landing facilities (helidecks)	
	9.6	Crane support structure	44
	9.7	Derrick design	
	9.8	Bridges	47
	9.9	Bridge bearings	
	9.10	Anti-vibration mountings for modules and major equipment skids	48
	9.11	System interface assumptions	48
	9.12	Fire protection systems	49
	9.13	Penetrations	49
	9.14	Difficult-to-inspect areas	49
	9.15	Drainage	49
	9.16	Actions due to drilling operations	49
	9.17	Strength reduction due to heat	49
	9.18	Walkways, laydown areas and equipment maintenance	50
	9.19	Muster areas and lifeboat stations	
4.0	Matari		F 0
10		als	
	10.1	General	
	10.2	Carbon steel	
	10.3	Stainless steel	
	10.4	Aluminium alloys ANDARD PREVIEW Fibre-reinforced composites ANDARD PREVIEW	54 5
	10.5 10.6	Timber	
		Timber (standards.iteh.ai)	33
11	Fabric	ation, quality control, quality assurance and documentation	55
	11.1	AssemblySIST-EN-ISO-19901-3-2015	55
	11.2	Welding https://standards.iteh.ai/catalog/standards/sist/cf02304f-2659-4713-9ed1-	56
	11.3	Fabrication inspection467ee6785f56/sist-en-iso-19901-3-2015	56
	11.4	Quality control, quality assurance and documentation	56
	11.5	Corrosion protection	57
12	Corros	sion control	57
	12.1	General	
	12.2	Forms of corrosion, associated corrosion rates and corrosion damage	
	12.3	Design of corrosion control	
	12.4	Fabrication and installation of corrosion control	
	12.5	In-service inspection, monitoring and maintenance of corrosion control	
4.0			
13		ut, transportation and installation	
14	In-ser	vice inspection and structural integrity management	60
	14.1	General	
	14.2	Particular considerations applying to topsides structures	60
	14.3	Topsides structure default inspection scopes	61
15	Assess	ment of existing topsides structures	62
16	Reuse	of topsides structure	63
Annex	A (info	rmative) Additional information and guidance	64
Annex B (informative) Example calculation of building code correspondence factor			108
Annex	Annex C (informative) Regional information		
Biblio	graphy		115

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19901-3 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures* for petroleum, petrochemical and natural gas industries, Subcommittee SC 7, Offshore structures.

This second edition cancels and replaces the first edition (ISO 19901-3:2010), which has been technically revised.

iTeh STANDARD PREVIEW

ISO 19901 consists of the following parts, under the general title *Petroleum and natural gas industries* — *Specific requirements for offshore structures:*

- Part 1: Metocean design and operating considerations₀₁₅
- Part 2: Seismic design procedures and criteria 40/ce/0/35/56/sst-en-iso-19901-3-2015
- Part 3: Topsides structure
- Part 4: Geotechnical and foundation design considerations
- Part 5: Weight control during engineering and construction
- Part 6: Marine operations
- Part 7: Stationkeeping systems for floating offshore structures and mobile offshore units
- Part 8: Marine soil investigations

A future Part 9 dealing with structural integrity management is under preparation.

The first edition of ISO 19901-3:2010 included a number of serious typographical errors. A 'Corrected' version of the first edition was issued in December 2011. This 'Corrected' version first edition was subsequently issued by some national standards organisations. To ensure all national standards bodies issue a 'Corrected' version of the document, TC 67/SC 7 decided to produce a second edition of 19901-3 which incorporates the following changes from the original issue in 2010:

- in 4.1, the symbol S_d for design internal force or moment has been added;
- in 8.1, Formulae (7), (8) and (9) have been amended to include symbol S_d and the second paragraph has been reworded to reflect the changes in the equations;
- in 9.18, first paragraph, new values have been given for variable action for the grating and plating as well as for the contribution of personnel to the total variable action allowance;

ISO 19901-3:2014(E)

- in A.7.10.4.2.2, the text has been reworded and Formula (A.1) has been amended, in line with the modifications in 8.1;
- in A.8.1, Formula (A.5) has been corrected by changing "max" to "min";
- in <u>B.2</u>, <u>Table B.1</u>, the value of Young's modulus has been amended so as to be in accordance with the default value recommended in ISO 19902;
- in <u>Tables B.3</u>, <u>B.4</u>, <u>B.5</u>, <u>B.7</u>, <u>B.8</u> and <u>B.9</u>, some values have been updated to reflect the change in Young's modulus;
- in <u>B.3.3</u>, <u>Table B.4</u>, the symbol for utilization has been corrected;
- in <u>B.4.5</u>, <u>Table B.10</u>, all values for compression and for compression and bending have been amended, as well as the value for the minimum ratio;
- in <u>B.4.5</u>, first and second paragraphs, the building code correspondence factor has been amended and a sentence about its applicability has been added;
- in <u>Annex C</u>, <u>Table C.1</u>, the existing building code correspondence factor has been amended and a second correspondence factor, relating to CSA S16-09, has been added;
- in the Bibliography, Reference[3] has been updated with a more recent edition; references in the text (see A.5.2, A.8.3.1, A.8.3.2, A.8.3.3 and A.8.3.4) have been updated accordingly.

In producing the second edition the following additional minor corrections have been applied to the 2011 'Corrected' version of the first edition: A ND ARD PREVIEW

- in <u>9.5.3.4</u> the units of the area-imposed action corrected to kN/m²;
- in <u>9.6.2</u> the description of off-lead and side-lead in <u>Table 5</u> improved;

SIST EN ISO 19901-3:2015

- in A.7.10.4.2.3 the reference to section A/7.10.2.4 changed to A/7.10.4.2.4;13-9ed1-
- 467ee6785f56/sist-en-iso-19901-3-2015
- in A.11.3 minor text correction;
- in Annex B Table B.1, symbols for bending amplification reduction factor corrected to $C_{m,v}$ and $C_{m,z}$

ISO 19901 is one of a series of International Standards for offshore structures. The full series consists of the following International Standards:

- ISO 19900, Petroleum and natural gas industries General requirements for offshore structures
- ISO 19901 (all parts), Petroleum and natural gas industries Specific requirements for offshore structures
- ISO 19902, Petroleum and natural gas industries Fixed steel offshore structures
- ISO 19903, Petroleum and natural gas industries Fixed concrete offshore structures
- ISO 19904-1, Petroleum and natural gas industries Floating offshore structures Part 1: Monohulls, semi-submersibles and spars
- ISO 19905-1, Petroleum and natural gas industries Site-specific assessment of mobile offshore units Part 1: Jack-ups
- ISO/TR 19905-2, Petroleum and natural gas industries Site-specific assessment of mobile offshore units — Part 2: Jack-ups commentary and detailed sample calculation
- ISO 19906, Petroleum and natural gas industries Arctic offshore structures

Introduction

The series of International Standards applicable to types of offshore structure, ISO 19900 to ISO 19906, constitutes a common basis covering those aspects that address design requirements and assessments of all offshore structures used by the petroleum and natural gas industries worldwide. Through their application, the intention is to achieve reliability levels appropriate for manned and unmanned offshore structures, whatever the type of structure and the nature or combination of the materials used.

It is important to recognize that structural integrity is an overall concept comprising models for describing actions, structural analyses, design rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design in isolation can disturb the balance of reliability inherent in the overall concept or structural system. The implications involved in modifications, therefore, need to be considered in relation to the overall reliability of all offshore structural systems.

The series of International Standards applicable to types of offshore structure is intended to provide wide latitude in the choice of structural configurations, materials and techniques, without hindering innovation. Sound engineering judgement is therefore necessary in the use of these International Standards.

This part of ISO 19901 has been prepared for those structural components of offshore platforms which are above the wave zone and are not part of the support structure or of the hull. Previous national and international standards for offshore structures have concentrated on design aspects of support structures, and the approach to the many specialized features of topsides has been variable and inconsistent, with good practice poorly recorded.

Historically, the design of structural components in topsides has been performed to national or regional codes for onshore structures, modified in accordance with experience within the offshore industry, or to relevant parts of classification society rules. While this part of ISO 19901 permits use of national or regional codes, and indeed remains dependent on them for the formulation of component resistance equations, it provides modifications that result in a more consistent level of component safety between support structures and topsides structures.

In some aspects, the requirements for topsides structures are the same as, or similar to, those for fixed steel structures; in such cases, reference is made to ISO 19902, with modifications where necessary. Annex A provides background to, and guidance on, the use of this part of ISO 19901, and is intended to be read in conjunction with the main body of this part of ISO 19901. The clause numbering in Annex A follows the same structure as that in the body of the normative text in order to facilitate cross-referencing.

Annex B provides an example of the use of national standards for onshore structures in conjunction with this part of ISO 19901.

Regional information on the application of this part of ISO 19901 to certain specific offshore areas is provided in Annex C.

In International Standards, the following verbal forms are used:

- "shall" and "shall not" are used to indicate requirements strictly to be followed in order to conform to the document and from which no deviation is permitted;
- "should" and "should not" are used to indicate that, among several possibilities, one is recommended
 as particularly suitable, without mentioning or excluding others, or that a certain course of action is
 preferred but not necessarily required, or that (in the negative form) a certain possibility or course
 of action is deprecated but not prohibited;
- "may" is used to indicate a course of action permissible within the limits of the document;
- "can" and "cannot" are used for statements of possibility and capability, whether material, physical or causal.

iTeh STANDARD PREVIEW (standards.iteh.ai)

Petroleum and natural gas industries — Specific requirements for offshore structures —

Part 3:

Topsides structure

1 Scope

This part of ISO 19901 gives requirements for the design, fabrication, installation, modification and structural integrity management for the topsides structure for an oil and gas platform. It complements ISO 19902, ISO 19903, ISO 19904-1, ISO 19905-1 and ISO 19906, which give requirements for various forms of support structure. Requirements in this part of ISO 19901 concerning modifications and maintenance relate only to those aspects that are of direct relevance to the structural integrity of the topsides structure.

The actions on (structural components of) the topsides structure are derived from this part of ISO 19901, where necessary in combination with other International Standards in the ISO 19901 series. The resistances of structural components of the topsides structure can be determined by the use of international or national building codes, as specified in this part of ISO 19901. If any part of the topsides structure forms part of the primary structure of the overall structural system of the whole platform, the requirements of this part of ISO 19901 are supplemented with applicable requirements in ISO 19902, ISO 19903, ISO 19904-1, ISO 19905-1 and ISO 19906.

This part of ISO 19901 is applicable to the topsides of offshore structures for the petroleum and natural gas industries, as follows: and and additional additional and additional additional additional and additional additional

- topsides of fixed offshore structures;
- discrete structural units placed on the hull structures of floating offshore structures and mobile offshore units;
- certain aspects of the topsides of arctic structures.

This part of ISO 19901 is not applicable to those parts of the superstructure of floating structures that form part of the overall structural system of the floating structure; these parts come under the provisions of ISO 19904-1. This part of ISO 19901 only applies to the structure of modules on a floating structure that do not contribute to the overall integrity of the floating structural system.

This part of ISO 19901 is not applicable to the structure of hulls of mobile offshore units.

This part of ISO 19901 does not apply to those parts of floating offshore structures and mobile offshore units that are governed by the rules of a recognized certifying authority and which are wholly within the class rules.

Some aspects of this part of ISO 19901 are also applicable to those parts of the hulls of floating offshore structures and mobile offshore units that contain hydrocarbon processing, piping or storage.

This part of ISO 19901 contains requirements for, and guidance and information on, the following aspects of topsides structures:

- design, fabrication, installation and modification;
- in-service inspection and structural integrity management;
- assessment of existing topsides structures;