



SLOVENSKI STANDARD SIST EN ISO 22007-4:2017

01-oktober-2017

Nadomešča:
SIST EN ISO 22007-4:2012

Polimerni materiali - Ugotavljanje toplotne prevodnosti in toplotne razprševalnosti - 4. del: Metoda z laserskim bliskom (ISO 22007-4:2017)

Plastics - Determination of thermal conductivity and thermal diffusivity - Part 4: Laser flash method (ISO 22007-4:2017)

Kunststoffe - Bestimmung der Wärmeleitfähigkeit und der Temperaturleitfähigkeit - Teil 4: Laserblitzverfahren (ISO 22007-4:2017)

Plastiques - Détermination de la conductivité thermique et de la diffusivité thermique - Partie 4: Méthode flash laser (ISO 22007-4:2017)

Ta slovenski standard je istoveten z: EN ISO 22007-4:2017

ICS:

83.080.01	Polimerni materiali na splošno	Plastics in general
-----------	--------------------------------	---------------------

SIST EN ISO 22007-4:2017

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 22007-4:2017](#)

<https://standards.iteh.ai/catalog/standards/sist/7de609fa-966a-4b41-ac20-40a6fe1b658f/sist-en-iso-22007-4-2017>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 22007-4

August 2017

ICS 83.080.01

Supersedes EN ISO 22007-4:2012

English Version

**Plastics - Determination of thermal conductivity and
thermal diffusivity - Part 4: Laser flash method (ISO
22007-4:2017)**

Plastiques - Détermination de la conductivité
thermique et de la diffusivité thermique - Partie 4:
Méthode flash laser (ISO 22007-4:2017)

Kunststoffe - Bestimmung der Wärmeleitfähigkeit und
der Temperaturleitfähigkeit - Teil 4:
Laserblitzverfahren (ISO 22007-4:2017)

This European Standard was approved by CEN on 17 June 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

iTeh STANDARD PREVIEW

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 22007-4:2017](https://standards.iteh.ai/catalog/standards/sist/7de609fa-966a-4b41-ac20-40a6fe1b658f/sist-en-iso-22007-4-2017)
<https://standards.iteh.ai/catalog/standards/sist/7de609fa-966a-4b41-ac20-40a6fe1b658f/sist-en-iso-22007-4-2017>

European foreword

This document (EN ISO 22007-4:2017) has been prepared by Technical Committee ISO/TC 61 “Plastics” in collaboration with Technical Committee CEN/TC 249 “Plastics” the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2018, and conflicting national standards shall be withdrawn at the latest by February 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 22007-4:2012.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 22007-4:2017 has been approved by CEN as EN ISO 22007-4:2017 without any modification.

[SIST EN ISO 22007-4:2017](https://standards.iteh.ai/catalog/standards/sist/7de609fa-966a-4b41-ac20-40a6fe1b658f/sist-en-iso-22007-4-2017)

<https://standards.iteh.ai/catalog/standards/sist/7de609fa-966a-4b41-ac20-40a6fe1b658f/sist-en-iso-22007-4-2017>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 22007-4:2017](#)

<https://standards.iteh.ai/catalog/standards/sist/7de609fa-966a-4b41-ac20-40a6fe1b658f/sist-en-iso-22007-4-2017>

INTERNATIONAL
STANDARD

ISO
22007-4

Second edition
2017-06

**Plastics — Determination of thermal
conductivity and thermal diffusivity —**

**Part 4:
Laser flash method**

*Plastiques — Détermination de la conductivité thermique et de la
diffusivité thermique —*

Partie 4: Méthode flash laser

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 22007-4:2017](https://standards.iteh.ai/catalog/standards/sist/7de609fa-966a-4b41-ac20-40a6fe1b658f/sist-en-iso-22007-4-2017)

<https://standards.iteh.ai/catalog/standards/sist/7de609fa-966a-4b41-ac20-40a6fe1b658f/sist-en-iso-22007-4-2017>



Reference number
ISO 22007-4:2017(E)

© ISO 2017

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 22007-4:2017](https://standards.iteh.ai/catalog/standards/sist/7de609fa-966a-4b41-ac20-40a6fe1b658f/sist-en-iso-22007-4-2017)

<https://standards.iteh.ai/catalog/standards/sist/7de609fa-966a-4b41-ac20-40a6fe1b658f/sist-en-iso-22007-4-2017>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents		Page
Foreword		iv
1 Scope		1
2 Normative references		1
3 Terms and definitions		1
4 Principle		2
5 Apparatus		2
6 Test specimen		5
6.1 Shape and dimension of the specimen.....		5
6.2 Preparation and conditioning of test specimen.....		5
6.3 Coating the specimen.....		5
7 Calibration and verification		6
7.1 Calibration of apparatus.....		6
7.2 Verification of apparatus.....		6
8 Procedure		6
9 Data analysis		8
10 Uncertainty		9
11 Test report		9
Annex A (informative) Correction for finite pulse duration		11
Annex B (informative) Alternative methods of calculating thermal diffusivity		12
Annex C (normative) Samples and test specimen preparation for injection mouldable thermoplastics and thermosets		13
Bibliography		17

ISO 22007-4:2017(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 5, *Physical-chemical properties*.
SIST EN ISO 22007-4:2017

<https://standards.iteh.ai/catalog/standards/sist/7de609fa-966a-4b41-ac20-465c1b158f1e/iso-22007-4:2017>

This second edition cancels and replaces the first edition (ISO 22007-4:2008), [Annex C](#) of which has been technically revised.

A list of all parts in the ISO 22007 series can be found on the ISO website.

Plastics — Determination of thermal conductivity and thermal diffusivity —

Part 4: Laser flash method

1 Scope

This document specifies a method for the determination of the thermal diffusivity of a thin solid disc of plastics in the thickness direction by the laser flash method. This method is based upon the measurement of the temperature rise at the rear face of the thin-disc specimen produced by a short energy pulse on the front face.

The method can be used for homogeneous solid plastics as well as composites having an isotropic or orthotropic structure. In general, it covers materials having a thermal diffusivity, α , in the range $1 \times 10^{-7} \text{ m}^2 \cdot \text{s}^{-1} < \alpha < 1 \times 10^{-4} \text{ m}^2 \cdot \text{s}^{-1}$. Measurements can be carried out in gaseous and vacuum environments over a temperature range from $-100 \text{ }^\circ\text{C}$ to $+400 \text{ }^\circ\text{C}$.

NOTE For inhomogeneous specimens, the measured values can be specimen thickness dependent.

2 Normative references (standards.iteh.ai)

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO 291, *Plastics — Standard atmospheres for conditioning and testing*

ISO 527-1, *Plastics — Determination of tensile properties — Part 1: General principles*

ISO 2818, *Plastics — Preparation of test specimens by machining*

ISO 22007-1, *Plastics — Determination of thermal conductivity and thermal diffusivity — Part 1: General principles*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 22007-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 pulse width

t_p

duration for which the laser pulse intensity is larger than half of its maximum value

Note 1 to entry: It is expressed in seconds (s).