



SLOVENSKI STANDARD
SIST ISO 3310-1:2002/TC 1:2005
01-november-2005

DfYg_i gbUg]HÜÈHY b] bY'nU H]j Y]b'dfYg_i ýUb^Y'È"%rXY. DfYg_i gbUg]HÜ]n
_cj]bg_Y[Ud`Yhj UÈHY b] b]dcdfUj Y_%

Test sieves - Technical requirements and testing - Part 1: Test sieves of metal wire cloth
- Technical Corrigendum 1

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **ISO 3310-1:2000/Cor 1:2004**
<https://standards.iteh.ai/catalog/standards/sist/d9cddd05-15e9-41a5-a961-881c05719baf/sist-iso-3310-1-2002-tc-1-2005>

ICS:

19.120	Analiza velikosti delcev. Sejanje	Particle size analysis. Sieving
--------	--------------------------------------	---------------------------------

SIST ISO 3310-1:2002/TC 1:2005 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ISO 3310-1:2002/TC 1:2005

<https://standards.iteh.ai/catalog/standards/sist/d9cddd05-13e9-41a5-a961-881c05719baf/sist-iso-3310-1-2002-tc-1-2005>



INTERNATIONAL STANDARD ISO 3310-1:2000
TECHNICAL CORRIGENDUM 1

Published 2004-09-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Test sieves — Technical requirements and testing —

Part 1: Test sieves of metal wire cloth

TECHNICAL CORRIGENDUM 1

Tamis de contrôle — Exigences techniques et vérifications —

Partie 1: Tamis de contrôle en tissus métalliques

RECTIFICATIF TECHNIQUE 1

STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 3310-1:2002/TC 1:2005](https://standards.iteh.ai/catalog/standards/sist/d9c4dd05-13e9-41a5-a961-881c05719b17/74-iso-3310-1-2002-tc-1-2005)

Technical Corrigendum 1 to ISO 3310-1 was prepared by Technical Committee ISO/TC 24, Sieves, sieving and other sizing methods, Subcommittee 1, Test sieves, test sieving.

Annex A, page 12, fourth equation

Replace “ $s = \sqrt{\frac{1}{25} \times 0,049} = 0,045 \text{ mm}$ ” by

$$s = \sqrt{\frac{1}{24} \times 0,049} = 0,045 \text{ mm}$$

ISO 3310-1:2000/Cor.1:2004(E)

Annex A, page 13, fourth equation

Replace " $s = \sqrt{\frac{1}{50}} \times 0,183 = 0,061 \text{ mm}$ " by

$$s = \sqrt{\frac{1}{49}} \times 0,183 = 0,061 \text{ mm}$$

Annex B, page 14, Table B.1

Revise the existing note by adding the words "or type of sieving machine" as follows:

NOTE It is the user's responsibility to ensure that a used sieve or type of sieving machine is re-examined according to the circumstances and with a frequency appropriate to the degree of use that the sieve or type of sieving machine has undergone.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST ISO 3310-1:2002/TC 1:2005](https://standards.iteh.ai/catalog/standards/sist/d9cddd05-13e9-41a5-a961-881c05719baf/sist-iso-3310-1-2002-tc-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/d9cddd05-13e9-41a5-a961-881c05719baf/sist-iso-3310-1-2002-tc-1-2005>