



**SLOVENSKI STANDARD**  
**oSIST prEN ISO 16119-5:2017**  
**01-februar-2017**

---

**Kmetijski in gozdarski stroji - Okoljevarstvene zahteve za škropilnice - 5. del:  
Zračni sistemi (ISO/DIS 16119-5:2016)**

Agricultural and forestry machinery - Environmental requirements for sprayers - Part 5:  
Aerial spray systems (ISO/DIS 16119-5:2016)

Land- und Forstmaschinen - Umweltaanforderungen an Pflanzenschutzgeräte - Teil 5:  
Spraysysteme (ISO/DIS 16119-5:2016)

Matériel agricole et forestier - Exigences environnementales pour les pulvérisateurs -  
Partie 5: Systèmes aériens de pulvérisation (ISO/DIS 16119-5:2016)

[https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-](https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-pr-en-iso-16119-5-2018)

[900221d6438e/ksist-pr-en-iso-16119-5-2018](https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-pr-en-iso-16119-5-2018)

**Ta slovenski standard je istoveten z: prEN ISO 16119-5**

---

**ICS:**

65.060.40      Oprema za nego rastlin      Plant care equipment

**oSIST prEN ISO 16119-5:2017**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ksIST FprEN ISO 16119-5:2018](https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-fpren-iso-16119-5-2018)

<https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-fpren-iso-16119-5-2018>

# DRAFT INTERNATIONAL STANDARD

## ISO/DIS 16119-5

ISO/TC 23/SC 6

Secretariat: AFNOR

Voting begins on:  
2016-12-07Voting terminates on:  
2017-02-28

---

---

## Agricultural and forestry machinery — Environmental requirements for sprayers —

### Part 5: Aerial spray systems

*Matériel agricole et forestier — Exigences environnementales pour les pulvérisateurs —  
Partie 5: Systèmes aériens de pulvérisation*

ICS: 65.060.40

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ksIST FprEN ISO 16119-5:2018](https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-fpren-iso-16119-5-2018)

<https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-fpren-iso-16119-5-2018>

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.

**ISO/CEN PARALLEL PROCESSING**



Reference number  
ISO/DIS 16119-5:2016(E)

© ISO 2016

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ksIST FprEN ISO 16119-5:2018](https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-fpren-iso-16119-5-2018)

<https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-fpren-iso-16119-5-2018>



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

# Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 List of significant hazards</b> .....	<b>2</b>
<b>5 Requirements</b> .....	<b>3</b>
5.1 Sprayer tanks.....	3
5.1.1 Materials.....	3
5.1.2 Tank Openings.....	3
5.1.3 Emptying.....	3
5.1.4 Tank contents indicator(s).....	4
5.1.5 Agitation.....	4
5.1.6 Filling Pre-Mix tank.....	4
5.2 Hoses and lines.....	4
5.3 Spray boom.....	5
5.3.1 Design and location.....	5
5.3.2 Adjustment.....	5
5.4 Safety factors.....	5
5.5 Filters.....	5
5.6 Nozzles / Atomizers.....	5
5.7 Measuring systems.....	6
5.7.1 General.....	6
5.7.2 Provisions for connecting test equipment.....	6
5.8 Volume/area adjustment system.....	6
5.9 Distribution and control of spray drift.....	7
5.9.1 Distribution.....	7
5.9.2 Control of spray drift.....	7
5.9.3 Swath marking/mapping.....	7
5.10 Cleaning.....	8
5.10.1 Cleaning devices at the sprayer.....	8
5.10.2 Water tanks.....	8
<b>6 Instruction handbook</b> .....	<b>8</b>
<b>7 Markings</b> .....	<b>8</b>
<b>Annex A (informative) Guidelines, Aerial deposition models and nozzle drop size category websites</b> .....	<b>10</b>
<b>Annex ZA (informative) Relationship between this European Standard and the essential requirements of EC Directive 2009/127/EC amending 2006/42/EC aimed to be covered</b> .....	<b>11</b>
<b>Bibliography</b> .....	<b>12</b>

## ISO/DIS 16119-5:2016(E)

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

The committee responsible for this document is Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 6, *Equipment for crop protection*.

A list of all parts in the ISO 16119 series can be found on the ISO website.

## Introduction

Significant areas are sprayed globally by fixed wing and rotary aircraft in order to overcome serious pest threats to agriculture and forestry. Aerial application is used where difficult terrain or crop (forests) dictate as well as for timely application to large areas, in order to maximize efficient use of crop protection products and minimize environmental impact. This standard specifies requirements and methods for verification, design and performance which are often unique from other sprayer equipment. This does not cover aircraft safety and design criteria for air worthiness and aircraft registration nor pilot or operator requirements all of which will be specified separately by countries or regions.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ksIST FprEN ISO 16119-5:2018](https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-fpren-iso-16119-5-2018)

<https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-fpren-iso-16119-5-2018>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ksIST FprEN ISO 16119-5:2018](https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-fpren-iso-16119-5-2018)

<https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-fpren-iso-16119-5-2018>



# Agricultural and forestry machinery — Environmental requirements for sprayers —

## Part 5: Aerial spray systems

### 1 Scope

This International Standard, when used together with ISO 16119-1 specifies requirements and the means for their verification for the design and performance of aerial fixed wing and rotary aircraft spray systems for agriculture, forestry, turf, and vegetation control in transport access ways (such as gas and electric lines) with regard to minimizing the potential risk of environmental contamination during use, including misuse foreseeable by the manufacturer.

It is intended to be used with ISO 16119-1, which gives general requirements common to all the sprayer types covered by ISO 16119. When requirements of this part of ISO 16119 are different from those stated in ISO 16119-1, the requirements of this part of ISO 16119 take precedence over the requirements of ISO 16119-1 for machines within the scope of this part of ISO 16119.

This part of ISO 16119 does cover aerial safety aspects not covered by ISO 4652.

This part of ISO 16119 is not applicable to: sprayers manufactured before the date of its publication, or unmanned aerial vehicles (drones).

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1401:1999, *Rubber hoses for agricultural spraying*

ISO 4102, *Equipment for crop protection — Sprayers — Connection threading*

ISO 5681, *Equipment for crop protection — Vocabulary*

ISO 5682-1:1996, *Equipment for crop protection — Spraying equipment — Part 1: Test methods for sprayer nozzles*

ISO 5682-2:1997, *Equipment for crop protection — Spraying equipment — Part 2: Test methods for hydraulic sprayers*

ISO 5682-3:1996, *Equipment for crop protection — Spraying equipment — Part 3: Test method for volume/hectare adjustment systems of agricultural hydraulic pressure sprayers*

ISO 9357, *Equipment for crop protection — Agricultural sprayers — Tank nominal volume and filling hole diameter*

ISO 13440:1996, *Equipment for crop protection — Agricultural sprayers — Determination of the volume of total residual*

ISO 16119-1, *Agricultural and forestry machinery — Environmental requirements for sprayers — Part 1: General*

**ISO/DIS 16119-5:2016(E)**

ISO 16119-2, *Agricultural and forestry machinery — Environmental requirements for sprayers — Part 2: Horizontal boom sprayers*

ISO 22368-3, *Crop protection equipment — Test methods for the evaluation of cleaning systems — Part 3: Internal cleaning of tank*

**3 Terms and definitions**

For the purposes of this document, the terms and definitions given in ISO 5681 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

**3.1****fixed wing aircraft**

Fixed wing aircraft approved by local or national authority equipped for the application of plant protection products and fertilizers on crops, including forestry and grasslands.

**3.2****rotary aircraft**

Helicopter (rotary) aircraft approved by local or national authority equipped for the application of plant

**3.3****global navigation satellite system GNSS**

Generic term for satellite navigation systems that provide autonomous geospatial positioning with global coverage

[SOURCE: ISO/TS 11356:2011, 3.2]

iTeH STANDARD PREVIEW  
(standards.iteh.ai)  
kSIST prEN ISO 16119-5:2018  
<https://standards.iteh.ai/catalog/standards/sist/3d1e8f26-01ea-4cf2-93a0-900221d6438e/ksist-pr-en-iso-16119-5-2018>

**4 List of significant hazards**

[Table 1](#) specifies the significant hazards, the significant hazardous situations and significant hazardous event(s) covered by this part of ISO 16119 that have been identified by risk assessment as being relevant for this type of machine with regard to environmental contamination, and which require specific action by the designer or manufacturer to eliminate or to reduce environmental contamination.

Attention is drawn to the necessity to verify that the environmental requirements specified in both ISO 16119-1 and this part of ISO 16119 apply to each significant hazard presented by a given machine and to validate that the risk assessment is complete.

**Table 1 — List of significant hazards**

Hazard		Hazardous situation/event	Clause/subclause of this part of ISO 16119
4.1	Spillages	Filling, Filters	<a href="#">5.1</a> ; <a href="#">5.1.6</a> ; <a href="#">5.5</a>
		Mixing of plant protection product	<a href="#">5.1.6</a> ; <a href="#">5.10.1</a>
4.2	Contamination of the water supply	Filling	<a href="#">5.1.6</a> ; <a href="#">5.10</a>
4.3	Leakages	Transport and application	<a href="#">5.1.6</a> ; <a href="#">5.6</a> ; <a href="#">5.2</a>
4.4	Overfilling	Filling	<a href="#">5.1</a> ; <a href="#">5.1.4</a> ; <a href="#">5.1.6</a>
4.5	Dispersal of spray mix residues or plant protection products	Drainage	<a href="#">5.1.3</a> ; <a href="#">5.1.4</a> ; <a href="#">5.10.1</a>
		Cleaning and rinsing	<a href="#">5.1.3</a> ; <a href="#">5.5</a> ; <a href="#">5.10</a>

Table 1 (continued)

Hazard		Hazardous situation/event	Clause/subclause of this part of ISO 16119
4.6	Accidental leakages	Accidental opening of tank outlet Hose leaks	<a href="#">5.1.4</a> ; <a href="#">5.4</a> ; <a href="#">5.2</a>
4.7	Over-dosing	Heterogeneous mixing	<a href="#">5.1.5</a>
....		Overlapping	<a href="#">5.8</a> ; <a href="#">5.9</a>
		Sprayer adjustment / control	<a href="#">5.9.1</a>
		Sprayer maintenance / service	<a href="#">5.7.2</a> ; 6
		Unintended deposition	<a href="#">5.4</a>
4.8	Unintended spraying outside the target area	Deposition outside the target area	<a href="#">5.4</a> ; <a href="#">5.9</a>
		Spraying stop control	<a href="#">5.6</a>
4.9	Drift	Spraying	<a href="#">5.9</a>
4.10	Dispersal of spray mix	Intervention on the sprayer during application or service	<a href="#">5.8</a> , 6,
4.11	Dripping	Spraying stop control	<a href="#">5.6</a>
4.12	Aircraft collision (wire strikes)	Aircraft working	<a href="#">5.4</a>

## iTeh STANDARD PREVIEW (standards.iteh.ai)

### 5 Requirements

#### 5.1 Sprayer tanks

oSIST prEN ISO 16119-5:2017

The total tank volume shall be at least 5% more than its nominal volume for open top filling, to prevent spillage as a result of overfilling. For filling via hose-connections, such as auto closing fill valves and closed transfer dry-breaks, the total tank volume shall be at least 1 % more than its nominal volume.

##### 5.1.1 Materials

Materials used shall be resistant to plant protection products (PPP) and approved by manufacture for intended use.

##### 5.1.2 Tank Openings

The filling hole or inspection port diameter or width shall be at least 300 mm for spray tanks with a nominal volume smaller than 300 l and preferably greater than 450 mm for bigger spray tanks. Alternate means to inspect tanks may be used for tanks with smaller fill openings. To limit the risk of access into the tank, any tank opening greater than 400 mm in diameter — or, if it is rectangular, of more than 400 mm × 300 mm — shall be provided with a grating which can only be removed by the use of tools. The openings in the grating shall not exceed the above-mentioned dimensions.

The opening lid shall be tightly sealed to avoid spillage.

##### 5.1.3 Emptying

###### 5.1.3.1 Tank emptying device

An emptying device shall allow the complete emptying of the residual in the tank when the aircraft is parked in a horizontal position. Complete emptying of the residual is considered to have been achieved when there are no visible puddles at the bottom of the tank after 5 min drainage.

The tank outlet shall, be guarded against accidental opening.