

SLOVENSKI STANDARD

kSIST-TS FprCEN/TS 17331:2018

01-december-2018

Gradbeni proizvodi - Ocenjevanje sproščanja nevarnih snovi - Vsebnost organskih snovi - Metode ekstrakcije in analize

Construction products - Assessment of release of dangerous substances - Content of organic substances - Methods for extraction and analysis

Bauprodukte - Bewertung der Freisetzung von gefährlichen Stoffen - Gehalt an organischen Stoffen - Extraktions- und Analyseverfahren

Produits de construction - Evaluation de l'émission de substances dangereuses - Teneur en substances organiques - Méthodes d'extraction et d'analyse

Ta slovenski standard je istoveten z: FprCEN/TS 17331

ICS:

13.020.99	Drugi standardi v zvezi z varstvom okolja	Other standards related to environmental protection
91.100.01	Gradbeni materiali na splošno	Construction materials in general

kSIST-TS FprCEN/TS 17331:2018

en,fr,de

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

FINAL DRAFT
FprCEN/TS 17331

October 2018

ICS 91.100.01

English Version

**Construction products: Assessment of release of
dangerous substances - Content of organic substances -
Methods for extraction and analysis**

Produits de construction: Evaluation de l'émission de
substances dangereuses - Teneur en substances
organiques - Méthodes d'extraction et d'analyse

Bauprodukte: Bewertung der Freisetzung von
gefährlichen Stoffen - Gehalt an organischen Stoffen -
Extraktions- und Analyseverfahren

This draft Technical Specification is submitted to CEN members for Vote. It has been drawn up by the Technical Committee CEN/TC 351.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a Technical Specification. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a Technical Specification.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Introduction	4
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions	6
4 Abbreviations.....	8
5 Sample preparation	9
6 Blank determination	9
7 Interferences	9
8 Selection of the suitable test method.....	9
9 Expression of results	12
10 Test report.....	12
Annex A (informative) Validation of content of organic substances in construction products.....	13
Annex B (informative) Overview of methods still under development and alternative methods.....	14
Bibliography	16

SIST-TS CEN/TS 17331:2019

<https://standards.iteh.ai/catalog/standards/sist/e560e86c-5827-433a-8a02-61409cb2aa50/sist-ts-cen-ts-17331-2019>

European foreword

This document (FprCEN/TS 17331:2018) has been prepared by Technical Committee CEN/TC 351 “Construction products: Assessment of release of dangerous substances”, the secretariat of which is held by NEN.

This document is currently submitted to the Vote on TS.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST-TS CEN/TS 17331:2019

<https://standards.iteh.ai/catalog/standards/sist/e560e86c-5827-433a-8a02-61409cb2aa50/sist-ts-cen-ts-17331-2019>

Introduction

This Technical Specification deals with the determination of the content of organic substances in construction products.

Following an extended evaluation of available methods for content and eluate analysis in construction products (CEN/TR 16045) it was concluded that existing methods for determining content of various organic substances in soil, sludge and waste are applicable to construction products. The present document therefore contains reference to such other standards for the substances of interest.

This Technical Specification is part of a modular horizontal approach and belongs to the analytical step. An overview of all modules which belong to a chain of measurement, and the manner how modules are selected is given in CEN/TR 16220 [1].

In the growing amount of product and sector oriented test methods it was recognized that many steps in test procedures are or could be used in test procedures for many products, materials and sectors. It was supposed that, by careful determination of these steps and selection of specific questions within these steps, elements of the test procedure could be described in a way that can be used for all materials and products or for all materials and products with certain specifications.

In this context a horizontal modular approach was adopted in CEN/TC 351. "Horizontal" means that the methods can be used for a wide range of materials and products with certain properties. "Modular" means that a test standard developed in this approach concerns a specific step in assessing a property and not the whole "chain of measurement" (from sampling to analyses). A beneficial feature of this approach is that "modules" can be replaced by better ones without jeopardizing the standard "chain".

The use of modular horizontal standards implies the drawing of test schemes as well. Before executing a test on a certain material or product to determine certain characteristics it is necessary to draw up a protocol in which the adequate modules are selected and together form the basis for the entire test procedure.

Further guidance on the applicability of specific test methods can be found in CEN/TR 16496 [2].

NOTE In Annex B, several methods are mentioned which are, to the current knowledge of CEN/TC 351/WG 5 members, national standards or in the process of standardization (at European or national level). Please inform the CEN/TC 351 secretariat if you know of other such standardization activities.
--

1 Scope

This document specifies existing methods for the determination of the content of specific organic substances in construction products.

The following parameters are covered: BTEX, biocides, dioxins, furans and dioxin-like PCBs, mineral oil, nonylphenols, PAH, PCB, PCP, PBDE, and short-chain chlorinated paraffins.

NOTE 1 Methods still under development or available at national level only are listed in Annex B for PFOS, PFOA, HBCD and EOX. The methods can be included in the normative text as soon as full EN standards are available.

NOTE 2 Methods that have not been validated for construction products, because no suitable material was available at the time of the robustness validation, only are listed in Annex B. This applies to organotin compounds, phenols and phthalates.

The methods listed in this document come from different fields and are expected to be suitable for organic substances in organic extracts from all types of constructions products.

The methods in this document are validated for the product types listed in Annex A.

NOTE 3 Construction products include e.g. mineral based products, bituminous products, wood based products, polymer based products and metals. This document includes analytical methods for all matrices except metals.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14039, *Characterization of waste — Determination of hydrocarbon content in the range of C10 to C40 by gas chromatography*

EN 15637, *Foods of plant origin — Determination of pesticide residues using LC-MS/MS following methanol extraction and clean-up using diatomaceous earth*

EN 16167, *Sludge, treated biowaste and soil — Determination of polychlorinated biphenyls (PCB) by gas chromatography with mass selective detection (GC-MS) and gas chromatography with electron-capture detection (GC-ECD)*

EN 16687:2015, *Construction products — Assessment of release of dangerous substances — Terminology*

EN 16181, *Soil, treated biowaste and sludge — Determination of polycyclic aromatic hydrocarbons (PAH) by gas chromatography (GC) and high performance liquid chromatography (HPLC)*

CEN/TS 16182, *Sludge treated biowaste and soil — Determination of nonylphenols (NP) and nonylphenol-mono- and diethoxylates using gas chromatography with mass selective detection (GC-MS)*

CEN/TS 16190, *Sludge, treated biowaste and soil — Determination of dioxins and furans and dioxin-like polychlorinated biphenyls by gas chromatography with high resolution mass selective detection (HR GC-MS)*

CEN/TR 14823, *Durability of wood and wood-based products — Quantitative determination of pentachlorophenol in wood — Gas chromatographic method*

FprCEN/TS 17331:2018 (E)

CEN/TR 16045:2010, *Construction Products — Assessment of release of dangerous substances - Content of regulated dangerous substances — Selection of analytical methods*

EN ISO 17294-1:2006, *Water quality — Application of inductively coupled plasma mass spectrometry (ICP-MS) — Part 1: General guidelines (ISO 17294-1:2004)*

EN ISO 18219, *Leather — Determination of chlorinated hydrocarbons in leather — Chromatographic method for short-chain chlorinated paraffins (SCCP) (ISO 18219)*

EN ISO 22032, *Water quality — Determination of selected polybrominated diphenyl ethers in sediment and sewage sludge — Method using extraction and gas chromatography/mass spectrometry (ISO 22032)*

prEN 17087, *Construction products — Assessment of release of dangerous substances — Preparation of test portions from the laboratory sample for testing of release and analysis of content*

NEN 7331, *Bitumen and bitumen containing materials — Determination of the content of polycyclic aromatic hydrocarbons (PAH), benzene, toluene, ethylbenzene and xylene (BTEX) — Gas chromatographic method with mass-spectrometric detection (in English)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1**blank value**

test result obtained by carrying out the test procedure in the absence of a test portion

Note 1 to entry: The blank value is expressed in the same units as for presenting the test results as usual for that test.

[SOURCE: EN 16687:2015, 4.1.10]

3.2**extract**

solution resulting from extraction of a sample with a solvent

[SOURCE: CEN/TR 16045:2010, 2.2.4]

3.3**extraction**

dissolution of substances in a solvent for subsequent chemical analysis

Note 1 to entry: Extraction is usually done with an organic solvent to extract organic substances for chemical analysis or for special analysis of inorganic substances.

[SOURCE: CEN/TR 16045:2010, 2.2.5]

3.4**laboratory sample**

sample or subsample(s) sent to or received by the laboratory

[SOURCE: EN 16687:2015, 3.2.1]

3.5**method detection limit****MDL**

smallest analyte concentration that can be detected with a specified analytical method including sample preparation with a defined statistical probability

[SOURCE: EN ISO 17294-1:2006, 3.12, modified – “including sample preparation” added, symbol replaced by abbreviation]

3.6**product matrix**

main composition of the product dictating the manner of sample preparation and the type of digestion or extraction for later chemical analysis

Note 1 to entry: For construction products for example the following product matrices can be distinguished:

- bituminous products;
- metals;
- plastics/rubbers;
- silica-based products;
- wood-based products.

[SOURCE: CEN/TR 16045:2010, 2.2.6; edited]

3.7**sample**

portion of material selected from a larger quantity of material

[SOURCE: EN 16687:2015, 3.1.5]

3.8**test portion****analytical portion**

amount of the test sample taken for testing/analysis purposes, usually of known weight or volume

[SOURCE: EN 16687:2015, 3.2.3]

3.9**test sample**

sample, prepared from the laboratory sample, from which test portions are removed for testing or analysis

[SOURCE: EN 16687:2015, 3.2.2]

FprCEN/TS 17331:2018 (E)**4 Abbreviations**

For the purposes of this document, the following abbreviations apply.

AAS	atomic absorption spectrometry
AED	atomic-emission detector
BTEX	alkylated benzenes: sum of benzene, toluene, ethylbenzene and xylenes
ECD	electron capture detection
ECNI	electron capture negative ionization
EI	electron ionization
EOTA	European Organization of Technical Approvals
EOX	extractable organically bound halogens
FID	flame ionization detector
FPD	flame-photometric detector
GC	gas chromatography
HBDC	hexabromocyclododecane
HPLC	high performance liquid chromatography
NOTE	High pressure liquid chromatography is an (outdated) synonym.
HRGC	high-resolution gas chromatography
LLE	liquid-liquid extraction, also known as solvent extraction and partitioning
MS	mass spectrometry; mass selective detection
NCI	negative chemical ionization
NP	nonylphenol(s)
PAH	polycyclic aromatic hydrocarbon(s)
PBDE	polybrominated diphenyl ethers
PCB	polychlorinated biphenyl(s)
PCP	pentachlorophenol
PFOA	perfluorooctanoic acid
PFOS	perfluorooctanesulfonate
PLE	pressurized liquid extraction
SCCP	short-chain chlorinated paraffins
SLE	solid-liquid extraction
TR	Technical Report (ISO, CEN or EOTA)
TS	Technical Specification (ISO, CEN or EOTA)