



SLOVENSKI STANDARD SIST-TS CEN/TS 17332:2019

01-julij-2019

Gradbeni proizvodi - Ocenjevanje sproščanja nevarnih snovi - Analiza organskih snovi v izlužkih

Construction products - Assessment of release of dangerous substances - Analysis of organic substances in eluates

Bauprodukte - Bewertung der Freisetzung von gefährlichen Stoffen - Analyse von nichtflüchtigen organischen Stoffen in Eluaten

Produits de construction - Evaluation de l'émission de substances dangereuses - Analyse des substances organiques contenues dans les éluats

<https://standards.iteh.ai/catalog/standards/sist/d9ea74a4-64c3-4534-ae80-87561595b974/sist-ts-cen-ts-17332-2019>

Ta slovenski standard je istoveten z: **CEN/TS 17332:2019**

ICS:

13.020.99	Drugi standardi v zvezi z varstvom okolja	Other standards related to environmental protection
91.100.01	Gradbeni materiali na splošno	Construction materials in general

SIST-TS CEN/TS 17332:2019

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS CEN/TS 17332:2019](https://standards.iteh.ai/catalog/standards/sist/d9ea74a4-64c3-4534-ae80-87561585b974/sist-ts-cen-ts-17332-2019)

<https://standards.iteh.ai/catalog/standards/sist/d9ea74a4-64c3-4534-ae80-87561585b974/sist-ts-cen-ts-17332-2019>

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 17332

May 2019

ICS 91.100.01

English Version

**Construction products: Assessment of release of
dangerous substances - Analysis of organic substances in
eluates**

Produits de construction: Evaluation de l'émission de
substances dangereuses - Analyse des substances
organiques contenues dans les éluats

Bauprodukte: Bewertung der Freisetzung von
gefährlichen Stoffen - Analyse von organischen Stoffen
in Eluaten

This Technical Specification (CEN/TS) was approved by CEN on 11 February 2019 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Abbreviations	8
5 Sample preparation	8
6 Blank determination	9
7 Interferences	9
8 Selection of the suitable test method	9
9 Expression of results	11
10 Test report	11
Annex A (informative) Validation of eluates from construction products	12
Annex B (informative) Overview of methods still under development, alternative methods and methods for biocidal and plant protection products	13
Bibliography	15

SIST-TS CEN/TS 17332:2019
<https://standards.iteh.ai/catalog/standards/sist/d9ea74a4-64c3-4534-ae80-87561585b974/sist-ts-cen-ts-17332-2019>

European foreword

This document (CEN/TS 17332:2019) has been prepared by Technical Committee CEN/TC 351 “Construction products: Assessment of release of dangerous substances”, the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST-TS CEN/TS 17332:2019](https://standards.iteh.ai/catalog/standards/sist/d9ea74a4-64c3-4534-ae80-87561585b974/sist-ts-cen-ts-17332-2019)

<https://standards.iteh.ai/catalog/standards/sist/d9ea74a4-64c3-4534-ae80-87561585b974/sist-ts-cen-ts-17332-2019>

CEN/TS 17332:2019 (E)

Introduction

This Technical Specification deals with the determination of organic substances in eluates which have been obtained by leaching of construction products.

Following an extended evaluation of available methods for content and eluate analysis in construction products (CEN/TR 16045 [1]) it was concluded that eluate analysis methods are very similar to analytical methods used to determine organic substances in water. The present document is similar in structure to EN 16192 [2].

This standard is part of a modular horizontal approach and belongs to the analytical step. An overview of all modules which belong to a chain of measurement and the manner how modules are selected is given in CEN/TR 16220 [3].

In the growing amount of product and sector oriented test methods it was recognized that many steps in test procedures are or could be used in test procedures for many products, materials and sectors. It was supposed that, by careful determination of these steps and selection of specific questions within these steps, elements of the test procedure could be described in a way that can be used for all materials and products or for all materials and products with certain specifications.

In this context a horizontal modular approach is adopted in CEN/TC 351. 'Horizontal' means that the methods can be used for a wide range of materials and products with certain properties. 'Modular' means that a test standard developed in this approach concerns a specific step in assessing a property and not the whole 'chain of measurement' (from sampling to analyses). A beneficial feature of this approach is that 'modules' can be replaced by better ones without jeopardizing the standard 'chain'.

The use of modular horizontal standards implies the drawing of test schemes as well. Before executing a test on a certain material or product to determine certain characteristics it is necessary to draw up a protocol in which the adequate modules are selected and together form the basis for the entire test procedure.

This module relates to CEN/TS 16637-1 [4], CEN/TS 16637-2 and CEN/TS 16637-3.

1 Scope

This document specifies existing methods for the determination of specific organic substances in aqueous eluates from leaching of construction products.

The following parameters are covered: pH, electrical conductivity, biocides, bisphenol A, BTEX, dioxins and furans, DOC, epichlorohydrin, mineral oil, nonylphenols, PAH, PBDE, PCB, dioxin-like PCB, PCP, phenols and phthalates.

NOTE 1 Methods still under development or available at national level only are listed in Annex B for certain amines, AOX, and biocidal and plant protection products.

NOTE 2 Methods that have not been validated for aqueous eluates from leaching of construction products, because no suitable material was available at the time of the robustness validation, only are listed in Annex B. This applies to organotin compounds.

The methods in this document come from different fields, mainly the analysis of water, and are applicable for the eluates from construction products. They are validated for eluates of the product types listed in Annex A.

NOTE 3 Construction products include, e.g. mineral-based products, bituminous products, wood-based products, polymer-based products and metals. This document includes analytical methods for all matrices except metals.

The selection of the method to be applied is based on the product matrix and the required sensitivity.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1484, *Water analysis — Guidelines for the determination of total organic carbon (TOC) and dissolved organic carbon (DOC)*

EN 12673, *Water quality — Gas chromatographic determination of some selected chlorophenols in water*

EN 14207, *Water quality — Determination of epichlorohydrin*

EN 15637, *Foods of plant origin — Determination of pesticide residues using LC-MS/MS following methanol extraction and clean-up using diatomaceous earth*

CEN/TS 16637-2, *Construction products — Assessment of release of dangerous substances — Part 2: Horizontal dynamic surface leaching test*

CEN/TS 16637-3, *Construction products — Assessment of release of dangerous substances — Part 3: Horizontal up-flow percolation test*

EN 16687:2015, *Construction products — Assessment of release of dangerous substances - Terminology*

EN 16694, *Water quality — Determination of selected polybrominated diphenyl ether (PBDE) in whole water samples — Method using solid phase extraction (SPE) with SPE-disks combined with gas chromatography-mass spectrometry (GC-MS)*

EN 27888, *Water quality — Determination of electrical conductivity (ISO 7888)*

EN ISO 5667-3, *Water quality — Sampling — Part 3: Preservation and handling of water samples (ISO 5667-3)*

CEN/TS 17332:2019 (E)

EN ISO 9377-2, *Water quality — Determination of hydrocarbon oil index — Part 2: Method using solvent extraction and gas chromatography (ISO 9377-2)*

EN ISO 10523, *Water quality — Determination of pH (ISO 10523)*

EN ISO 14402, *Water quality — Determination of phenol index by flow analysis (FIA and CFA) (ISO 14402)*

EN ISO 15680, *Water quality — Gas-chromatographic determination of a number of monocyclic aromatic hydrocarbons, naphthalene and several chlorinated compounds using purge-and-trap and thermal desorption (ISO 15680)*

EN ISO 17294-1:2006, *Water quality — Application of inductively coupled plasma mass spectrometry (ICP-MS) — Part 1: General guidelines (ISO 17294-1:2004)*

EN ISO 18856, *Water quality — Determination of selected phthalates using gas chromatography/mass spectrometry (ISO 18856)*

EN ISO 18857-2, *Water quality — Determination of selected alkylphenols — Part 2: Gas chromatographic-mass spectrometric determination of alkylphenols, their ethoxylates and bisphenol A in non-filtered samples following solid-phase extraction and derivatisation (ISO 18857-2)*

ISO 17858, *Water quality — Determination of dioxin-like polychlorinated biphenyls — Method using gas chromatography/mass spectrometry*

ISO 18073, *Water quality — Determination of tetra- to octa-chlorinated dioxins and furans — Method using isotope dilution HRGC/HRMS*

ISO 20595, *Water quality — Determination of selected highly volatile organic compounds in water — Method using gas chromatography and mass spectrometry by static headspace technique (HS-GC-MS)*

ISO 28540, *Water quality — Determination of 16 polycyclic aromatic hydrocarbons (PAH) in water — Method using gas chromatography with mass spectrometric detection (GC-MS)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 alternative method

method calibrated against the reference test method used to determine a value of release/emission/content of substances directly correlating with the test results from the reference test method

Note 1 to entry: An alternative method can be, e.g. a modified reference test method or an indirect test method which is based on another test method. See also “indirect test”.

Note 2 to entry: In type testing reference test methods have always to be used.

[SOURCE: EN 16687:2015, 4.1.5]

3.2**blank value**

test result obtained by carrying out the test procedure in the absence of a test portion

Note 1 to entry: A blank value is expressed in the same units as for presenting the test results as usual for that test.

[SOURCE: EN 16687:2015, 4.1.10]

3.3**eluate**

solution obtained from a leaching test

[SOURCE: EN 16687:2015, 4.2.7]

3.4**laboratory sample**

sample or subsample(s) sent to or received by the laboratory

[SOURCE: EN 16687:2015, 3.2.1]

3.5**leaching test**

laboratory test for the determination of the release of matter from a construction product into water or an aqueous solution

3.6**method detection limit****MDL**

smallest analyte concentration that can be detected with a specified analytical method including sample preparation with a defined statistical probability

[SOURCE: EN ISO 17294-1:2006, 3.12, modified – “including sample preparation” added, symbol replaced by abbreviation]

3.7**sample**

portion of material selected from a larger quantity of material

[SOURCE: EN 16687:2015, 3.1.5]

3.8**test portion****analytical portion**

amount of the test sample taken for testing/analysis purposes, usually of known weight or volume

[SOURCE: EN 16687:2015, 3.2.3]

3.9**test sample**

sample, prepared from the laboratory sample, from which test portions are removed for testing or analysis

[SOURCE: EN 16687:2015, 3.2.2]