
**Information technology —
Telecommunications and information
exchange between systems — Services
for Computer Supported
Telecommunications Applications (CSTA)
Phase III**

iTeh STANDARD PREVIEW

*Technologies de l'information — Télécommunications et échange
d'information entre systèmes — Services pour applications en
télécommunications supportées par ordinateur (CSTA) en phase III*
[ISO/IEC 18051:2005](https://standards.iso.org/iso-iec-18051-2005)

<https://standards.iteh.ai/catalog/standards/sist/6b614260-31e2-4b80-aa56-3505ebc0b1cb/iso-iec-18051-2005>

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 18051:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/6b614260-31e2-4b80-aa56-3505ebc0b1cb/iso-iec-18051-2005>

© ISO/IEC 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

1	Scope	1
2	Conformance	1
2.1	Switching Function	2
2.1.1	Conformant Services	2
2.1.2	Conformant Events	2
2.1.3	CSTA Profiles	2
2.1.4	Support of Service Requests And Manual Mode	4
2.2	Special Resource Function Conformance	4
2.2.1	Conformant Services	5
2.2.2	Conformant Events	5
2.2.3	Support of Service Requests And Manual Mode	5
2.3	Computing Function Conformance	5
3	References	6
4	Definitions and Abbreviations	6
5	Functional Architecture	6
6	CSTA Operational Model	7
6.1	Switching Sub-Domain Model	8
6.1.1	Device	8
6.1.2	Call	40
6.1.3	Connection	47
6.1.4	Call State Definitions	51
6.1.5	Referencing Devices, Elements, Appearances and Device Configurations	52
6.1.6	Management of Dynamically-Assigned Identifiers	54
6.2	I/O Services	54
6.2.1	Data Path Definition	55
6.2.2	I/O Registration Services	56
6.2.3	Data Path States and Operational Model	56
6.2.4	I/O Services Example	56
6.3	Call Detail Record (CDR) Services	57
6.3.1	CDR Services Examples	57
6.4	Capabilities Exchange	59
6.4.1	Switching Function Capabilities	59
6.4.2	Device Capabilities	60
6.4.3	Dynamic Feature Availability	60
6.5	Switching Function Information Synchronization	61
6.5.1	Switching Function Level Information	61
6.5.2	Device Level Information	61

6.5.3	Call Level Information	61
6.6	Status Reporting Services	62
6.6.1	System Status	62
6.6.2	Monitoring	63
6.6.3	Snapshot Services	66
6.7	Additional Services, Features & Behaviour	67
6.7.1	Forwarding	67
6.7.2	Connection Failure	69
6.7.3	Recall	70
6.7.4	Call Back	71
6.7.5	External Calls	71
6.7.6	Tracking a Diverted Call	72
6.7.7	Media Stream Access	73
6.7.8	Routeing Services	76
6.7.9	Device Maintenance	81
6.7.10	Prompting	81
6.7.11	Telephony Tones Features	81
6.7.12	DTMF and Rotary Pulse Digits Features	82
6.7.13	Data Collection Services	82
7	Association Establishment	82
7.1	Implicit Association created using CSTA System Status service (initiated by Switching Function)	83
7.2	Implicit Association created using CSTA Request System Status service	83
7.3	Explicit Association created using ACSE	84
7.4	Explicit Association created using Ecma Session Control Services	85
8	Security Service	86
9	Generic Service Requirements	86
9.1	Service Request	86
9.2	Service Response (Acknowledgements)	87
9.2.1	Positive Acknowledgement Models	87
9.2.2	Negative Acknowledgement	88
9.3	Diagnostic Error Definitions	88
9.3.1	Error Categories	88
9.3.2	Error Values	89
9.4	Vendor Specific Extensions	89
9.4.1	Private Data	89
9.4.2	Escape Services and Private Event	90
9.5	General Services and Event Functional Requirements	91
9.5.1	Services	91
9.5.2	Events	93

10	CSTA Device Identifier Formats	93
10.1	Device Identifier Formats	93
10.1.1	Diallable Digits	93
10.1.2	Switching Function Representation	95
10.1.3	Device Number	97
10.1.4	URI Representation	97
10.2	Functional Requirements	97
11	Template Descriptions	97
11.1	Service Template	97
11.1.1	Service Description	98
11.1.2	Service Request	98
11.1.3	Service Response	99
11.1.4	Operational Model	99
11.2	Event Template	99
11.2.1	Event Description	99
11.2.2	Event Parameters	100
11.2.3	Event Causes	100
11.2.4	Functional Requirements	100
11.3	Parameter Type Template	100
11.3.1	Parameter Type Description	100
11.3.2	Format	100
11.3.3	Functional Requirements	100
12	Parameter Types	101
12.1	Definitions	101
12.2	Defined Parameter Types	102
12.2.1	AccountInfo	103
12.2.2	AgentPassword	103
12.2.3	AuthCode	103
12.2.4	CallCharacteristics	103
12.2.5	CallLinkageData	104
12.2.6	CallQualifyingData	106
12.2.7	ChargingInfo	106
12.2.8	ConnectionInformation	107
12.2.9	ConnectionList	107
12.2.10	CorrelatorData	108
12.2.11	CSTAPrivateData	109
12.2.12	CSTASecurityData	109
12.2.13	DeviceHistory	110
12.2.14	ErrorValue	111
12.2.15	EventCause	121
12.2.16	LanguagePreferences	125
12.2.17	LocalConnectionState	125

ISO/IEC 18051:2005(E)

12.2.18	MediaCallCharacteristics	126
12.2.19	MediaServiceType	128
12.2.20	MessageInfo	129
12.2.21	MonitorFilter	129
12.2.22	ServicesPermitted	130
12.2.23	SimpleCallState	130
12.2.24	SubjectOfCall	131
12.2.25	SystemStatus	131
12.2.26	TimeInfo	131
12.2.27	UserData	132
12.3	Identifier Parameter Types	133
12.3.1	AgentID	134
12.3.2	AssociatedCalledDeviceID	134
12.3.3	AssociatedCallingDeviceID	134
12.3.4	AuditoryApparatusID	135
12.3.5	ButtonID	135
12.3.6	CalledDeviceID	135
12.3.7	CallingDeviceID	136
12.3.8	CDRCrossRefID	136
12.3.9	ConnectionID	136
12.3.10	DCollCrossRefID	138
12.3.11	DeviceID	138
12.3.12	DisplayID	139
12.3.13	EscapeRegisterID	139
12.3.14	HookswitchID	139
12.3.15	IOCrossRefID	139
12.3.16	IORegisterReqID	139
12.3.17	LampID	139
12.3.18	MediaServiceInstanceID	140
12.3.19	MediaStreamID	140
12.3.20	MessageID	140
12.3.21	MonitorCrossRefID	140
12.3.22	NetworkCalledDeviceID	140
12.3.23	NetworkCallingDeviceID	141
12.3.24	RedirectionDeviceID	141
12.3.25	ResourceID	142
12.3.26	RingerID	142
12.3.27	RouteingCrossRefID	142
12.3.28	RouteRegisterReqID	143
12.3.29	ServiceCrossRefID	143
12.3.30	SubjectDeviceID	143
12.3.31	SysStatRegisterID	144
13	Capability Exchange Services	145
13.1	Services	145

13.1.1	Get CSTA Features	146
13.1.2	Get Logical Device Information	148
13.1.3	Get Physical Device Information	157
13.1.4	Get Switching Function Capabilities	161
13.1.5	Get Switching Function Devices	177
13.1.6	Switching Function Devices	179
14	System Services	182
14.1	Registration Services	182
14.1.1	Change System Status Filter	183
14.1.2	System Register	185
14.1.3	System Register Abort	188
14.1.4	System Register Cancel	189
14.2	Services	190
14.2.1	Request System Status	191
14.2.2	System Status	193
14.2.3	Switching Function Capabilities Changed	195
14.2.4	Switching Function Devices Changed	196
15	Monitoring Services	197
15.1	Services	197
15.1.1	Change Monitor Filter	198
15.1.2	Monitor Start	200
15.1.3	Monitor Stop	204
16	Snapshot Services	205
16.1	Services	205
16.1.1	Snapshot Call	206
16.1.2	Snapshot Device	209
16.1.3	Snapshot CallData	212
16.1.4	Snapshot DeviceData	215
17	Call Control Services & Events	218
17.1	Services	218
17.1.1	Accept Call	220
17.1.2	Alternate Call	222
17.1.3	Answer Call	225
17.1.4	Call Back Call-Related	227
17.1.5	Call Back Message Call-Related	230
17.1.6	Camp On Call	233
17.1.7	Clear Call	235
17.1.8	Clear Connection	238
17.1.9	Conference Call	242
17.1.10	Consultation Call	245
17.1.11	Deflect Call	251

17.1.12	Dial Digits	254
17.1.13	Directed Pickup Call	257
17.1.14	Group Pickup Call	261
17.1.15	Hold Call	264
17.1.16	Intrude Call	266
17.1.17	Join Call	270
17.1.18	Make Call	274
17.1.19	Make Predictive Call	280
17.1.20	Park Call	286
17.1.21	Reconnect Call	289
17.1.22	Retrieve Call	291
17.1.23	Send Message	293
17.1.24	Single Step Conference Call	298
17.1.25	Single Step Transfer Call	302
17.1.26	Transfer Call	305
17.2	Events	308
17.2.1	Bridged	309
17.2.2	Call Cleared	311
17.2.3	Conferenced	314
17.2.4	Connection Cleared	320
17.2.5	Delivered	324
17.2.6	Digits Dialed	329
17.2.7	Diverted	332
17.2.8	Established	337
17.2.9	Failed	342
17.2.10	Held	347
17.2.11	Network Capabilities Changed	349
17.2.12	Network Reached	352
17.2.13	Offered	356
17.2.14	Originated	361
17.2.15	Queued	364
17.2.16	Retrieved	368
17.2.17	Service Initiated	370
17.2.18	Transferred	373
18	Call Associated Features	378
18.1	Services	378
18.1.1	Associate Data	379
18.1.2	Cancel Telephony Tones	381
18.1.3	Change Connection Information	383
18.1.4	Generate Digits	386
18.1.5	Generate Telephony Tones	389
18.1.6	Send User Information	392
18.2	Events	394
18.2.1	Call Information	395

18.2.2	Charging	398
18.2.3	Digits Generated	399
18.2.4	Telephony Tones Generated	400
18.2.5	Service Completion Failure	403
19	Media Attachment Services & Events	406
19.1	Services	406
19.1.1	Attach Media Service	407
19.1.2	Detach Media Service	411
19.2	Events	414
19.2.1	Media Attached	415
19.2.2	Media Detached	416
20	Routeing Services	418
20.1	Registration Services	418
20.1.1	Route Register	419
20.1.2	Route Register Abort	422
20.1.3	Route Register Cancel	423
20.2	Services	424
20.2.1	Re-Route	425
20.2.2	Route End	427
20.2.3	Route Reject	429
20.2.4	Route Request	431
20.2.5	Route Select	434
20.2.6	Route Used	436
21	Physical Device Features	438
21.1	Services	438
21.1.1	Button Press	439
21.1.2	Get Auditory Apparatus Information	440
21.1.3	Get Button Information	442
21.1.4	Get Display	444
21.1.5	Get Hookswitch Status	446
21.1.6	Get Lamp Information	447
21.1.7	Get Lamp Mode	449
21.1.8	Get Message Waiting Indicator	452
21.1.9	Get Microphone Gain	453
21.1.10	Get Microphone Mute	454
21.1.11	Get Ringer Status	455
21.1.12	Get Speaker Mute	457
21.1.13	Get Speaker Volume	458
21.1.14	Set Button Information	459
21.1.15	Set Display	460
21.1.16	Set Hookswitch Status	462
21.1.17	Set Lamp Mode	463

21.1.18	Set Message Waiting Indicator	465
21.1.19	Set Microphone Gain	466
21.1.20	Set Microphone Mute	468
21.1.21	Set Ringer Status	469
21.1.22	Set Speaker Mute	471
21.1.23	Set Speaker Volume	472
21.2	Events	474
21.2.1	Button Information	475
21.2.2	Button Press	476
21.2.3	Display Updated	477
21.2.4	Hookswitch	479
21.2.5	Lamp Mode	480
21.2.6	Message Waiting	481
21.2.7	Microphone Gain	482
21.2.8	Microphone Mute	483
21.2.9	Ringer Status	484
21.2.10	Speaker Mute	485
21.2.11	Speaker Volume	486
22	Logical Device Features	487
22.1	Services	487
22.1.1	Call Back Non-Call-Related	488
22.1.2	Call Back Message Non-Call-Related	489
22.1.3	Cancel Call Back	491
22.1.4	Cancel Call Back Message	492
22.1.5	Get Agent State	493
22.1.6	Get Auto Answer	495
22.1.7	Get Auto Work Mode	496
22.1.8	Get Caller ID Status	497
22.1.9	Get Do Not Disturb	498
22.1.10	Get Forwarding	500
22.1.11	Get Last Number Dialed	503
22.1.12	Get Routeing Mode	504
22.1.13	Set Agent State	505
22.1.14	Set Auto Answer	509
22.1.15	Set Auto Work Mode	511
22.1.16	Set Caller ID Status	513
22.1.17	Set Do Not Disturb	514
22.1.18	Set Forwarding	516
22.1.19	Set Routeing Mode	518
22.2	Events	519
22.2.1	Agent Busy	520
22.2.2	Agent Logged Off	521
22.2.3	Agent Logged On	522
22.2.4	Agent Not Ready	523

iTeH STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 18051:2005

<https://standards.iteh.ai/catalog/standards/sist/6b614260-31e2-4b80-aa56-3505ebc0b1cb/iso-iec-18051-2005>

22.2.5	Agent Ready	525
22.2.6	Agent Working After Call	526
22.2.7	Auto Answer	528
22.2.8	Auto Work Mode	529
22.2.9	Call Back	530
22.2.10	Call Back Message	531
22.2.11	Caller ID Status	532
22.2.12	Do Not Disturb	533
22.2.13	Forwarding	534
22.2.14	Routeing Mode	536
23	Device Maintenance Events	537
23.1	Events	537
23.1.1	Back In Service	538
23.1.2	Device Capabilities Changed	539
23.1.3	Out Of Service	540
23.1.4	Partially In Service	541
24	I/O Services	542
24.1	Registration Services	542
24.1.1	I/O Register	543
24.1.2	I/O Register Abort	545
24.1.3	I/O Register Cancel	546
24.2	I/O Services	547
24.2.1	Data Path Resumed	548
24.2.2	Data Path Suspended	549
24.2.3	Fast Data	550
24.2.4	Resume Data Path	552
24.2.5	Send Broadcast Data	553
24.2.6	Send Data	555
24.2.7	Send Multicast Data	557
24.2.8	Start Data Path	559
24.2.9	Stop Data Path	561
24.2.10	Suspend Data Path	562
25	Data Collection Services	563
25.1	Services	563
25.1.1	Data Collected	564
25.1.2	Data Collection Resumed	567
25.1.3	Data Collection Suspended	568
25.1.4	Resume Data Collection	569
25.1.5	Start Data Collection	570
25.1.6	Stop Data Collection	572
25.1.7	Suspend Data Collection	573

26	Voice Services & Events	574
26.1	Services	574
26.1.1	Activate	575
26.1.2	Clear	576
26.1.3	Concatenate Message	577
26.1.4	Deactivate	578
26.1.5	Delete Message	579
26.1.6	Play Message	580
26.1.7	Query Voice Attribute	582
26.1.8	Queue	588
26.1.9	Record Message	590
26.1.10	Reposition	592
26.1.11	Resume	594
26.1.12	Review	596
26.1.13	Set Voice Attribute	598
26.1.14	Start	601
26.1.15	Stop	603
26.1.16	Suspend	606
26.1.17	Synthesize Message	608
26.2	Events	609
26.2.1	Bookmark Reached	610
26.2.2	Completed	611
26.2.3	DTMF Detected	612
26.2.4	Emptied	613
26.2.5	Interruption Detected	614
26.2.6	Not Recognized	615
26.2.7	Play	616
26.2.8	Recognized	617
26.2.9	Record	618
26.2.10	Review	619
26.2.11	Silence Timeout Expired	620
26.2.12	Speech Detected	621
26.2.13	Started	622
26.2.14	Stop	623
26.2.15	Suspend Play	624
26.2.16	Suspend Record	625
26.2.17	Voice Attribute Changed	626
26.2.18	Voice Error Occurred	628
27	Call Detail Record (CDR) Services	629
27.1	Services	629
27.1.1	Call Detail Records Notification	630
27.1.2	Call Detail Records Report	631
27.1.3	Send Stored Call Detail Records	636
27.1.4	Start Call Detail Records Transmission	638

27.1.5	Stop Call Detail Records Transmission	640
28	Vendor Specific Extensions Services & Events	642
28.1	Registration Services	642
28.1.1	Escape Register	643
28.1.2	Escape Register Abort	644
28.1.3	Escape Register Cancel	645
28.2	Services	646
28.2.1	Escape	647
28.2.2	Private Data Version Selection	648
28.3	Events	649
28.3.1	Private Event	650
Annex A	- Device Appearances	651
A.1	Standard Appearance	651
A.1.1	Selected-Standard Appearance	651
A.1.2	Basic-Standard Appearance	652
A.2	Bridged Appearance	652
A.2.1	Basic-Bridged	653
A.2.2	Exclusive-Bridged	654
A.2.3	Shared-Bridged	655
	https://standards.iteh.ai/catalog/standards/sist/6b614260-31e2-4b80-aa56-	
Annex B	- ISDN User-User Information Element Encoding for CSTA	659
Annex C	- Capability Bitmap Parameters Types	661
C.1	CapExchangeServList	662
C.1.1	Get CSTA Features	662
C.1.2	Get Logical Device Information	662
C.1.3	Get Physical Device Information	663
C.1.4	Get Switching Function Capabilities	663
C.1.5	Get Switching Function Devices	663
C.1.6	Switching Function Devices	664
C.2	SystemStatusServList	664
C.2.1	Change System Status Filter	664
C.2.2	System Register	664
C.2.3	System Status Register Abort	664
C.2.4	System Status Register Cancel	664
C.2.5	Request System Status	664
C.2.6	System Status	665
C.2.7	Switching Function Capabilities Changed	665
C.2.8	Switching Function Devices Changed	665

C.3	MonitoringServList	665
	C.3.1 Change Monitor Filter	665
	C.3.2 Monitor Start	665
	C.3.3 Monitor Stop	666
C.4	SnapshotServList	666
	C.4.1 Snapshot Call	666
	C.4.2 Snapshot Device	666
	C.4.3 Snapshot CallData	667
	C.4.4 Snapshot DeviceData	667
C.5	CallControlServList	667
	C.5.1 Accept Call	667
	C.5.2 Alternate Call	668
	C.5.3 Answer Call	668
	C.5.4 Call Back Call-Related	669
	C.5.5 Call Back Message Call-Related	669
	C.5.6 Camp On Call	669
	C.5.7 Clear Call	670
	C.5.8 Clear Connection	670
	C.5.9 Conference Call	671
	C.5.10 Consultation Call	671
	C.5.11 Deflect Call	672
	C.5.12 Dial Digits	672
	C.5.13 Directed Pickup Call	673
	C.5.14 Group Pickup Call	673
	C.5.15 Hold Call	674
	C.5.16 Intrude Call	674
	C.5.17 Join Call	674
	C.5.18 Make Call	675
	C.5.19 Make Predictive Call	675
	C.5.20 Park Call	676
	C.5.21 Reconnect Call	676
	C.5.22 Retrieve Call	677
	C.5.23 Send Message Service	677
	C.5.24 Single Step Conference Call	677
	C.5.25 Single Step Transfer Call	678
	C.5.26 Transfer Call	678
C.6	CallControlEvtsList	679
	C.6.1 Bridged	679
	C.6.2 Call Cleared	680

STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 18051:2005](https://standards.iteh.ai/catalog/standards/sist/6b614260-31e2-4b80-aa56-3505ebc0b1cb/iso-iec-18051-2005)

<https://standards.iteh.ai/catalog/standards/sist/6b614260-31e2-4b80-aa56-3505ebc0b1cb/iso-iec-18051-2005>

C.6.3	Conferenced	680
C.6.4	Connection Cleared	680
C.6.5	Delivered	681
C.6.6	Digits Dialed	681
C.6.7	Diverted	681
C.6.8	Established	682
C.6.9	Failed	682
C.6.10	Held	683
C.6.11	Network Capabilities Changed	683
C.6.12	Network Reached	683
C.6.13	Offered	684
C.6.14	Originated	684
C.6.15	Queued	684
C.6.16	Retrieved	685
C.6.17	Service Initiated	685
C.6.18	Transferred	685
C.7	CallAssociatedServList	686
C.7.1	Associate Data	686
C.7.2	Cancel Telephony Tone	686
C.7.3	Change Connection Information	686
C.7.4	Generate Digits	687
C.7.5	Generate Telephony Tones	687
C.7.6	Send User Information	687
C.8	CallAssociatedEvtsList	687
C.8.1	Call Information	688
C.8.2	Charging	688
C.8.3	Digits Generated	688
C.8.4	Telephony Tones Generated	688
C.8.5	Service Completion Failure	689
C.9	MediaServList	689
C.9.1	Attach Media Service	689
C.9.2	Detach Media Service	689
C.10	MediaEvtsList	690
C.10.1	Media Attached	690
C.10.2	Media Detached	690
C.11	RouteingServList	690
C.11.1	Route Register	690
C.11.2	Route Register Abort	690
C.11.3	Route Register Cancel	691