# ETSI TR 103 185 V1.1.1 (2015-08)



User Group; Hereiter Group; Hereiter Group; Hereiter Group; Hereiter Group; Hereiter Group; Hereiter Group impaired people for e-accessibility to ICT products and services

Here Stars Fullscatage

Reference DTR/USER-00041

Keywords

2

accessibility, user

#### ETSI



The present document can be downloaded from: <u>http://www.etsi.org/standards-search</u>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services: <u>https://portal.etsi.org/People/CommiteeSupportStaff.aspx</u>

#### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI. The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015. All rights reserved.

DECT<sup>™</sup>, PLUGTESTS<sup>™</sup>, UMTS<sup>™</sup> and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP**<sup>™</sup> and LTE<sup>™</sup> are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

 $\ensuremath{\texttt{GSM}}\xspace^{\ensuremath{\texttt{B}}}$  and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intelle	ectual Property Rights	4
Forew	vord	4
Modal verbs terminology		
Introduction		
1	Scope	5
2 2.1 2.2	References Normative references Informative references	5
3 3.1 3.2	Definitions and abbreviations Definitions Abbreviations	6
4 4.1 4.2	Section 1: Web and document content accessibility Definition Proposals	7
5 5.1	Section 2: Terminals requirement for vision impaired people	8
5.2 5.2.0 5.2.1	Proposals	
5.2.2 5.2.3	Smartphones applications	9 9
5.2.4 5.2.5 5.2.6	Screen Shape WI-FI connectivity	
5.2.7 5.2.8 5.2.9	Receiving Sending SMS	
5.2.10 5.2.11		
7 7.1	Section 3: e-Purchasing, Kiosks, Television, M2M	12
7.1.0	Assistive Technologies Bar codes applications/restrictions	12
7.1.2 7.2 7.2.1	Proposals Kiosks: interactive information terminals Introduction	13
7.2.2 7.3	Proposals Television and DVB decoders	
7.3.1 7.3.2 7.4	Introduction Proposals M2M	13
Anne	ex A: Bibliography	14
Histor	ry	15

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for ETSI members and non-members, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://ipr.etsi.org).

4

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

### Foreword

This Technical Report (TR) has been produced by ETSI User Group (USER).

## Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the ETST Drafting Rules (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

### Introduction

dard The Information Communication Technology (ICT) can significantly improve the living conditions of people with disabilities. New platforms such as smartphones phablets and tablets, combined with attractive and innovative applications and services open now new horizons.

Several studies are available on the subject and many websites from association, governmental organization, regulation or standard bodies provides valuable information

http://www.e-accessibilitytoolkit.org/toolkit/international cooperation/international standards development

The present document intends to gather some concrete requirements and make proposals for communication tools/devices/Services/interfaces, for vision impaired people (blind, or low vision, or partially sighted people).

- Blindness is defined by the World Health Organization (WHO) as vision in a person's best eye of less than • 20/500 or a visual field of less than 10 degrees. (According to numbers from the WHO, 90% of blind people live in the developing world).
- Low vision generally refers to a severe visual impairment, not necessarily limited to distance vision. Low . vision applies to all individuals with sight who are unable to read the newspaper at a normal viewing distance, even with the aid of eyeglasses or contact lenses.
- Partially sighted indicates some type of visual problem.

According to WHO, 285 million people are estimated to be visually impaired worldwide: 39 million are blind and 246 have low vision. 65 % of all people who are visually impaired are aged 50 and older, while this age group comprises about 20 % of the world's population.

With an increasing elderly population in many countries, more people will be at risk of age-related visual impairment.

Vision impaired people face sometimes insurmountable difficulties when they want to access new technologies using a computer, Internet access, editing and printing a text, reading a document can be extremely complex tasks despite their simplicity to another user, but ICT may today give people with vision disabilities capabilities to improve their social and economic integration in their society if some specific requirements are taken into consideration when product and services are designed.

### 1 Scope

The present document aims at identifying use cases for vision impaired people for e-access to ICT products and services but also use cases to allow users to interact with machines or equipment (e.g. users terminal, user interface) via dedicated devices (M2M communications) in order to define appropriate protocols (NFC or similar).

The intention is not to define technical solutions but to forward the requirements to the appropriate ETSI Technical bodies.

Equal access to services, to WEB content, to public places is now required by law in many countries. Vision impaired people often use of specialized devices which can help them in the current life and also provide access to entertainment (access to Television, book reader, etc.).

Being able to use computers, mobile phones and other tools for, work, leisure and keeping in contact are key tools for blind and partially sighted people. In the present document, some requirements and/or proposals in possible assistive technology for the vision impaired people are listed.

The present document is devided in 3 sections:

- Section 1 where accessibility requirements have already been studied and proposed solutions identified. However, these requirement are often ignored. This is the case for web and content document accessibility.
- Section 2 where accessibility requirements exist are partially considered, however this report bring some new considerations and propose recommendations. This is the case for terminals smartphone, phablets, and tablets.
- Section 3 where accessibility requirements are not yet really considered, because several type of requirement may be requested. This is the case for e-purchasing, Kiosks, Television, M2M, etc.

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="http://docbox.etsi.org/Reference">http://docbox.etsi.org/Reference</a>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

Not applicable.

#### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI EG 201 013: "Human Factors (HF); Definitions, abbreviations and symbols".
- [i.2] W3C Recommendation (December 2008): "Web Content Accessibility Guidelines (WCAG) 2.0".

[i.3] Recommendation ITU-T I.112: "Vocabulary of terms for ISDNs".

### 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

access: function that enables a service session from an end user equipment

**availability:** likelihood with which the relevant components of the service function can be accessed as required by the contractual conditions (temporal and spatial)

6

NOTE: Space covers the geographic coverage and resource size aspects.

capability: ability of an item to meet a demand of a given size under given internal conditions

function: set of processes defined for the purpose of achieving a specified objective

NOTE: See Recommendation ITU-T I.112 [i.3].

Terminal Equipment (TE): functional group on the user side of a user-network interface

usability: effectiveness, efficiency and satisfaction with which specified users can achieve specified goals (tasks) in a particular environment

NOTE: In telecommunications, usability should also include the concepts of learnability and flexibility; and reference to the interaction of more than one user (the A and B parties) with each other and with the terminals and the telecommunications system, ETSI EG 201 013 [i.1].

### 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

Asymmetric Digital Subscriber Line Application Programming Interface Digital Video Broadcasting European Article Numbering
Global Accessibility Report Initiative
Global Positioning System
Global System for Mobile
Information and Communication Technologies
Machine to Machine
Near Field Communication
Personal Identification Number
Quick Response Code
Subscriber Identity Module
Short Message Service
Uniform Resource Locator
Word Web Wide Consortium
Web Accessibility Initiative
Web Content Accessibility Guidelines
Last part of World Wide WEB
World Health Organization
WIreless FIdelity

# 4 Section 1: Web and document content accessibility

### 4.1 Definition

A document is considered accessible if it can be read and used by any user, regardless of the computer tool at its disposal: screen, screen reader voice synthesizer, braille display, keyboard or others devices

NOTE: A screen reader allows a totally blind person to hear what is on screen ,a screen reader read it out in a synthetic voice and its give a couple of extra ways of interacting with what on screen from the keyboard.

#### 4.2 Proposals

Several rules and principles should be taken into account to provide the Web content & document accessibility.

As examples the following may be listed:

- Structuring the document by separating different content.
- Presenting Information and user interface components to users in ways they can perceive them:
  - E.g. Provide text alternatives to graphics.
  - Make accessible tables to display the data with an organization facilitating understanding.
  - Use contrasting colours and pretty standard fonts
  - Find an alternative to font enrichment (bold, italic, underline)
- Operability User interface components and navigation should be operable.
- Understandability Information and the operation of user interface should be understandable.
- Robustness Content should be robust enough that it can be interpreted reliably by a wide variety of user agents, including assistive technologies.

If a content is not compliant with these rules, users with disabilities will not be able to use the Web.

The best objective for any webmaster or document editor is to comply with "WCAG 2.0" [i.2] specification.

- NOTE: The BrailleNet Association (W3C member) has registered a trademark "Accessiweb" with the following missions:
  - Production and maintenance of Repositories from the work of W3C/WAI.
  - Training for web professionals and the general public.
  - Benchmarking the compliance of websites with accessibility standards W3C/WAI (e.g. <u>http://www.accessiweb.org/index.php/accessiweb\_2.2\_liste\_generale.html</u>).
  - Participation in European projects and carrying initiatives eAccessibility.

For vision impaired people, it is really important to get on line ,to feel included in the society, to be able to participate in learning and in leisure, so it is highly recommended that any WEBSITE comply with "WCAG 2.0" [i.2] (e.g. via "accessiweb" benchmarking process or equivalent).

# 5 Section 2: Terminals requirement for vision impaired people

### 5.1 Introduction

There are many degrees of visual impairment ranging from difficulty in reading small characters through to total blindness.

With all mobile phones incorporating displays providing a range of options for users with visual impairments is important.

The following criteria are highly recommended to improve accessibility to smartphone/phablet/tablet, usage.

Terminals designed to meet requirements for visually impaired people need to offer appropriate ergonomics and include **as basic** functionalities: Speech synthesis/speech recognition/and if possible physical-keypad.

#### 5.2 Proposals for terminal characteristics

#### 5.2.0 Accessibility

All parameters regarding accessibility should be located in One Menu: e.g. named "accessibility parameters".

#### 5.2.1 Ergonomics

In particular the following features are likely to be of interest

- On-off button should be physical, dedicated and distinct.
- Audible/haptic/or visual feedback when keys are pressed e.g. Audible alert, visual and/or haptic signal.

etsitt

- On physical AZERTY/QWERTY keyboards, key 5, and letters F J are marked.
- Standardized colours: green to call and red to hang off are required.
- Volume settings + and should be dedicated and distinct.
- Easy access to SIM card/memory cards, battery.
- Audible alert, visual and/or haptic is required for:
  - Code pin (acceptance/denied).
  - Wireless network availability.
  - Low battery level.
- Information on Calling line identity:
  - Different ringing tone depending on caller identity.
  - The ability to assign different ring tones to different numbers stored in the phone allows vision impaired people to allocate a specific ring tone to a family member.
  - This feature lets visually impaired people know easily who is calling when the phone rings, without the need to even look at the display of the phone.
  - This feature can be enhanced with the name announcement.
  - Display on screen.
- Calls history (missed, incoming, outgoing, calls).

- Key lock screen dedicated and perfectly distinct.
- Dynamic key allocation to services/applications.
- Make easy contact list (from an incoming call).
- Possibility to use voice control to dial a number or to access phone functionalities.
- Phone book with picture/photos (image of the person beside their name and phone number).
- NOTE: GARI (Global Accessibility Report Initiative) bring assistance to user to select terminals identifying accessibility features available on smartphones proposed by different manufacturers (<u>http://www.mobileaccessibility.info/</u>).

#### 5.2.2 Smartphones applications

The Operating System of Smartphones should include natively services/applications such as speech recognition/speech synthesis/and screen reader functionalities, etc.

However, most touch screen phones make navigation and keypad operation quite difficult.

Features such as, screen contrast, icons size, colours or voice speed should also be easily customized by the visually impaired user.

NOTE: For Android<sup>TM</sup> devices, a guide has been edited to help application developers to address the services accessibility (<u>http://eyes-free.googlecode.com/svn/trunk/documentation/android\_access/index.html</u>).

#### 5.2.3 Touchscreen devices

#### Smartphones should natively include screen reader functionalities.

A screen reader will provide right information if the applications fulfil recommendations given by Worldwide web consortium.

The issue of web accessibility has been addressed by the Web Accessibility Initiative (WAI) of the World Wide Web Consortium (W3C) has produced a series of recommendations, the Web Content Accessibility Guidelines, to help content developers producing websites or web applications.

#### • Speech synthesis

The voice should be clear and pleasant to hear, and the playback speed should be adjustable.

High definition sound is recommended and attenuation of ambient noise around the speaker's voice.

Speech synthesis provided by screen readers should be compatible with wireless headsets.

#### • Speech recognition

Voice recognition is also a very useful feature that can help people with a visual impairment. This allows the user to use voice commands for dialling and accessing features on the phone.

Speech recognition often needs cloud resources, and in such a case data transmitted on the radio path to the speech recognition server should be encrypted.

If no encryption, no sensitive transaction (consulting bank account, purchase internet, transfer order) requiring the sending of personal data (code number and credit card, bank references, in particular) should be performed via speech recognition.

In order to improve ergonomics, availability of an API allowing additional software to provide additional screen reader services.