

---

---

## Tools for pressing — L-shaped guides

*Outils de presse — Glissières de guidage en L*

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO 16366:2008](https://standards.iteh.ai/catalog/standards/sist/e9380701-99ab-493f-afc4-3ed8abc18347/iso-16366-2008)

<https://standards.iteh.ai/catalog/standards/sist/e9380701-99ab-493f-afc4-3ed8abc18347/iso-16366-2008>



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO 16366:2008

<https://standards.iteh.ai/catalog/standards/sist/e9380701-99ab-493f-afc4-3ed8abc18347/iso-16366-2008>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16366 was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 8, *Tools for pressing and moulding*.

This second edition cancels and replaces the first edition (ISO 16366:2001), Clause 3 of which has been technically revised.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO 16366:2008  
<https://standards.iteh.ai/catalog/standards/sist/e9380701-99ab-493f-afc4-3ed8abc18347/iso-16366-2008>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO 16366:2008


<https://standards.iteh.ai/catalog/standards/sist/e9380701-99ab-493f-afc4-3ed8abc18347/iso-16366-2008>

## Tools for pressing — L-shaped guides

### 1 Scope

This International Standard specifies the main dimensions and tolerances of L-shaped guiding bars, to be used in press tools (an application example is shown in Figure 1).

It also specifies the designation of L-shaped guiding bars.



#### Key

- 1 L-shaped guiding bars
- 2 sliding plates
- 3 press tool

Figure 1 — Application example of L-shaped guiding bars

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

ISO 4762, *Hexagon socket head cap screws*

ISO 8733, *Parallel pins with internal thread, of unhardened steel and austenitic stainless steel*

ISO 13715, *Technical drawings — Edges of undefined shape — Vocabulary and indications*

### 3 Dimensions

The dimensions of L-shaped guiding bars shall conform to the indications in Figure 2 and Table 1.

All edges of undefined shape shall be in accordance with ISO 13715.

General tolerance: ISO 2768m  
 dimensions in millimetres  
 surface roughness values in micrometers




Figure 2 — L-shaped guiding bars

Table 1 — Dimensions of L-shaped guiding bars

Dimensions in millimetres

$b_1$	$h_1$	$l_1$	$b_2$	$b_3$	$h_2$	$l_2$	$l_3$	$l_6$	$l_4$	$l_5$	$d_1$	$d_2$	Hexagon socket		Parallel pin	
													ISO 4762	pieces	ISO 8733	pieces
$\pm 0,2$	$\pm 0,2$	$\begin{matrix} 0 \\ -0,2 \end{matrix}$	$\begin{matrix} 0 \\ -0,02 \end{matrix}$		$\begin{matrix} +0,02 \\ 0 \end{matrix}$						H13	$\varnothing H7$				
55	55	100	37	20	39	27,5	45	—	10	80	13,5	10	M12 × 80	2	10 × 60	2
		160					105	—		140						
70	75	160	50	30	55	35	90	—	12,5	135	17,5	12	M16 × 100	2	12 × 70	2
		200					130	—		175						
		250					90	—		225						
		400					90	75		375						
85	90	160	63	38	65	42,5	75	—	15	130	22	16	M20 × 120	2	16 × 70	2
		200					115	—		170						
		250					82,5	—		220						
		400					82,5	75		370						

#### 4 Material

The choice of material is left to the manufacturer's discretion.

EXAMPLE Bronze with embedded solid lubricant.

ISO 16366:2008

#### 5 Designation

<https://standards.iteh.ai/catalog/standards/sist/e9380701-99ab-493f-afc4-3ed8abc18347/iso-16366-2008>

L-shaped guiding bars in accordance with this International Standard shall be designated by:

- "L-shaped guiding bar";
- reference to this International Standard, i.e. ISO 16366;
- the length,  $l_1$ , in millimetres;
- the height,  $h_1$ , in millimetres.

EXAMPLE An L-shaped guiding bar of length  $l_1 = 100$  mm and of height  $h_1 = 55$  mm, is designated as follows:

**L-shaped guiding bar ISO 16366 — 100 × 55**

## Bibliography

- [1] ISO 23480, *Tools for pressing — Sliding plates*

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO 16366:2008](https://standards.iteh.ai/catalog/standards/sist/e9380701-99ab-493f-afc4-3ed8abc18347/iso-16366-2008)

<https://standards.iteh.ai/catalog/standards/sist/e9380701-99ab-493f-afc4-3ed8abc18347/iso-16366-2008>



**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO 16366:2008

<https://standards.iteh.ai/catalog/standards/sist/e9380701-99ab-493f-afc4-3ed8abc18347/iso-16366-2008>