INTERNATIONAL STANDARD

ISO/IEC 9594-1

Fifth edition 2005-12-15

Information technology — Open Systems Interconnection — The Directory: Overview of concepts, models and services

Technologies de l'information — Interconnexion de systèmes ouverts iTeh ST(QSI)—L'annuaire: Aperçu général des concepts, modèles et services (standards.iteh.ai)

ISO/IEC 9594-1:2005 https://standards.iteh.ai/catalog/standards/sist/2ac3ae9c-403c-40fb-96b6-71cc76b13a3b/iso-iec-9594-1-2005



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/IEC 9594-1:2005</u> https://standards.iteh.ai/catalog/standards/sist/2ac3ae9c-403c-40fb-96b6-71cc76b13a3b/iso-iec-9594-1-2005

© ISO/IEC 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org
Published by ISO in 2006
Published in Switzerland

CONTENTS

1	Scope	Scope				
2	Normative references					
	2.1	Identical Recommendations International Standards				
3	Defin	itions				
	3.1	Communication Model definitions.				
	3.2	Directory model definitions.				
	3.3	Distributed Operation definitions				
	3.4	Replication definitions				
	3.5	Basic directory definitions				
4		previations				
5	Conv	onventions				
6	Overv	Overview of the Directory				
7	The I	The Directory Information Base (DIB)				
8	The I	Directory service				
Ü	8.1	Introduction				
	8.2	Service qualification				
		8.2.1 Service controls				
		8.2.2 Security parameters 8.2.3 Filters				
	8.3	8.2.3 Filters				
	0.3					
		8.3.1 Read C. L. S.T. A. N.D. A.R.D. D.R.E. V. I.E. W. Compare				
		8.3.3 List(standards itchi)				
		0.J.¬ 5Carcii				
	0.4	8.3.5 Abandon. Directory modification ISO/IEC 9594-1:2005 8.4.1 hAdd/shardyards.iteh.ai/catalog/standards/sist/2ac3ae9c-403c-40fb-96b6- 8.4.2 Remove entry 71cc76b13a3b/iso-iec-9594-1-2005				
	8.4	8 4 1 https://standards.iteh.ai/catalog/standards/sist/2ac3ae9c-403c-40fb-96b6-				
		8.4.2 Remove entry 71cc76b13a3b/iso-iec-9594-1-2005				
		8.4.3 Modify entry				
		8.4.4 Modify distinguished name				
	8.5	Other outcomes.				
		8.5.1 Errors				
`	Thad					
9	9.1	listributed Directory				
	9.2	Organizational model				
	9.3	Operation of the model				
		ss control in the Directory.				
_						
1		ervice administration				
12	_	cation in the Directory				
	12.1 12.2	Introduction Forms of Directory replication				
	12.2	Replication and consistency of Directory information.				
	12.3	Views of replication.				
		12.4.1 Directory user view				
		12.4.2 Administrative user view				
		12.4.3 DSA view				
	12.5	Replication and Access Control				
3	Direc	tory protocols				
14	Syste	ms management of the Directory				
	14.1	Introduction				
	14.2	Management of the DIT domain				

ISO/IEC 9594-1:2005(E)

		Page
14.3	Management of Directory components	19
Annex A -	Applying the Directory	20
A.1	The Directory environment	20
A.2	Directory service characteristics	20
A.3	Patterns of use of the Directory	20
	A.3.1 Introduction	20
	A.3.2 Look-up	20
	A.3.3 User-friendly naming	21
	A.3.4 Browsing	21
	A.3.5 Yellow pages.	21
	A.3.6 Search restrictions and relaxation	21
	A.3.7 Groups	22
	A.3.8 Authentication	22
	A.3.9 Attribute-based Location	22
A.4	Generic applications	22
	A.4.1 Introduction	22
	A.4.2 Inter-personal communications	22
	A.4.3 Inter-system communications (for OSI)	23
Annex B-	Amendments and corrigenda	24

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 9594-1:2005

https://standards.iteh.ai/catalog/standards/sist/2ac3ae9c-403c-40fb-96b6-71cc76b13a3b/iso-iec-9594-1-2005

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 9594-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.500.

This fifth edition of ISO/IEC 9594-1 constitutes a technical revision of the fourth edition (ISO/IEC 9594-1:2001), which is provisionally retained in order to support implementations based on the fourth edition.

| Standards.itch.ai/catalog/standards/sist/2ac3ae9c-403c-40fb-96b6-

ISO/IEC 9594 consists of the following parts, under the general title Information technology — Open Systems Interconnection — The Directory:

- Part 1: Overview of concepts, models and services
 Part 2: Models
 Part 3: Abstract service definition
 Part 4: Procedures for distributed operation
 Part 5: Protocol specifications
 Part 6: Selected attribute types
 Part 7: Selected object classes
 Part 8: Public-key and attribute certificate frameworks
- Part 10: Use of systems management for administration of the Directory

— Part 9: Replication

Introduction

This Recommendation | International Standard together with other Recommendations | International Standards, has been produced to facilitate the interconnection of information processing systems to provide directory services. A set of such systems, together with the directory information that they hold, can be viewed as an integrated whole, called the *Directory*. The information held by the Directory, collectively known as the Directory Information Base (DIB), is typically used to facilitate communication between, with or about objects such as application entities, people, terminals and distribution lists.

The Directory plays a significant role in Open Systems Interconnection, whose aim is to allow, with a minimum of technical agreement outside of the interconnection standards themselves, the interconnection of information processing systems:

- from different manufacturers;
- under different managements;
- of different levels of complexity; and
- of different ages.

This Recommendation | International Standard introduces and models the concepts of the Directory and of the DIB and overviews the services and capabilities which they provide. Other Recommendations | International Standards make use of these models in defining the abstract service provided by the Directory, and in specifying the protocols through which this service can be obtained or propagated.

This Recommendation | International Standard provides the foundation frameworks upon which industry profiles can be defined by other standards groups and industry forums. Many of the features defined as optional in these frameworks, may be mandated for use in certain environments through profiles. This fifth edition technically revises and enhances, but does not replace, the fourth edition of this Recommendation | International Standard. Implementations may still claim conformance to the fourth edition. However, at some point, the fourth edition will not be supported (i.e., reported defects will no longer be resolved). It is recommended that implementations conform to this fifth edition as soon as possible.

ISO/IEC 9594-1:2005

This fifth edition specifies versions/hand-2 of the Directory protocols://2ac3ae9c-403c-40fb-96b6-

The first and second editions specified only version 1. Most of the services and protocols specified in this edition are designed to function under version 1. However some enhanced services and protocols, e.g., signed errors, will not function unless all Directory entities involved in the operation have negotiated version 2. Whichever version has been negotiated, differences between the services and between the protocols defined in the five editions, except for those specifically assigned to version 2, are accommodated using the rules of extensibility defined in ITU-T Rec. X.519 | ISO/IEC 9594-5.

Annex A, which is an integral part of this Recommendation | International Standard, describes the types of use to which the Directory can be applied.

Annex B, which is not an integral part of this Recommendation | International Standard, lists the amendments and defect reports that have been incorporated to form this edition of this Recommendation | International Standard.

Information technology – Open Systems Interconnection – The Directory: Overview of concepts, models and services

1 Scope

The Directory provides the directory capabilities required by OSI applications, OSI management processes, other OSI layer entities, and telecommunications services. Among the capabilities which it provides are those of "user-friendly naming", whereby objects can be referred to by names which are suitable for citing by human users (though not all objects need have user-friendly names); and "name-to-address mapping" which allows the binding between objects and their locations to be dynamic. The latter capability allows OSI networks, for example, to be "self-configuring" in the sense that addition, removal and the changes of object location do not affect OSI network operation.

The Directory is not intended to be a general-purpose database system, although it may be built on such systems. It is assumed, for instance, that, as is typical with communications directories, there is a considerably higher frequency of "queries" than of updates. The rate of updates is expected to be governed by the dynamics of people and organizations, rather than, for example, the dynamics of networks. There is also no need for instantaneous global commitment of updates; transient conditions, where both old and new versions of the same information are available, are quite acceptable.

It is a characteristic of the Directory that, except as a consequence of differing access rights or unpropagated updates, the results of directory queries will not be dependent on the identity or location of the inquirer. This characteristic renders the Directory unsuitable for some telecommunications applications, for example some types of routing. For cases where the results are dependent on the identity of the inquirer, access to directory information and updates of the Directory may be denied.

ISO/IEC 9594-1:2005

https://standards.iteh.ai/catalog/standards/sist/2ac3ae9c-403c-40fb-96b6-

Normative references 71cc76b13a3b/iso-iec-9594-1-2005

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.200 (1994) | ISO/IEC 7498-1:1994, Information technology Open Systems Interconnection Basic Reference Model: The basic model.
- ITU-T Recommendation X.501 (2005) | ISO/IEC 9594-2:2005, Information technology Open Systems Interconnection – The Directory: Models.
- ITU-T Recommendation X.509 (2005) | ISO/IEC 9594-8:2005, Information technology Open Systems Interconnection The Directory: Public-key and attribute certificate frameworks.
- ITU-T Recommendation X.511 (2005) | ISO/IEC 9594-3:2005, *Information technology Open Systems Interconnection The Directory: Abstract service definition.*
- ITU-T Recommendation X.518 (2005) | ISO/IEC 9594-4:2005, Information technology Open Systems Interconnection – The Directory: Procedures for distributed operation.
- ITU-T Recommendation X.519 (2005) | ISO/IEC 9594-5:2005, Information technology Open Systems Interconnection The Directory: Protocol specifications.
- ITU-T Recommendation X.520 (2005) | ISO/IEC 9594-6:2005, *Information technology Open Systems Interconnection The Directory: Selected attribute types.*

ISO/IEC 9594-1:2005 (E)

- ITU-T Recommendation X.521 (2005) | ISO/IEC 9594-7:2005, Information technology Open Systems Interconnection – The Directory: Selected object classes.
- ITU-T Recommendation X.525 (2005) | ISO/IEC 9594-9:2005, Information technology Open Systems Interconnection – The Directory: Replication.
- ITU-T Recommendation X.530 (2005) | ISO/IEC 9594-10:2005, Information technology Open Systems
 Interconnection The Directory: Use of systems management for administration of the Directory.

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

3.1 Communication Model definitions

The following terms are defined in ITU-T Rec. X.519 | ISO/IEC 9594-5:

- a) application-entity;
- b) Application Layer;
- c) application process.

3.2 Directory model definitions

The following terms are defined in ITU-T Rec. X.501 | ISO/IEC 9594-2:

- a) access control;
- b) Administration Directory Management Domain;
- c) alias; d) ancestor; iTeh STANDARD PREVIEW
- e) attribute; (standards.iteh.ai)
- f) attribute type;
- g) attribute value; ISO/IEC 9594-1:2005
- https://standards.iteh.ai/catalog/standards/sist/2ac3ae9c-403c-40fb-96b6-authentication; 71cc76b13a3b/iso-iec-9594-1-2005
- 100/0013830
- i) compound entry;
- j) context;
- k) Directory Information Tree (DIT);
- 1) Directory Management Domain (DMD);
- m) Directory System Agent (DSA);
- n) Directory User Agent (DUA);
- o) distinguished name;
- p) entry;
- q) family (of entries);
- r) hierarchical group;
- s) LDAP client;
- t) LDAP requester;
- u) LDAP responder;
- v) LDAP server;
- w) name;
- x) object (of interest);
- y) Private Directory Management Domain;
- z) related entries;
- aa) relative distinguished name;
- bb) root;

- cc) schema;
- dd) security policy;
- ee) subordinate object;
- ff) superior entry;
- gg) superior object;
- hh) tree.

3.3 Distributed Operation definitions

The following terms are defined in ITU-T Rec. X.518 | ISO/IEC 9594-4:

- a) uni-chaining;
- b) multi-chaining;
- c) referral.

3.4 Replication definitions

The following terms are defined in ITU-T Rec. X.525 | ISO/IEC 9594-9:

- a) caching;
- b) cache copy;
- c) entry copy;
- d) master DSA;
- e) replication;
- f) shadow consumer; eh STANDARD PREVIEW
- g) shadow supplier;
- h) shadowed information; (standards.iteh.ai)
- i) shadowing agreement.

ISO/IEC 9594-1:2005

https://standards.iteh.ai/catalog/standards/sist/2ac3ae9c-403c-40fb-96b6-

3.5 Basic directory definitions 71cc76b13a3b/iso-iec-9594-1-2005

The following terms are defined in this Recommendation | International Standard:

- **3.5.1 the Directory**: A collection of open systems cooperating to provide directory services.
- **3.5.2 directory information base (DIB)**: The set of information managed by the Directory.
- **3.5.3** (directory) user: The end user of the Directory, i.e., the entity or person which accesses the Directory.

4 Abbreviations

For the purposes of this Recommendation | International Standard, the following abbreviations apply:

ACI	Access Control Information
ADDMD	Administration Directory Management Domain
DAP	Directory Access Protocol
DIB	Directory Information Base
DISP	Directory Information Shadowing Protocol

DIT Directory Information Tree

DMD Directory Management Domain

DOP Directory Operational Binding Management Protocol

DSA Directory System Agent
DSP Directory System Protocol
DUA Directory User Agent

LDAP Lightweight Directory Access Protocol

ISO/IEC 9594-1:2005 (E)

OSI Open Systems Interconnection

PRDMD Private Directory Management Domain

RDN Relative Distinguished Name

5 Conventions

With minor exceptions this Directory Specification has been prepared according to the *Rules for presentation of ITU-T* | *ISO/IEC common text*, November 2001.

The term "Directory Specification" (as in "this Directory Specification") shall be taken to mean ITU-T Rec. X.500 | ISO/IEC 9594-1. The term "Directory Specifications" shall be taken to mean the X.500-series Recommendations and all parts of ISO/IEC 9594.

This Directory Specification uses the term *first edition systems* to refer to systems conforming to the first edition of the Directory Specifications, i.e., the 1988 edition of the series of CCITT X.500 Recommendations and the ISO/IEC 9594:1990 edition. This Directory Specification uses the term *second edition systems* to refer to systems conforming to the second edition of the Directory Specifications, i.e., the 1993 edition of the series of ITU-T X.500 Recommendations and the ISO/IEC 9594:1995 edition. This Directory Specification uses the term *third edition systems* to refer to systems conforming to the third edition of the Directory Specifications, i.e., the 1997 edition of the series of ITU-T X.500 Recommendations and the ISO/IEC 9594:1998 edition. This Directory Specification uses the term *fourth edition systems* to refer to systems conforming to the fourth edition of the Directory Specifications, i.e., the 2001 editions of ITU-T Recs X.500, X.501, X.511, X.518, X.519, X.520, X.521, X.525, and X.530, the 2000 edition of ITU-T Rec. X.509, and parts 1-10 of the ISO/IEC 9594:2001 edition.

This Directory Specification uses the term *fifth edition systems* to refer to systems conforming to the fifth edition of the Directory Specifications, i.e., the 2005 editions of ITU-T Recs X.500, X.501, X.509, X.511, X.518, X.519, X.520, X.521, X.525, and X.530 and parts 1-10 of the ISO/IEC 9594:2005 edition.

This Directory Specification presents ASN.1 notation in the bold Helvetica typeface. When ASN.1 types and values are referenced in normal text, they are differentiated from normal text by presenting them in the bold Helvetica typeface. The names of procedures, typically referenced when specifying the semantics of processing, are differentiated from normal text by displaying them in bold Times. Access control permissions are presented in italicized Times.

ISO/IEC 9594-1:2005

https://standards.iteh.ai/catalog/standards/sist/2ac3ae9c-403c-40fb-96b6-

6 Overview of the Directory/1cc76b13a3b/iso-iec-9594-1-2005

The *Directory* is a collection of open systems which cooperate to hold a logical database of information about a set of objects in the real world. The *users* of the Directory, including people and computer programs, can read or modify the information, or parts of it, subject to having permission to do so. Each user is represented in accessing the Directory by a Directory User Agent (DUA) or an LDAP client, each of which is considered to be an application-process. These concepts are illustrated in Figure 1.

NOTE – The Directory Specifications refer to the Directory in the singular, and reflects the intention to create, through a single, unified, name space, one logical directory composed of many systems and serving many applications. Whether or not these systems choose to interwork will depend on the needs of the applications they support. Applications dealing with non-intersecting worlds of objects may have no such need. The single name space facilitates later interworking should the needs change. For a variety of reasons, such as security, connectivity, or business decisions, it is likely that some portions of the Directory may be unreachable from other portions of the Directory using third edition operations. This results in differing views of the Directory. Such differing views may contain related entries about a given real world object. Such related entries may or may not have the same distinguished name. Using fourth or subsequent edition systems, it is possible to perform operations across multiple, differing views to provide an integrated response to the user. Specifically:

- DMD administrators (see 9.2) may have a need to publish their own view (or views) of some specific real-world object; a real-world object may thus be modelled by multiple independent entries in the directory. This may happen whether or not they need to interwork. Interworking using DSP may also be unsupported.
- Notwithstanding the last sentence of the Note, it is also possible that particular DMDs may choose to publish information about real-world objects within their own distinct directory name-spaces (i.e., in one of multiple DITs); in this case, it would be possible to have a specific real-world object modelled by entries in the same or different DIT namespaces, with the same or different distinguished names in each. Note that certain Directory facilities (e.g., the acquisition of certificates, and related functions based on digital signatures) cannot be implemented when distinct objects are permitted to share distinguished names.
- The objective of related entries is to provide a means whereby users can access such entries, bringing the resulting information together, if possible. This would apply to the situation described by both of the preceding bullet points.




Figure 1 - Access to the Directory

The information held in the Directory is collectively known as the *Directory Information Base* (DIB). Clause 7 gives an overview of its structure.

The Directory provides a well-defined set of access capabilities, known as the abstract service of the Directory, to its users. This service, which is briefly described in clause 8, provides a simple modification and retrieval capability. This can be built on with local DUA functions to provide the capabilities required by the end-users.

The Directory is distributed, both along functional and organizational lines. Clause 9 gives an overview of the corresponding models of the Directory. These have been developed in order to provide a framework for the cooperation of the various components to provide an integrated whole.

The Directory exists in an environment where various administrative authorities control access to their portion of the information. Clause 10 gives an overview of access control.

When the Directory is distributed, it may be desirable to replicate information to improve performance and availability. Clause 11 gives an overview of the Directory replication mechanism.

The provision and consumption of the Directory services requires that the users (actually the DUAs and/or LDAP clients) and the various functional components of the Directory should cooperate with one another. In many cases this will require cooperation between application processes in different open systems, which in turn requires standardized application protocols, briefly described in clause 11, to govern this cooperation.

The Directory has been designed so as to support multiple applications, drawn from a wide range of possibilities. The nature of the applications supported governs which objects are listed in the Directory, which users access the information, and which kinds of access they carry out. Applications may be very specific, such as the provision of distribution lists for electronic mail, or generic, such as the 'inter-personal communications directory' application. The Directory provides the opportunity to exploit commonness among the applications:

- A single object may be relevant to more than one application: Perhaps even the same piece of information about the same object may be so relevant.
- To support this, a number of object classes and attribute types are defined, which are useful across a range of applications. These definitions are contained in ITU-T Rec. X.520 | ISO/IEC 9594-6 and ITU-T Rec. X.521 | ISO/IEC 9594-7.
- Certain patterns of use of the Directory are common across a range of applications: Annex A gives an
 overview of this area.

7 The Directory Information Base (DIB)

NOTE 1 – The DIB, and its structure, are defined in ITU-T Rec. X.501 | ISO/IEC 9594-2.

The DIB is made up of information about objects. It is composed of (*Directory*) entries, each of which consists of a collection of information on one object. An entry may be an aggregate of member entries each holding information about a particular aspect of an object. Such an aggregate entry is called a compound entry. Each entry is made up of attributes, each with a type and one or more values. The types of attribute which are present in a particular entry are dependent on the *class* of object which the entry describes. Each *value* of an attribute may be tagged with one or more *contexts* that specify information about a value that can be used to determine the applicability of the value.

The entries of the DIB are arranged in the form of a tree, the Directory Information Tree (DIT) where the vertices represent the entries. Entries higher in the tree (nearer the root) will often represent objects such as countries or organizations, while entries lower in the tree will represent people or application processes.

ISO/IEC 9594-1:2005 (E)

NOTE 2 – The services defined in the Directory Specifications operate only on a tree-structured DIT. The Directory Specifications do not preclude the existence in the future of other structures (as the need arises).

Every entry has a distinguished name, which uniquely and unambiguously identifies the entry. These properties of the distinguished name are derived from the tree structure of the information. The distinguished name of an entry is made up of the distinguished name of its superior entry, together with specially nominated attribute values (the distinguished values) from the entry.

Some of the entries at the leaves of the tree are alias entries, while other entries are object entries and compound entries. Alias entries point to object entries, and provide the basis for alternative names for the corresponding objects.

A compound entry is an entry representing a single object and it is an aggregate of member entries each representing a part of the information about the object.

The Directory enforces a set of rules to ensure that the DIB remains well-formed in the face of modifications over time. These rules, known as the *Directory schema*, prevent entries having the wrong types of attributes for its object class, attribute values being of the wrong form for the attribute type, and even entries having subordinate entries of the wrong class

Figure 2 illustrates the above concepts of the DIT and its components.




Figure 2 – Structure of the DIT and of Entries

Figure 3 gives a hypothetical example of a DIT. The tree provides examples of some of the types of attributes used to identify different objects. For example the name:

{C=GB, L=Winslow, O=Graphic Services, CN=Laser Printer}

identifies the application entity, "Laser Printer", which has in its distinguished name the geographical attribute of Locality.

The residential person, John Jones, whose name is {C=GB, L=Winslow, CN=John Jones}, has the same geographical attribute in his distinguished name.

The growth and form of the DIT, the definition of the Directory schema, and the selection of distinguished names for entries as they are added, is the responsibility of various authorities, whose hierarchical relationship is reflected in the shape of the tree. The authorities shall ensure, for example, that all of the entries in their jurisdiction have unambiguous distinguished names, by carefully managing the attribute types and values which appear in those names. Responsibility is passed down the tree from superior to subordinate authorities, with control being exercised by means of the schema.