

### SLOVENSKI STANDARD SIST EN ISO 12631:2017

01-september-2017

Nadomešča:

**SIST EN ISO 12631:2013** 

### Toplotne značilnosti obešenih fasad - Izračun toplotne prehodnosti (ISO 12631:2017)

Thermal performance of curtain walling - Calculation of thermal transmittance (ISO 12631:2017)

Wärmetechnisches Verhalten von Vorhangfassaden - Berechnung des Wärmedurchgangskoeffizienten (ISO 12631:2017) (Standards.iteh.ai)

Performance thermique des façades-rideaux Calcul du coefficient de transmission thermique (ISO 12634):2047) rds.iteh.ai/catalog/standards/sist/e062dad3-7a64-46a4-83ea-d30f5c403482/sist-en-iso-12631-2017

Ta slovenski standard je istoveten z: EN ISO 12631:2017

ICS:

91.060.10 Stene. Predelne stene. Walls. Partitions. Facades

Fasade

91.120.10 Toplotna izolacija stavb Thermal insulation of

buildings

SIST EN ISO 12631:2017 en

**SIST EN ISO 12631:2017** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 12631:2017

 $https://standards.iteh.ai/catalog/standards/sist/e\overline{062}dad3-7a64-46a4-83ead30f5c403482/sist-en-iso-12631-2017$ 

EUROPEAN STANDARD NORME EUROPÉENNE **EN ISO 12631** 

EUROPÄISCHE NORM

July 2017

ICS 91.060.10; 91.120.10

Supersedes EN ISO 12631:2012

### **English Version**

## Thermal performance of curtain walling - Calculation of thermal transmittance (ISO 12631:2017)

Performance thermique des façades-rideaux - Calcul du coefficient de transmission thermique (ISO 12631:2017)

Wärmetechnisches Verhalten von Vorhangfassaden -Berechnung des Wärmedurchgangskoeffizienten (ISO 12631:2017)

This European Standard was approved by CEN on 27 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

d30f5c403482/sist-en-iso-12631-2017



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

### EN ISO 12631:2017 (E)

Contents	Page
European foreword	

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 12631:2017</u> https://standards.iteh.ai/catalog/standards/sist/e062dad3-7a64-46a4-83ea-d30f5c403482/sist-en-iso-12631-2017

### **European foreword**

This document (EN ISO 12631:2017) has been prepared by Technical Committee CEN/TC 89 "Thermal performance of buildings and building components", the secretariat of which is held by SIS, in collaboration with Technical Committee ISO/TC 163 "Thermal performance and energy use in the built environment".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2018 and conflicting national standards shall be withdrawn at the latest by January 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document is part of the set of standards on the energy performance of buildings (the set of EPB standards) and has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association (Mandate M/480, see reference [EF1] below), and supports essential requirements of EU Directive 2010/31/EC on the energy performance of buildings (EPBD, [EF2]).

In case this standard is used in the context of national or regional legal requirements, mandatory choices may be given at national or regional level for such specific applications, in particular for the application within the context of EU Directives transposed into national legal requirements.

Further target groups are users of the voluntary common European Union certification scheme for the energy performance of non-residential buildings (EPBD art.11.9) and any other regional (e.g. Pan European) parties wanting to motivate their assumptions by classifying the building energy performance for a dedicated building stock.

This document supersedes EN ISO 12631:2012.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **References:**

- [EF1] Mandate M480, Mandate to CEN, CENELEC and ETSI for the elaboration and adoption of standards for a methodology calculating the integrated energy performance of buildings and promoting the energy efficiency of buildings, in accordance with the terms set in the recast of the Directive on the energy performance of buildings (2010/31/EU) of 14th December 2010
- [EF2] EPBD, Recast of the Directive on the energy performance of buildings (2010/31/EU) of 14<sup>th</sup> December 2010

EN ISO 12631:2017 (E)

### **Endorsement notice**

The text of ISO 12631:2017 has been approved by CEN as EN ISO 12631:2017 without any modification.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 12631:2017 https://standards.iteh.ai/catalog/standards/sist/e062dad3-7a64-46a4-83ea-d30f5c403482/sist-en-iso-12631-2017 **SIST EN ISO 12631:2017** 

## INTERNATIONAL STANDARD

ISO 12631

Second edition 2017-06

# Thermal performance of curtain walling — Calculation of thermal transmittance

Performance thermique des façades-rideaux — Calcul du coefficient de transmission thermique

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 12631:2017</u> https://standards.iteh.ai/catalog/standards/sist/e062dad3-7a64-46a4-83ea-d30f5c403482/sist-en-iso-12631-2017



Reference number ISO 12631:2017(E)

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 12631:2017 https://standards.iteh.ai/catalog/standards/sist/e062dad3-7a64-46a4-83ea-d30f5c403482/sist-en-iso-12631-2017



### COPYRIGHT PROTECTED DOCUMENT

### © ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Coi	ntent	SS .	Page
Fore	word		v
Intr	oductio	on	vi
1	Scon	ıe	1
2	_	native references	
3		ns and definitions	
4	<b>Sym</b> 4.1	bols and subscripts Symbols	
	4.1	Subscripts	
	4.3	Superscripts	
5	Desc	ription of the methods	
3	5.1	Output of the method	
	5.2	General description	
	5.3	Geometrical characteristics	4
		5.3.1 Main principles	
		5.3.2 Internal depth	
		<ul><li>5.3.3 Boundaries of curtain wall structures</li><li>5.3.4 Cut-off planes and partitioning of thermal zones</li></ul>	
	3.6 .1		
6	Meti	nodologies for the calculation of curtain wall transmittance le assessment method ANDARD PREVIEW	10
7		le assessment method	12
	7.1 7.2	Output data Calculation time intervals Calculation time intervals	12
	7.2	Input data	12 12
	7.5	7.3.1 Geometrical characteristics 2631 2017	12
		Input data 7.3.1 Geometrical characteristics 2631:2017 7.3.2 https://hermal.characteristicsdards/sist/e062dad3-7a64-46a4-83ea-	16
	7.4	Calculation procedure 20403482/SISt-en-ISO-12631-201/	18
		7.4.1 Applicable time interval	
		7.4.2 Calculation of thermal transmittance	
8		ponent assessment method	
	8.1	Output data	
	8.2 8.3	Calculation time intervalsInput data	
	0.3	8.3.1 Geometrical characteristics	
		8.3.2 Thermal characteristics	
	8.4	Calculation procedure	
		8.4.1 Applicable time interval	26
		8.4.2 Calculation of thermal transmittance	26
9	Repo	ort	27
	9.1	Contents of report	
	9.2	Drawings	
		9.2.1 Section drawings	
	9.3	9.2.2 Overview drawing of the whole curtain wall element	
	9.4	Presentation of results	
Ann		ormative) <b>Input and method selection data sheet — Template</b>	
		formative) Input and method selection data sheet — default choices	
		ormative) Regional references in line with ISO Global Relevance Policy	
Ann	ex D (n	ormative) Linear thermal transmittance of junctions	34

Annex E (normative) A method for calculating the thermal effect of screws using a 2D	
numerical method and the procedures specified in ISO 10077-2	.41
Annex F (normative) Ventilated and unventilated air spaces	.44
Bibliography	47

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 12631:2017 https://standards.iteh.ai/catalog/standards/sist/e062dad3-7a64-46a4-83ea-d30f5c403482/sist-en-iso-12631-2017

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. <a href="www.iso.org/directives">www.iso.org/directives</a>

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. <a href="www.iso.org/patents">www.iso.org/patents</a>

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information/about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see the following URL: <a href="http://www.iso.org/iso/foreword.html">http://www.iso.org/iso/foreword.html</a> rds.iteh.ai

ISO 12631 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 89, Thermal performance of buildings and building components, in collaboration with ISO Technical Committee ISO/TC 163, Thermal performance and energy use in the built environment, Subcommittee SC 2, Calculation methods, in accordance with the agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 12631:2012) which has been technically revised. The necessary editorial revisions were made to comply with the requirements for the EPB set of standards.

In addition, the following clauses and subclauses of the previous version have been technically revised:

- Annex G and Annex H were deleted and moved to the technical report;
- Tabulated values in <u>Annex D</u> were checked and revised where necessary.

### Introduction

This document is part of a series of standards aiming at international harmonization of the methodology for the assessment of the energy performance of buildings, called "set of EPB standards".

All EPB standards follow specific rules to ensure overall consistency, unambiguity and transparency.

All EPB standards provide a certain flexibility with regard to the methods, the required input data and references to other EPB standards, by the introduction of a normative template in <u>Annex A</u> and <u>Annex B</u> with informative default choices.

For the correct use of this document a normative template is given in  $\underline{Annex\ A}$  to specify these choices. Informative default choices are provided in  $\underline{Annex\ B}$ .

The main target groups of this document are manufacturers of curtain wallings.

Use by or for regulators: In case the document is used in the context of national or regional legal requirements, mandatory choices may be given at national or regional level for such specific applications. These choices (either the informative default choices from Annex B or choices adapted to national / regional needs, but in any case following the template of this Annex A) can be made available as national annex or as separate (e.g. legal) document (national data sheet).

#### NOTE 1 So in this case:

- the regulators will specify the choices;
- the individual user will apply the document to assess the energy performance of a building, and thereby use the choices made by the regulators. (standards.iteh.ai)

Topics addressed in this document can be subject to public regulation. Public regulation on the same topics can override the default values in Annexis of this document. Public regulation on the same topics can even, for certain applications, override the use of this document? Legal requirements and choices are in general not published in standards but in legal documents. In order to avoid double publications and difficult updating of double documents, a national annex may refer to the legal texts where national choices have been made by public authorities. Different national annexes or national data sheets are possible, for different applications.

It is expected, if the default values, choices and references to other EPB standards in <u>Annex B</u> are not followed due to national regulations, policy or traditions, that

- national or regional authorities prepare data sheets containing the choices and national or regional values, according to the model in <u>Annex A</u>. In this case a national annex (e.g. NA) is recommended, containing a reference to these data sheets;
- or, by default, the national standards body will consider the possibility to add or include a national annex in agreement with the template of <u>Annex A</u>, in accordance to the legal documents that give national or regional values and choices.

Further target groups are parties wanting to motivate their assumptions by classifying the building energy performance for a dedicated building stock.

More information is provided in the Technical Report accompanying this document (ISO/TR 52022-2).

The design and construction of curtain wall systems is complex. This document specifies a procedure for calculating the thermal transmittance of curtain wall structures.

Curtain walls often contain different kinds of materials, joined in different ways, and can exhibit numerous variations of geometrical shape. With such a complex structure, the likelihood of producing thermal bridges across the curtain wall envelope is quite high.

The results of calculations, carried out following the procedures specified in this document, can be used for comparison of the thermal transmittance of different types of curtain wall or as part of the

input data for calculating the heat used in a building. This document is not suitable for determining whether or not condensation will occur on the structure surfaces nor within the structure itself. Two methods are given in this document:

- single assessment method (see <u>Clause 7</u>);
- component assessment method (see <u>Clause 8</u>).

Guidance on the use of these two methods is given in <u>Clause 6</u>. Calculation examples for these two methods are given in ISO/TR 52022-2.

Testing according to ISO 12567-1:2010 is an alternative to this calculation method.

The thermal effects of connections to the main building structure as well as fixing lugs can be calculated according to ISO 10211.

The thermal transmittance of the frame,  $U_f$ , is defined according to ISO 10077-2 or EN 12412-2 together with Annex D. The thermal transmittance of glazing units,  $U_g$ , is defined according to ISO 10291, ISO 10292, ISO 10293 (or see Subjects 1, 2 and 3 in Table C.1<sup>1)</sup>) which do not include the edge effects. The thermal interaction of the frame and the filling element is included in the linear thermal transmittance  $\Psi$  which is derived using the procedures specified in ISO 10077-2.

<u>Table 1</u> shows the relative position of this document within the set of EPB standards in the context of the modular structure as set out in ISO 52000-1.

NOTE 2 In ISO/TR 52000-2, the same table can be found, with, for each module, the numbers of the relevant EPB standards and accompanying technical reports that are published or in preparation.

NOTE 3 The modules represent EPB standards, although one EPB standard could cover more than one module and one module could be covered by more than one EPB standard, for instance, a simplified and a detailed method respectively.

SIST EN ISO 12631:2017

https://standards.iteh.ai/catalog/standards/sist/e062dad3-7a64-46a4-83ea-d30f5c403482/sist-en-iso-12631-2017

<sup>1)</sup> See <u>Table C.1</u> for alternative references in line with ISO Global Relevance Policy.

Table 1 — Position of this document (in casu M2–5), within the modular structure of the set of EPB standards

	Overarchii	Technical Building Systems												
Submodule	Descriptions		Descrip- tions		De- scrip- tions	Heat- ing	Cool- ing	Ven- tila- tion	Hu- mid- ifi cati- on	De- hu- mid- ifica- tion	Do- mes- tic Hot water	Light- ing	Build- ing automa- tion and control	PV, wind
sub1		M1		M2		М3	M4	M5	М6	M7	М8	М9	M10	M11
1	General		General		General									
2	Common terms and definitions; symbols, units and subscripts		Building energy needs		Needs								a	
3	Applications		(Free) indoor conditions without systems	STA (sta	Maxi- mum load and power	AR rds	D I	PRI		ŒV	V			
4	Ways to express energy perfor- mance	http	S:Waysdore express energy perfor- mance	s.iteh.ai/c d30f5c		ndards	2631:2 /sist/e0 iso-12	62dad	3-7a64 117	-46a4-	·83ea-			
5	Building categories and building bound- aries		Heat transfer by trans- mission	ISO 12631	Emis- sion and control									
6	Building occupancy and operating conditions		Heat transfer by infil- tration and venti- lation		Distri- bution and control									
7	Aggregation of energy services and energy carriers		Internal heat gains		Storage and control									
a The shade	ed modules are no	t applica	able.	<u> </u>	<u> </u>									

 Table 1 (continued)

	Overarchii	ng	Build (as su	Technical Building Systems										
Submodule	Descriptions		Descrip- tions		De- scrip- tions	Heat- ing	Cool- ing	Ven- tila- tion	Hu- mid- ifi cati- on	De- hu- mid- ifica- tion	Do- mes- tic Hot water	Light- ing	Build- ing automa- tion and control	PV, wind
sub1		M1		М2		М3	M4	М5	М6	М7	М8	М9	M10	M11
8	Building zoning		Solar heat gains		Genera- tion and control									
9	Calculated energy perfor- mance	Teh		ND.	Load dis- patch- ing and oper- ating condi- tions	) Pi	RE .ai	VII	E <b>W</b>					
10	Measured eners gy performance	//standa	Measured rdenergy)	SIST EN I	SMeas-6 ndured/si energy perfors mance	31:201	7		6a4-83	ea-				
11	Inspection		Inspection		Inspec- tion									
12	Ways to express indoor comfort				BMS									
13	External environment conditions													
14	Economic cal- culation													
a The shade	ed modules are no	t applica	ıble.											