

# INTERNATIONAL STANDARD

**ISO/IEC  
15938-3**

First edition  
2002-02-15

**AMENDMENT 2**  
2006-04-01

---

## Information technology — Multimedia content description interface —

### Part 3: Visual

AMENDMENT 2: Perceptual 3D Shape  
**iTeh STANDARD PREVIEW**  
Descriptor  
(standards.iteh.ai)

*Technologies de l'information — Interface de description du contenu  
multimédia —*  
<https://standards.iteh.ai/catalog/standards/sist/08cf6136-1cdf-4a8c-a30a-12c9464301f0/iso/iec/15938-3-2002-amd-2-2006>

*AMENDEMENT 2: Descripteur sensoriel de forme 3D*

---

---

---

Reference number  
ISO/IEC 15938-3:2002/Amd.2:2006(E)



© ISO/IEC 2006

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 15938-3:2002/Amd 2:2006](#)

<https://standards.iteh.ai/catalog/standards/sist/08cf6136-1cdf-4a8c-a30a-12c9464366dc/iso-iec-15938-3-2002-amd-2-2006>

© ISO/IEC 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 2 to ISO/IEC 15938-3:2002 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

(standards.iteh.ai)

This document preserves the sectioning of ISO/IEC 15938-3. The text and figures given in this Amendment are currently being considered as additions and/or modifications to those corresponding sections in ISO/IEC 15938-3.

[ISO/IEC 15938-3:2002/Amd.2:2006](https://standards.iteh.ai/catalog/standards/sist/08cf6136-1cdf-4a8c-a30a-12c9464366dc/iso-iec-15938-3-2002-amd-2-2006)

<https://standards.iteh.ai/catalog/standards/sist/08cf6136-1cdf-4a8c-a30a-12c9464366dc/iso-iec-15938-3-2002-amd-2-2006>

# iTeh STANDARD PREVIEW

## (standards.iteh.ai)

[ISO/IEC 15938-3:2002/Amd 2:2006](#)

<https://standards.iteh.ai/catalog/standards/sist/08cf6136-1cdf-4a8c-a30a-12c9464366dc/iso-iec-15938-3-2002-amd-2-2006>

# Information technology — Multimedia content description interface —

## Part 3: Visual

### AMENDMENT 2: Perceptual 3D Shape Descriptor

*Replace subclause 1.2 with:*

#### 1.2 Overview of Visual Description Tools

This part of ISO/IEC 15938 specifies tools for description of visual content, including still images, video and 3D models. These tools are defined by their syntax in DDL and binary representations and semantics associated with the syntactic elements. They enable description of the visual features of the visual material, such as color, texture, shape and motion, as well as localization of the described objects in the image or video sequence. An overview of the visual description tools is shown in Figure 1.

The basic structure description tools include five supporting tools of visual descriptions defined in clauses 6-11. They are categorized into two groups, descriptor containers and basic supporting tools. The former consists of three datatypes, GridLayout providing efficient representations of visual features on grids, TimeSeries representing temporal arrays of several descriptions, GofGopFeature describes representative descriptions over video segment, and MultipleView describing a 3D object using several pictures captured from different view angles. The latter contains two tools, Spatial2DCoordinateSystem used to specify the 2D coordinate system and TemporalInterpolation indicating the interpolation method between two samples on a time axis.

The remaining description tools, except for the FaceRecognition descriptor, are associated with visual features and are grouped into five feature categories: Color, Texture, Shape, Motion and Localization.

The color description tools include five color descriptors to represent different aspects of color features: representative colors (DominantColor), color distribution (ScalableColor), spatial distribution of colors (ColorLayout and ColorStructure) and perceptual feeling of illumination color (ColorTemperature). It also contains three supporting tools, ColorSpace and ColorQuantization used in DominantColor and IlluminationInvariantColor to extend four color descriptors, DominantColor, ScalableColor, ColorLayout and ColorStructure, to support illumination invariant similarity matching. An extension of ScalableColor to a group of frames or pictures (GoFGoPColor) is also included in this group. All the color descriptors can be extracted from arbitrarily shaped regions.

The texture description tools facilitate browsing (TextureBrowsing) and similarity retrieval (HomogeneousTexture and EdgeHistogram) using the texture of a still or moving image region. All the texture descriptors can be extracted from arbitrarily shaped regions.


The shape description tools include two descriptors that characterize different shape features of a 2D object or region. The RegionShape descriptor captures the distribution of all pixels within a region and the Contour Shape descriptor characterizes the shape properties of the contour of an object. The extension of RegionShape is also defined as ShapeVariation to describe temporal variation of shape over video segment. The Shape3D and Perceptual 3D Shape descriptors provide 3-dimensional shape information; the former represents an intrinsic shape characterization of 3D mesh models, and the latter represents part-based representation of a 3D object.

The motion description tools include four descriptors that characterize various aspects of motion. The CameraMotion descriptor specifies a set of basic camera operations such as, for example, panning and tilting.

The motion of a key point (pixel) from a moving object or region can be characterized by the MotionTrajectory descriptor. The ParametricMotion descriptor characterizes an evolution of an arbitrarily shaped region over time in terms of a 2D geometric transformation. Finally, the MotionActivity descriptor captures the pace of the motion in the sequence, as perceived by the viewer. All motion descriptors except for CameraMotion can be extracted from arbitrarily shaped regions.

The localization description tools can be used to indicate regions of interest in the spatial (RegionLocator) and spatio-temporal (SpatioTemporalLocator) domains.

The FaceRecognition descriptor and the Advance Face Recognition descriptor are not associated with any particular visual feature and can be used to describe a human face for applications requiring the matching and retrieval of face images.



**Figure 1 — Overview of Visual Description Tools**

*Extend the definitions in clause 2:*

## 2.4 adjacency matrix

matrix with rows and columns labeled by graph vertices, with a 1 or 0 in position (i, j) according to whether i-th and j-th nodes are adjacent or not.

*Replace subclause 4.2.2 with:*

### 4.2.2 Generic binary representation

The use of the video-specific syntax is signalled using the codec configuration mechanism defined in ISO/IEC 15938-1. And the following classification scheme is defined for this purpose.

```
<ClassificationScheme uri="urn:mpeg:mpeg7:cs:VisualDescriptorCodecCS:2001">
    <Term termID="1">
        <Name xml:lang="en">MPEG7CameraMotion</Name>
        <Definition xml:lang="en">ISO/IEC 15938-3 Binary Camera Motion
            Codec</Definition>
    </Term>
    <Term termID="2">
        <Name xml:lang="en">MPEG7ColorLayout</Name>
        <Definition xml:lang="en">ISO/IEC 15938-3 Binary Color Layout
            Codec</Definition>
    </Term>
    <Term termID="3">
        <Name xml:lang="en">MPEG7ColorQuantization</Name>
        <Definition xml:lang="en">ISO/IEC 15938-3 Binary Color Quantization
            Codec</Definition>
        http://standards.iteh.ai
        12c9464366dc/iso-iec-15938-3-2002-amd-2-2006
    </Term>
    <Term termID="4">
        <Name xml:lang="en">MPEG7ColorSpace</Name>
        <Definition xml:lang="en">ISO/IEC 15938-3 Binary Color Space
            Codec</Definition>
    </Term>
    <Term termID="5">
        <Name xml:lang="en">MPEG7ColorStructure</Name>
        <Definition xml:lang="en">ISO/IEC 15938-3 Binary Color Structure
            Codec</Definition>
    </Term>
    <Term termID="6">
        <Name xml:lang="en">MPEG7ContourShape</Name>
        <Definition xml:lang="en">ISO/IEC 15938-3 Binary Contour Shape
            Codec</Definition>
    </Term>
    <Term termID="7">
        <Name xml:lang="en">MPEG7DominantColor</Name>
        <Definition xml:lang="en">ISO/IEC 15938-3 Binary Dominant Color
            Codec</Definition>
    </Term>
    <Term termID="8">
        <Name xml:lang="en">MPEG7EdgeHistogram</Name>
        <Definition xml:lang="en">ISO/IEC 15938-3 Binary Edge Histogram
            Codec</Definition>
    </Term>
    <Term termID="9">
        <Name xml:lang="en">MPEG7FaceRecognition</Name>
    </Term>
```

```

<Definition xml:lang="en">ISO/IEC 15938-3 Binary Face Recognition
    Codec</Definition>
</Term>
<Term termID="10">
    <Name xml:lang="en">MPEG7FoFGoPColor</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary GoFGoP Color
        Codec</Definition>
</Term>
<Term termID="11">
    <Name xml:lang="en">MPEG7GridLayout</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Grid Layout
        Codec</Definition>
</Term>
<Term termID="12">
    <Name xml:lang="en">MPEG7HomogeneousTexture</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Homogeneous Texture
        Codec</Definition>
</Term>
<Term termID="13">
    <Name xml:lang="en">MPEG7IrregularVisualTimeSeries</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Irregular Time Series
        Codec</Definition>
</Term>
<Term termID="14">
    <Name xml:lang="en">MPEG7MotionActivity</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Motion Activity
        Codec</Definition>
</Term>
<Term termID="15">
    <Name xml:lang="en">MPEG7MotionTrajectory</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Motion Trajectory
        Codec</Definition>
</Term>
<Term termID="16">
    <Name xml:lang="en">MPEG7MultipleView</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Multiple View
        Codec</Definition>
</Term>
<Term termID="17">
    <Name xml:lang="en">MPEG7ParametricMotion</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Parametric Motion
        Codec</Definition>
</Term>
<Term termID="18">
    <Name xml:lang="en">MPEG7RegionLocator</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Region Locator
        Codec</Definition>
</Term>
<Term termID="19">
    <Name xml:lang="en">MPEG7RegionShape</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Region Shape
        Codec</Definition>
</Term>
<Term termID="20">
    <Name xml:lang="en">MPEG7RegularVisualTimeSeries</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Regular Time Series
        Codec</Definition>
</Term>
<Term termID="21">
    <Name xml:lang="en">MPEG7ScalableColor</Name>

```

```

<Definition xml:lang="en">ISO/IEC 15938-3 Binary Scalable Color
    Codec</Definition>
</Term>
<Term termID="22">
    <Name xml:lang="en">MPEG7Shape3D</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Shape 3D
        Codec</Definition>
</Term>
<Term termID="23">
    <Name xml:lang="en">MPEG7Spatial2DCoordinateSystem</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Spatial 2D Coordinate
        System Codec</Definition>
</Term>
<Term termID="24">
    <Name xml:lang="en">MPEG7SpatioTemporalLocator</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary SpatioTemporal Locator
        Codec</Definition>
</Term>
<Term termID="25">
    <Name xml:lang="en">MPEG7TemporalInterpolation</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Temporal Interpolation
        Codec</Definition>
</Term>
<Term termID="26">
    <Name xml:lang="en">MPEG7TextureBrowsing</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Texture Browsing
        Codec</Definition>
</Term>
<Term termID="27">
    <Name xml:lang="en">MPEG7GofGopFeature</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Gof Gop Feature
    Codec</Definition>
    ISO/IEC 15938-3:2002/Amd.2:2006
    https://standards.iteh.ai/catalog/standards/sist/08c16136-1cdf-4a8c-a30a-12c9464366dc/iso-iec-15938-3-2002-amd-2-2006
</Term>
<Term termID="28">
    <Name xml:lang="en">MPEG7ColorTemperature</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Color Temperature
    Codec</Definition>
</Term>
<Term termID="29">
    <Name xml:lang="en">MPEG7ShapeVariation</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Shape Variation
    Codec</Definition>
</Term>
<Term termID="30">
    <Name xml:lang="en">MPEG7IlluminationInvariantColor</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Illumination Invariant
    Color Codec</Definition>
</Term>
<Term termID="31">
    <Name xml:lang="en">MPEG7AdvancedFaceRecognition</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Advanced Face Recognition
    Codec</Definition>
</Term>
<Term termID="32">
    <Name xml:lang="en">MPEG7Perceptual3DShape</Name>
    <Definition xml:lang="en">ISO/IEC 15938-3 Binary Perceptual 3D Shape
    Codec</Definition>
</Term>
</ClassificationScheme>

```