



SLOVENSKI STANDARD

SIST ISO 19143:2010

01-december-2010

Geografske informacije - Kodiranje s filtrom

Geographic information - Filter encoding

Information Géographique - Codage de filtres

ITEH STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **ISO 19143:2010**

[SIST ISO 19143:2010](https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010)

<https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010>

ICS:

07.040	Astronomija. Geodezija. Geografija	Astronomy. Geodesy. Geography
35.240.70	Uporabniške rešitve IT v znanosti	IT applications in science

SIST ISO 19143:2010

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ISO 19143:2010

<https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010>

INTERNATIONAL
STANDARD

ISO
19143

First edition
2010-10-15

**Geographic information — Filter
encoding**

Information géographique — Codage de filtres

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 19143:2010](https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010)

[https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-
dd362a72d1ca/sist-iso-19143-2010](https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010)



Reference number
ISO 19143:2010(E)

ISO 19143:2010(E)**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 19143:2010

<https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010>

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Conformance	2
3 Normative references	3
4 Terms and definitions	3
5 Conventions	6
5.1 Abbreviated terms	6
5.2 UML notation.....	7
5.3 Use of examples	8
5.4 Namespaces.....	8
5.5 KVP-encoded parameter lists	8
5.6 XML Schema fragments.....	9
6 Query expressions	9
6.1 General	9
6.2 Abstract query expressions	9
6.3 Ad hoc query expression	10
7 Filter	13
7.1 General considerations.....	13
7.2 Encoding	14
7.3 Expressions	14
7.4 Value references	15
7.5 Literals	17
7.6 Functions.....	18
7.7 Comparison operators	19
7.8 Spatial operators	22
7.9 Temporal operators	26
7.10 Logical operators	28
7.11 Object identifiers	30
7.12 Extensions	31
7.13 Filter capabilities	33
7.14 Encoding	35
8 Sorting	42
8.1 General considerations.....	42
8.2 Encoding	42
8.3 Exceptions	43
Annex A (normative) Conformance testing.....	44
Annex B (informative) Filter schema definitions	48
Annex C (informative) Examples	60
Annex D (informative) EBNF for XPath subset	80
Annex E (informative) Abstract model	81
Bibliography.....	82

ISO 19143:2010(E)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19143 was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*, in collaboration with the Open Geospatial Consortium Inc. (OGC).

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 19143:2010](https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010)

<https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010>

Introduction

Filter encoding was originated within the OGC.

A fundamental operation performed on a set of data or resources is that of querying in order to obtain a subset of the data which contains certain desired information that satisfies some query criteria and which is also, perhaps, sorted in some specified manner.

The term “projection clause” is used to describe an encoding for specifying which subset of resource properties are presented in the response to a query.

The term “filter or selection clause” is used to describe an encoding of predicates which are typically used in query operations to specify how data instances in a source dataset should be filtered to produce a result set. Each data instance in the source set is evaluated using the filter expression. The overall filter expression always evaluates to true or false. If the expression evaluates to true, the data instance satisfies the expression and is marked as being in the result set. If the overall filter expression evaluates to false, the data instance is not in the result set. Thus, the net effect of evaluating a filter expression is a set of data or resource identifiers which satisfy the predicates in the expression.

The term “sorting clause” is used to describe an encoding for specifying how the data in a response is ordered prior to being presented.

Such encodings are considered system neutral because using the numerous XML tools available today, XML encoded projection, selection and sorting clauses can be easily validated, parsed and then transformed into whatever target query language is required to retrieve or modify resources stored in some persistent object store. For example an XML encoded query composed of a projection, selection and sorting clauses can be transformed into a SQL “SELECT ... FROM ... WHERE ... ORDER BY ...” statement to fetch data stored in a SQL-based relational database. Similarly, the same XML encoded query expression can just as easily be transformed into an XQuery expression in order to retrieve data from XML document.

The XML and KVP encodings of projection, selection and sorting clauses described in this International Standard are common components which can be used together or as individually by a number of web services. Any service that requires the ability to query objects from a web-accessible repository can make use of the XML and KVP encodings of a query expression described in this International Standard. For example the GetFeature operation, defined in ISO 19142, uses the elements derived from definitions in this International Standard to encode query expressions.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ISO 19143:2010

<https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010>

Geographic information — Filter encoding

1 Scope

This International Standard describes an XML and KVP encoding of a system neutral syntax for expressing projections, selection and sorting clauses collectively called a query expression.

These components are modular and intended to be used together or individually by other standards which reference this International Standard.

EXAMPLE 1 ISO 19142 makes use of some or all of these components.

This International Standard defines an abstract component, named `AbstractQueryExpression`, from which other specifications can subclass concrete query elements to implement query operations.

This International Standard also defines an additional abstract query component, named `AbstractAdhocQueryExpresison`, which is derived from `AbstractQueryExpression` and from which other specifications can subclass concrete query elements which follow the following query pattern:

An abstract query element from which service specifications can subclass a concrete query element that implements a query operation that allows a client to specify a list of resource types, an optional projection clause, an optional selection clause, and an optional sorting clause to query a subset of resources that satisfy the selection clause

This pattern is referred to as an ad hoc query pattern since the server is not aware of the query until it is submitted for processing. This is in contrast to a stored query expression, which is stored and can be invoked by name or identifier.

This International Standard also describes an XML and KVP encoding of a system-neutral representation of a select clause. The XML representation is easily validated, parsed and transformed into a server-specific language required to retrieve or modify object instances stored in some persistent object store.

EXAMPLE 2 An XML encoded filter can be transformed into a WHERE clause for a SQL SELECT statement to fetch data stored in a SQL-based relational database. Similarly, an XML encoded filter expression can be transformed into an XPath or XPointer expression for fetching data from XML documents.

This International Standard defines the XML encoding for the following predicates.

- a) A standard set of logical predicates: and, or and not.
- b) A standard set of comparison predicates: equal to, not equal to, less than, less than or equal to, greater than, greater than or equal to, like, is null and between.
- c) A standard set of spatial predicates: equal, disjoint, touches, within, overlaps, crosses, intersects, contains, within a specified distance, beyond a specified distance and BBOX.
- d) A standard set of temporal predicates: after, before, begins, begun by, contains, during, ends, equals, meets, met by, overlaps and overlapped by.
- e) A predicate to test whether the identifier of an object matches the specified value.

ISO 19143:2010(E)

This International Standard defines the XML encoding of metadata that allows a service to declare which conformance classes, predicates, operators, operands and functions it supports. This metadata is referred to as Filter Capabilities.

2 Conformance

Few usage scenarios require the full implementation of this International Standard to work. Therefore, service providers may want to specify requirements for only the subset needed to fulfil their service. Or system developers may want to document which subset of this International Standard it is that they have implemented and conform to. These named conformance classes help in specifying such subsets.

This International Standard defines conformance classes based on the operations and behaviour that a filter encoding service claims to implement. Table 1 indicates which behaviour shall be implemented for each of the conformance classes. The described behaviour shall be implemented for the corresponding conformance class, and the name of the paragraph of the actual detailed abstract test suite in Annex A.

Table 1 — FE conformance classes

Conformance class name	Operation or behaviour	Subclause of the abstract test suite
Query	Service that references this International Standard materializes a concrete query element that is substitutable for fes:AbstractQueryElement.	A.1
Ad hoc Query	Service that references this International Standard materializes a concrete query element that is substitutable for fes:AbstractAdhocQueryElement and materializes a concrete selection clause element that is substitutable for fes:AbstractSelectionClause and materializes a concrete projection clause element that is substitutable for fes:AbstractProjectionClause and materializes a concrete sorting clause element that is substitutable for fes:AbstractSortingClause.	A.2
Functions	Implements functions that are in addition to the operators defined in this International Standard.	A.3
Resource Identification	Implements the ResourceId operator with the rid parameter to allow predicates to be written that allow a specific resource to be queried.	A.4
Minimum Standard Filter	Implements the comparison operators: PropertyIsEqualTo, PropertyIsNotEqualTo, PropertyIsLessThan, PropertyIsGreaterThan, PropertyIsLessThanOrEqualTo, PropertyIsGreaterThanOrEqualTo. Implements the logical operators. Does not implement any additional functions.	A.5
Standard Filter	Implements all the comparison and logical operators and may implement one or more additional functions.	A.6
Minimum Spatial Filter	Implements only the BBOX spatial operator.	A.7
Spatial Filter	Implements the BBOX spatial operator and one or more of the other spatial operators.	A.8
Minimum Temporal Filter	Implements only the During temporal operator.	A.9
Temporal Filter	Implements the During temporal operator and one or more of the other temporal operators.	A.10
Version navigation	Implements ResourceId operator with the parameters that allow versions of resources to be queried (version, startTime, endTime).	A.11
Sorting	Implements sorting of the resources in a response.	A.12
Extended Operators	Implements additional operators not defined in this International Standard.	A.13
Minimum XPath	Implements the minimum required set of XPath capabilities.	A.14
Schema Element Function	Implements the schema-element() XPath function.	A.15

Other standards that include this International Standard shall declare what constitutes a “minimum” filter by declaring the minimum set of conformance classes from Table 1 that shall be implemented.

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19108:2002, *Geographic information — Temporal schema*

ISO 19125-1:2004, *Geographic information — Simple feature access — Part 1: Common architecture*

ISO 19136:2007, *Geographic information — Geography Markup Language (GML)*

IETF RFC 2396, *Uniform Resource Identifiers (URN): Generic Syntax* (August 1998)

OGC 06-121r3, *OGC Web Services Common Specification*, OGC® Implementation Specification (9 February 2009)

W3C XML, *Extensible Markup Language (XML) 1.0 (Third edition)*, W3C Recommendation (4 February 2004)

W3C XML, *Namespaces, Namespaces in XML*, W3C Recommendation (14 January 1999)

W3C XML, *Path Language, XML Path Language (XPath) 2.0*, W3C Recommendation (23 January 2007)

W3C XML, *Schema Part 1, XML Schema Part 1: Structures*, W3C Recommendation (2 May 2001)

W3C XML, *Schema Part 2, XML Schema Part 2: Datatypes*, W3C Recommendation (2 May 2001)

iTech STANDARD PREVIEW
(standards.iteh.ai)

4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

4.1

attribute

⟨XML⟩ name-value pair contained in an **element**

[ISO 19136:2007, definition 4.1.3]

NOTE In this International Standard, an attribute is an XML attribute unless otherwise specified.

4.2

client

software component that can invoke an **operation** from a **server**

[ISO 19128:2005, definition 4.1]

4.3

coordinate

one of a sequence of n numbers designating the position of a point in n -dimensional space

[ISO 19111:2007, definition 4.5]

4.4

coordinate reference system

coordinate system that is related to an object by a datum

[ISO 19111:2007, definition 4.8]

ISO 19143:2010(E)

- 4.5**
coordinate system
set of mathematical rules for specifying how **coordinates** are to be assigned to points
- [ISO 19111:2007, definition 4.10]
- 4.6**
element
<XML> basic information item of an XML document containing child elements, **attributes** and character data
- [ISO 19136:2007, definition 4.1.23]
- 4.7**
feature
abstraction of real world phenomena
- [ISO 19101:2002, definition 4.11]
- NOTE A feature can occur as a type or an instance. It is intended that the term “feature type” or “feature instance” be used when only one is meant.
- 4.8**
feature identifier
identifier that uniquely designates a **feature** instance
- [ISO 19142:2010, definition 4.8]
- 4.9**
feature reference
Uniform Resource Identifier that identifies a **feature**
- 4.10**
filter capabilities XML
metadata, encoded in XML, that describes which **predicates** defined in this International Standard a system implements
- 4.11**
filter expression
predicate expression encoded using XML
- 4.12**
filter expression processor
component of a system that processes a **filter expression**
- 4.13**
function
rule that associates each **element** from a domain (source, or domain of the function) to a unique element in another domain (target, co-domain, or range)
- [ISO 19107:2003, definition 4.41]
- 4.14**
interface
named set of **operations** that characterize the behaviour of an entity
- [ISO 19119:2005, definition 4.2]

ITeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ISO 19143:2010

<https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010>

4.15**literal value**

constant, explicitly specified value

NOTE This contrasts with a value that is determined by resolving a chain of substitution (e.g. a variable).

4.16**join predicate**

filter expression that includes one or more clauses that constrain properties from two different entity types

NOTE In this International Standard, the entity types are **resource** types.

4.17**namespace**

⟨XML⟩ collection of names, identified by a URI reference which are used in XML documents as **element** names and **attribute** names

[W3C XML Namespaces]

4.18**operation**

specification of a transformation or query that an object may be called to execute

[ISO 19119:2005, definition 4.3]

4.19**predicate**

set of computational **operations** applied to a data instance which evaluate to true or false

4.20**predicate expression**

formal syntax for describing a **predicate**

iTeh STANDARD PREVIEW

(standards.it-eh.ai)

SIST ISO 19143:2010

<https://standards.it-eh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010>

4.21**property**

facet or **attribute** of an object referenced by a name

4.22**request**

invocation of an **operation** by a **client**

[ISO 19128:2005, definition 4.10]

4.23**resource**

asset or means that fulfils a requirement

[ISO 19115:2003, definition 4.10]

NOTE In this International Standard, a resource is assumed to have identity.

4.24**response**

result of an **operation** returned from a **server** to a **client**

[ISO 19128:2005, definition 4.11]

ISO 19143:2010(E)**4.25
service**

distinct part of the functionality that is provided by an entity through **interfaces**

[ISO 19119:2005, definition 4.1]

**4.26
server**

particular instance of a **service**

[ISO 19128:2005, definition 4.12]

**4.27
tuple**

ordered list of values

[ISO 19136:2007, definition 4.1.63]

NOTE In this International Standard, the ordered list is generally a finite sequence of **resources**.

**4.28
Uniform Resource Identifier
URI**

unique identifier for a **resource**, structured in conformance with IETF RFC 2396

[ISO 19136:2007, definition 4.1.65]

NOTE The general syntax is <scheme>[:<scheme-specified-part>]. The hierarchical syntax with a namespace is <scheme>://<authority><path>?<query>.

ITeH STANDARD PREVIEW

(standards.iteh.ai)

SIST ISO 19143:2010

<https://standards.iteh.ai/catalog/standards/sist/d8146afc-0c02-42ee-99b2-dd362a72d1ca/sist-iso-19143-2010>

5 Conventions**5.1 Abbreviated terms**

BBOX	Bounding Box
CRS	Coordinate Reference System
EBNF	Extended Backus-Naur Form
EPSG	European Petroleum Survey Group
GML	Geography Markup Language
HTTP	Hypertext Transfer Protocol
HTTPS	Secure Hypertext Transfer Protocol
IETF	Internet Engineering Task Force
KVP	Keyword-value Pair
OGC	Open Geospatial Consortium
SRS	Spatial Reference System
URI	Uniform Resource Identifier
URL	Uniform Resource Locator

URN	Uniform Resource Name
UTC	Coordinated Universal Time
W3C	World Wide Web Consortium
WFS	Web Feature Service
XML	Extensible Markup Language

5.2 UML notation

5.2.1 Figure 1 describes the Unified Modelling Language (UML) notations used in this International Standard for UML class diagrams.




Figure 1 — UML notation in class diagrams

5.2.2 In these class diagrams, the following stereotypes of UML classes are used:

- <<DataType>> is a descriptor of a set of values that lack identity (independent existence and the possibility of side effects). A DataType is a class with no operations, whose primary purpose is to hold the information.
- <<Enumeration>> is a data type whose instances form a list of alternative literal values. Enumeration means a short list of well-understood potential values within a class.
- <<CodeList>> is a flexible enumeration for expressing a long list of potential alternative values. If the list alternatives are completely known, an enumeration shall be used; if the only likely alternatives are known, a code list shall be used.
- <<Interface>> is a definition of a set of operations that is supported by objects having this interface. An Interface class cannot contain any attributes.