



SLOVENSKI STANDARD
oSIST-TS IEC/TS 61000-1-2:2009
01-november-2009

9`Y_fca U[bYfbUnXfi y`^j cghfØ A 7 Ł!`%&`"XY. `Gd`cýbc`!`A YfcXc`c[]^UnU
XcgY[Ub^Z b_WjcbUbYj Ufbcgh^YY_f] bY]b^YY_fcbg_YcdfYa Yj`nj Yn]^n
YY_fca U[bYfb]a]^dc^Uj]

Electromagnetic compatibility (EMC) - Part 1-2: General - Methodology for the achievement of functional safety of electrical and electronic systems including equipment with regard to electromagnetic phenomena

(standards.iteh.ai)

[SIST-TS IEC/TS 61000-1-2:2010
https://standards.iteh.ai/catalog/standards/sist/98f2d00b-fcd4-4024-b0e2-937b79e511b7/sist-ts-iec-ts-61000-1-2-2010](https://standards.iteh.ai/catalog/standards/sist/98f2d00b-fcd4-4024-b0e2-937b79e511b7/sist-ts-iec-ts-61000-1-2-2010)

Ta slovenski standard je istoveten z: IEC/TS 61000-1-2

ICS:

33.100.99 Drugi vidiki v zvezi z EMC Other aspects related to EMC

oSIST-TS IEC/TS 61000-1-2:2009 en,fr



TECHNICAL SPECIFICATION

BASIC SAFETY PUBLICATION

**Electromagnetic compatibility (EMC) –
Part 1-2: General – Methodology for the achievement of functional safety of
electrical and electronic systems including equipment with regard to
electromagnetic phenomena**

[SIST-TS IEC/TS 61000-1-2:2010](https://standards.iteh.ai/catalog/standards/sist/98f2d00b-fcd4-4024-b0e2-937b79e511b7/sist-ts-iec-ts-61000-1-2-2010)

<https://standards.iteh.ai/catalog/standards/sist/98f2d00b-fcd4-4024-b0e2-937b79e511b7/sist-ts-iec-ts-61000-1-2-2010>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

XC

ICS 33.100.99

ISBN 2-8318-1019-5

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope and object.....	9
2 Normative references	10
3 Definitions and abbreviations.....	10
4 General considerations.....	15
5 The achievement of functional safety.....	16
5.1 General.....	16
5.2 Safety life cycle.....	17
5.3 Safety integrity	17
5.4 EMC specific steps for the achievement of functional safety.....	19
5.5 Management of EMC for functional safety	19
6 The electromagnetic environment.....	20
6.1 General.....	20
6.2 Electromagnetic environment information	21
6.3 Methodology to assess the electromagnetic environment	22
6.4 Deriving test levels and methods.....	22
7 EMC aspects of the design and integration process.....	23
7.1 General.....	23
7.2 EMC aspects on system level.....	24
7.3 EMC aspects on equipment level.....	25
8 Verification/validation of immunity against electromagnetic disturbances for functional safety	26
8.1 The verification and validation processes	26
8.2 Verification	28
8.3 Validation	29
8.4 Performance criteria	29
8.4.1 Performance criterion for safety applications	29
8.4.2 Application of the performance criterion FS	30
8.4.3 Test philosophy for equipment intended for use in safety-related systems.....	30
8.4.4 Test philosophy for safety-related systems	31
9 EMC testing with regard to functional safety	31
9.1 Electromagnetic test types and electromagnetic test levels with regard to functional safety	31
9.1.1 Considerations on testing	31
9.1.2 Types of immunity tests	31
9.1.3 Testing levels	32
9.2 Determination of test methods with regard to functional safety	32
9.3 Considerations on test methods and test performance with regard to systematic capability	33
9.3.1 General	33
9.3.2 Testing period	35
9.3.3 Number of tests with different test set-ups or test samples	35
9.3.4 Variation of test settings.....	36
9.3.5 Environmental factors.....	36

9.4 Testing uncertainty.....	37
10 Documentation	37
Annex A (informative) Examples of electromagnetic disturbance levels.....	38
Annex B (informative) Measures and techniques for the achievement of functional safety with regard to electromagnetic disturbances.....	43
Annex C (informative) Information concerning performance criteria.....	67
Annex D (informative) Considerations on the relationship between safety-related system, equipment and product, and their specifications.....	72
Annex E (informative) Considerations on electromagnetic phenomena and safety integrity level	75
Annex F (informative) EMC safety planning	78
Bibliography.....	81
Figure 1 – Relationship between IEC 61000-1-2 and the simplified lifecycle as per IEC 61508	8
Figure 2 – Basic approach to achieve functional safety only with regard to electromagnetic phenomena	16
Figure 3 – EMC between equipment M and equipment P	25
Figure 4 – V representation of the life cycles demonstrating the role of validation and verification	28
Figure A.1 – Emission/immunity levels and compatibility level, with an example of emission/immunity levels for a single emitter and susceptor, as a function of some independent variable (e.g. the frequency)	38
Figure D.1 – The relationships between the safety-related system, equipment and products	72
Figure D.2 – The process of achieving the electromagnetic specification in the SRS, using commercially available products	74
Figure E.1 – Emission/immunity levels and compatibility level, with an example of emission/immunity levels for a single emitter and susceptor, as a function of some independent variables (e.g. burst amplitudes or field strength levels).....	75
Figure F.1 – EMC safety planning for safety-related systems	78
Table 1 – Safety requirements specification, interfaces and responsibilities according to IEC 61508.....	7
Table 2 – Safety integrity levels	18
Table 3 – Overview of types of electromagnetic phenomena	21
Table 4 – Design, design management techniques and other measures.....	25
Table 5 – Applicable performance criteria and observed behaviour during test of equipment intended for use in safety-related systems	31
Table 6 – Examples for methods to increase level of confidence.....	35
Table A.1 – Example of selection of electromagnetic phenomena for functional safety in industrial applications	39
Table A.2 – Estimates of maximum electromagnetic disturbance levels	42
Table B.1 – Overview of measures and techniques for the achievement of functional safety with regard to electromagnetic disturbances	43
Table C.1 – Allowed effects during immunity tests on functions of equipment	68
Table C.2 – Allowed effects during immunity tests on functions of a system.....	70

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) –**Part 1-2: General –
Methodology for the achievement of functional safety
of electrical and electronic systems including equipment
with regard to electromagnetic phenomena**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC/TS 61000-1-2, which is a technical specification, has been prepared by technical committee 77: Electromagnetic compatibility. It has the status of a basic safety publication in accordance with IEC Guide 104.

This second edition cancels and replaces the first edition published in 2001 and constitutes a technical revision.

The main changes are the following.

- For safety-related systems that use electrical, electronic or programmable electronic technologies, the technical information, definitions, terminology and text of this second edition have been aligned to IEC 61508.
- Risk assessment requirements and methodologies have been deleted from this document, so as not to duplicate or clash with IEC 61508.
- It now makes a clear distinction between complete safety-related systems and items of equipment that might be used in such systems, and clarifies its application by the different types of end-users.
- This technical specification focuses more on appropriate design methods, and their verification and validation.
- The methodology for assessing and specifying electromagnetic environments has been extended.
- The combination of electromagnetic and physical/climatic influences are taken into account.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
77/356/DTS	77/359A/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)

Definitions, terminology

Part 2: Environment

Description of the environment

Classification of the environment

Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (insofar as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques

Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts, published either as international standards, technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and completed by a second number identifying the subdivision (example: IEC 61000-3-11).

Particular considerations for IEC 61000-1-2

The function of electrical or electronic systems should not be affected by external influences in a way that could lead to an unacceptable risk of harm to the users, other persons, animals or property. A comprehensive safety analysis should consider various factors of climatic, mechanical, electrical nature and reasonably foreseeable misuse. Electromagnetic disturbances are present in most environments and should therefore be considered during such an analysis.

The purpose of this document is to provide guidance relating to the achievement of functional safety of electrical or electronic systems exposed to electromagnetic disturbances.

With respect to consistency within IEC, the document makes use, as far as appropriate, of existing relevant basic IEC standards. It considers the work of SC 65A relating to functional safety concepts of the IEC 61508 series and of TC 77, its subcommittees and CISPR relating to the electromagnetic environments. For details on these subjects reference should be made to the standards of these committees.

IEC 61508 has the status of a basic safety publication and it deals with the topic of functional safety of electric/electronic/programmable electronic (E/E/PE) safety-related systems. It sets the overall requirements to achieve functional safety. Sufficient immunity to electromagnetic interference is one of those requirements. However, it is limited in scope to systems that carry out safety functions that have integrity requirements assessed in the range of safety integrity level (SIL) 1 to SIL 4 range, and it does not give detailed requirements relating to electromagnetic immunity. This part of IEC 61000-1 gives guidance to achieve adequate immunity of the safety-related systems and equipment that are intended to be used in safety-related systems.


The concept of IEC 61508 is based on a lifecycle model (see Figure 1). The concept comprises application-specific activities and activities relating to the design of the equipment. The application-specific activities are contained in phases both before and after the phases for equipment design. The interface between the earlier application-specific phases and the equipment design phases is the safety requirements specification (SRS), see Table 1. It specifies all relevant requirements of the intended application(s):

- a) definition of the safety-related function(s), based on a risk assessment of the intended application(s) (which function(s) may cause a hazard in case of failure).
- b) selection of appropriate safety integrity level (required) based on a risk assessment of the intended application(s).
- c) definition of the environment in which the system will work.

The safety-related system intended to implement the specified function(s) has to fulfil the safety requirements specification (SRS). Equipment intended for use in that system has to fulfil the relevant requirements derived from the safety requirements specification (SRS).

Table 1 – Safety requirements specification, interfaces and responsibilities according to IEC 61508

Functional safety	
Safety-related system (IEC 61508)	
Application (system level)	Safety requirements specification (SRS) <ol style="list-style-type: none"> a) Definition of safety-related function, based on a risk assessment of the intended application (IEC 61508) (which function may cause a dangerous failure) b) Selection of appropriate safety integrity level (required) based on a risk assessment of the intended application (IEC 61508) c) Definition of the environment in which the system will work (IEC 61508, IEC 61000-1-2, IEC 61000-2-5)
E/E/PE equipment intended for use in a safety-related system	Equipment manufacturer has to fulfil the relevant requirements of the safety requirements specification (SRS). This includes: ensuring that there is adequate confidence that electromagnetic disturbances will not result in dangerous systematic failures (systematic capability with respect to electromagnetic disturbances); and producing evidence that appropriate methods and techniques have been employed.



IEC 2164/08

NOTE 1 The diagram shows a simplified overview of the relationship between IEC 61508 and IEC 61000-1-2. It should be noted that EMC issues may need careful consideration during lifecycle stages other than those covered by IEC 61000-1-2, e.g. maintenance activities for EMC characteristics may be required during the “use-of-equipment” phase to ensure continued safety-related system performance.

NOTE 2 Verification is not shown in the diagram but it is relevant to all lifecycle phases.

Figure 1 – Relationship between IEC 61000-1-2 and the simplified lifecycle as per IEC 61508

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 1-2: General – Methodology for the achievement of functional safety of electrical and electronic systems including equipment with regard to electromagnetic phenomena

1 Scope and object

This part of IEC 61000 establishes a methodology for the achievement of functional safety only with regard to electromagnetic phenomena of electrical and electronic systems and installations, as installed and used under operational conditions. This methodology includes the implication it has on equipment used in such systems and installations.

This technical specification:

- a) applies to safety-related systems incorporating electrical/electronic/programmable electronic equipment;
- b) considers the influence of the electromagnetic environment on safety-related systems; it is intended for designers, manufacturers and installers of safety-related systems and can be used as a guide by IEC committees;
- c) is not concerned with direct hazards from electromagnetic fields on living beings nor is it concerned with safety related to breakdown of insulation or other mechanisms by which persons can be exposed to electrical hazards.

It mainly covers EMC related aspects of the design phase of safety-related systems and equipment used therein, and deals in particular with

- some basic concepts in the area of functional safety,
- the various EMC specific steps for the achievement and management of functional safety,
- the description and assessment of the electromagnetic environment,
- the EMC aspects of the design and integration process taking into account the process of EMC safety planning on system as well as on equipment level,
- the validation and verification processes regarding the immunity against electromagnetic disturbances,
- the performance criterion and some test philosophy considerations for safety-related systems and the equipment used therein,
- aspects related to testing of the immunity of safety-related systems and equipment used therein against electromagnetic disturbances.

This Technical Specification is applicable to safety-related systems intended to comply with the requirements of IEC 61508 and/or associated sector-specific functional safety standards.

For safety-related systems covered by other functional safety standards, a consideration shall be made of the requirements of this Technical Specification in order to identify the appropriate measures that shall be taken with relation to EMC and functional safety.

This Technical Specification may also be used as a guide for considering EMC requirements for other systems having a direct contribution to safety.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050(161), *International Electrotechnical Vocabulary (IEV) – Chapter 161: Electromagnetic compatibility*

IEC 61000-2-5, *Electromagnetic compatibility (EMC) – Part 2: Environment – Section 5: Classification of electromagnetic environments*

IEC 61000-2-13, *Electromagnetic compatibility (EMC) – Part 2-13: Environment – High-power electromagnetic (HPEM) environments – Radiated and conducted*

IEC 61000-4 (all parts), *Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques*

IEC 61000-4-1, *Electromagnetic compatibility (EMC) – Part 4-1: Testing and measurement techniques – Overview of IEC 61000-4 series*

IEC 61508 (all parts), *Functional safety of electrical/electronic/programmable electronic safety-related systems*

IEC 61508-1, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 1: General requirements*

IEC 61508-2, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 2: Requirements for electrical/electronic/programmable electronic safety-related systems*

IEC 61508-4, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 4: Definitions and abbreviations*

IEC Guide 104:1997, *The preparation of safety publications and the use of basic safety publications and group safety publications*

3 Terms, definitions and abbreviations

For the purposes of this document, the definitions contained in IEC 60050(161) as well as the following apply.

3.1

degradation (of performance)

undesired departure in the operational performance of any device, equipment or system from its intended performance

NOTE The term "degradation" can apply to temporary or permanent failure.

[IEV 161-01-19]

3.2

electrical/electronic/programmable electronic E/E/PE

based on electrical and/or electronic and/or programmable electronic technology

NOTE The term is intended to cover any and all devices or systems operating on electrical principles.

EXAMPLE Electrical/electronic/programmable electronic devices include

- electro-mechanical devices (electrical);
- solid-state non-programmable electronic devices (electronic);
- electronic devices based on computer technology (programmable electronic).

[IEC 61508-4]

3.3

electromagnetic compatibility

EMC

ability of an equipment or system to function satisfactorily in its electromagnetic environment without introducing intolerable electromagnetic disturbances to anything in that environment

[IEV 161-01-07]

3.4

electromagnetic compatibility level

specified electromagnetic disturbance level used as a reference level for co-ordination in the setting of emission and immunity limits

NOTE 1 By convention, the compatibility level is chosen so that there is only a small probability that it will be exceeded by the actual disturbance level. However, electromagnetic compatibility is achieved only if the emission and immunity levels are controlled such that, at each location, the disturbance level resulting from the cumulative emissions is lower than the immunity level for each device, equipment and system situated at the same location.

NOTE 2 The compatibility level may be phenomena-, time- or location-dependent.

[IEV 161-03-10]

3.5

electromagnetic disturbance

any electromagnetic phenomenon which may degrade the performance of a device, equipment or system, or adversely affect living or inert matter

NOTE An electromagnetic disturbance may be an electromagnetic noise, an unwanted signal or a change in the propagation medium itself.

[IEV 161-01-05]

3.6

electromagnetic environment

totality of electromagnetic phenomena existing at a given location

[IEV 161-01-01]

3.7

electromagnetic interference

EMI

degradation of the performance of an equipment, transmission channel or system caused by an electromagnetic disturbance

NOTE Disturbance and interference are respectively cause and effect.

[IEV 161-01-06]

3.8

equipment

part of system

NOTE Equipment as used in this specification is a very general term that refers to a wide variety of possible subsystems, modules, devices and other assemblies of products. It does not include people.

3.9

equipment under control

EUC

equipment, machinery or plant used for manufacturing, process, transportation, medical or other activities

3.10

equipment requirements specification

ERS

equipment specification covering safety-related requirements only with regard to electromagnetic phenomena

NOTE An equipment requirements specification (ERS) is created for each item of equipment within the safety-related system. Included in each equipment requirements specification is an electromagnetic performance specification based upon the maximum electromagnetic environment expected over the lifetime for that particular item of equipment.

3.11

failure

termination of the ability of an item to perform a required function

NOTE 1 The definition in IEC 191-04-01 is the same, with additional notes.

NOTE 2 For further information, see IEC 61508-4.

NOTE 3 Performance of required functions necessarily excludes certain behaviour, and some functions may be specified in terms of behaviour to be avoided. The occurrence of such behaviour is a failure.

NOTE 4 Failures are either random (in hardware) or systematic (in hardware or software).

[ISO/IEC 2382-14-04-11, modified] [IEC 61508-4]

3.12

fault

abnormal condition that may cause a reduction in, or loss of, the capability of an item to perform a required function

NOTE IEC 191-05-01 defines "fault" as a state characterised by the inability to perform a required function, excluding the inability during preventative maintenance or other planned actions, or due to lack of external resources.

[ISO/IEC 2382-14-04-06, modified]

3.13

functional safety

part of the overall safety relating to the Equipment under Control (EUC) and the EUC control system which depends on the correct functioning of the E/E/PE safety-related systems, other technology safety-related systems and external risk reduction facilities

[IEC 61508-4]

NOTE In the context of this EMC document, functional safety is that part of the overall safety relating to the electromagnetic environment in which the safety-related system exists.

3.14

installation

combination of equipment, components and systems assembled and/or erected (individually) in a given area; for physical reasons (e.g. long distances between individual items) it is in many cases not possible to test an installation as a unit

3.15**EMC planning**

engineering method by which EMC aspects of a project are systematically considered and investigated in order to achieve EMC; all activities connected to it are described in an EMC plan

3.16**EMC safety planning**

EMC planning which also considers functional safety aspects

3.17**safety integrity**

probability of a safety-related system satisfactorily performing the required safety functions under all the stated conditions within a stated period of time

[IEC 61508-4, modified]

3.18**safety integrity level****SIL**

discrete level (one out of a possible four) for specifying the safety integrity requirements of the safety functions to be allocated to the E/E/PE safety-related systems, where safety integrity level 4 has the highest level of safety integrity and safety integrity level 1 has the lowest

NOTE The target failure measures for the four safety integrity levels are specified in Tables 2 and 3 of IEC 61508-1.

[IEC 61508-4]

3.19**safety-related system**

designated system that both implements

- the required safety functions necessary to achieve or maintain a safe state for the equipment under control, and
- is intended to achieve, on its own or with other E/E/PE safety-related systems, other technology safety-related systems or external risk reduction facilities, the necessary safety integrity for the required safety functions

NOTE 1 A safety-related system includes all the hardware, software, human operators and supporting services (for example, power supplies) necessary to carry out the specified safety function (sensors, other input devices, final elements (actuators) and other output devices are therefore included in the safety-related system).

NOTE 2 For further information, see IEC 61508-4.

[IEC 61508-4, modified]

3.20**safety requirements specification****SRS**

specification containing, for each safety function, the safety function requirements (what the function does), and the safety integrity requirements (the likelihood of the safety function being performed satisfactorily) that have to be performed/met by the safety-related systems

3.21**system**

combination of equipment and/or active components constituting a single functional unit and intended to be installed and operated to perform (a) specific task(s)