



**Terrestrial Trunked Radio (TETRA);  
Voice plus Data (V+D);**  
**Part 3: Interworking at the Inter-System Interface (ISI);**  
**Sub-part 5: Additional Network Feature  
for Mobility Management (ANF-ISIMM)**

https://standards.itea.eu/standard/3254/44bf-9540-6188853976d4/en/2016-06-06  
Full Standard and its Errata

---

Reference

REN/TETRA-03226

---

Keywordsair interface, interworking, management, mobility,  
radio, TETRA, V+D**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

*iTeh STANDARD*  
*(Standards.iteh.org)*  
Full standard:  
<http://standards.iteh.org/catalog/standards/sist/397064/etsi-en-300-392-3-5-v1.5.1-2016-06>

---

**Important notice**

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.

**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

## Contents

Intellectual Property Rights .....	16
Foreword.....	16
Modal verbs terminology.....	17
Introduction .....	17
1    Scope .....	18
2    References .....	18
2.1    Normative references .....	18
2.2    Informative references.....	20
3    Definitions and abbreviations.....	20
3.1    Definitions .....	20
3.2    Abbreviations .....	22
4    Overview .....	24
4.1    General .....	24
4.2    Applicability.....	24
4.2.1    Entities .....	24
4.2.2    Services.....	24
4.3    Testability.....	25
4.4    Provision/withdrawal.....	25
4.5    Activation/deactivation .....	25
4.6    Charging .....	25
5    The generic ANF-ISIMM stage 1 service model.....	25
5.1    ANF-ISIMM - the service provider.....	25
5.2    SwMI MMs - the ANF-ISIMM service users.....	26
5.3    Stage 1 description conventions .....	27
6    Migration service description - stage 1 .....	28
6.1    Pre-requisite requirements for the migration service.....	28
6.2    Service definition .....	28
6.3    Service description .....	28
6.4    Service architecture .....	29
6.5    Normal procedures .....	29
6.5.1    Invocation .....	29
6.5.1.1    Invocation criteria .....	29
6.5.1.2    Invocation of ANF-ISIMM .....	29
6.5.2    Operation .....	31
6.5.2.0    General .....	31
6.5.2.1    Migration with pre-defined migration profile(s) .....	32
6.5.2.1.0    General .....	32
6.5.2.1.1    Support for call restoration .....	32
6.5.2.1.2    Final migration approval .....	32
6.5.2.2    Migration with migration profile exchange .....	34
6.5.2.2.0    General .....	34
6.5.2.2.1    Basic migration profile exchange .....	34
6.5.2.2.2    SS-migration profile(s) exchange .....	44
6.5.2.2.3    Support for call restoration .....	46
6.5.2.2.4    Final migration approval .....	46
6.5.2.2.5    SS-migration profile exchange after final migration approval .....	46
6.6    Exceptional procedures .....	47
6.6.0    General.....	47
6.6.1    Detected by the visited SwMI MM.....	48
6.6.2    Detected by the individual subscriber home SwMI MM .....	49
6.7    Interactions .....	50
6.7.1    Interactions with the authentication service .....	50
6.7.2    Interactions with the group attachment and the group detachment services .....	50
6.8    Dynamic description.....	50

7	Restricted migration service description - stage 1.....	53
7.1	Pre-requisite requirements for the restricted migration service.....	53
7.2	Service definition .....	53
7.3	Service description .....	54
7.4	Service architecture .....	55
7.5	Normal procedures .....	55
7.5.1	Invocation .....	55
7.5.1.1	Invocation criteria .....	55
7.5.1.2	Invocation of ANF-ISIMM .....	56
7.5.2	Operation .....	58
7.5.2.0	General .....	58
7.5.2.1	Operation when the visited SwMI MM invokes restricted migration .....	59
7.5.2.2	Invocation of RSI .....	60
7.5.2.3	Support for emergency call restoration .....	60
7.5.2.4	Receipt of restricted migration approval .....	60
7.6	Exceptional procedures .....	60
7.6.0	General.....	60
7.6.1	Detected by the visited SwMI MM.....	61
7.6.2	Detected by the individual subscriber home SwMI MM .....	62
7.7	Interactions .....	62
7.7.1	Interactions with the authentication service .....	62
7.7.2	Interactions with the group attachment and the group detachment services .....	62
7.8	Dynamic description.....	62
8	Removal of Subscriber Information (RSI) service description - stage 1.....	63
8.1	Service definition .....	63
8.2	Service description .....	64
8.3	Service architecture .....	64
8.4	Normal procedures .....	65
8.4.1	Invocation .....	65
8.4.1.1	Invocation criteria .....	65
8.4.1.2	Invocation of ANF-ISIMM .....	65
8.4.2	Operation .....	66
8.5	Exceptional procedures .....	67
8.6	Interaction with authentication .....	68
8.7	Dynamic description.....	69
9	De-registration service description - stage 1 .....	70
9.1	Service definition .....	70
9.2	Service description .....	70
9.3	Service architecture .....	70
9.4	Normal procedures .....	71
9.4.1	Invocation .....	71
9.4.1.1	Invocation criteria .....	71
9.4.1.2	Invocation of ANF-ISIMM .....	71
9.4.2	Operation .....	72
9.5	Exceptional procedures .....	72
9.5.0	General.....	72
9.5.1	Detected by the visited SwMI MM.....	73
9.5.2	Detected by the individual subscriber home SwMI MM .....	73
9.6	Dynamic description.....	74
10	Profile update service description - stage 1 .....	75
10.1	Service definition .....	75
10.2	Service description .....	75
10.3	Service architecture .....	76
10.4	Normal procedures .....	76
10.4.1	Invocation .....	76
10.4.1.1	Invocation criteria .....	76
10.4.1.2	Invocation of ANF-ISIMM .....	77
10.4.2	Operation .....	86
10.5	Exceptional operation.....	96
10.6	Dynamic description.....	97

11	SS-profile update service description - stage 1 .....	98
11.1	Service definition .....	98
11.2	Service description .....	98
11.3	Service architecture .....	98
11.4	Normal procedures .....	99
11.4.1	Invocation .....	99
11.4.1.1	Invocation criteria .....	99
11.4.1.2	Invocation of ANF-ISIMM .....	99
11.4.2	Operation .....	100
11.4.2.1	Creation of temporary SS-migration profiles .....	100
11.4.2.2	Informing home SwMI MM about the temporary SS-migration profiles .....	101
11.5	Exceptional operation .....	102
11.6	Dynamic description .....	103
12	Authentication service description - stage 1 .....	104
12.1	Pre-requisite requirements for the authentication service .....	104
12.2	Service definition .....	104
12.3	Service description .....	104
12.4	Service architecture .....	104
12.5	Normal procedures .....	105
12.5.1	Invocation .....	105
12.5.1.1	Invocation criteria .....	105
12.5.1.2	Invocation of ANF-ISIMM .....	105
12.5.2	Operation .....	106
12.5.2.0	General .....	106
12.5.2.1	Exchange of authentication parameters .....	106
12.5.2.2	Sending of authentication result .....	107
12.6	Exceptional procedures .....	107
12.6.0	General .....	107
12.6.1	Detected by the visited SwMI MM .....	109
12.6.2	Detected by the home SwMI MM .....	109
12.7	Interaction with migration and restricted migration .....	109
12.7.1	Normal operation .....	109
12.7.2	Exceptional procedures .....	110
12.8	Dynamic description .....	110
13	Over The Air Re-keying (OTAR) service description - stage 1 .....	112
13.1	Pre-requisite requirements .....	112
13.2	Service definition .....	112
13.3	Service description .....	112
13.4	Service architecture .....	113
13.5	Normal procedures .....	113
13.5.1	Invocation .....	113
13.5.1.1	Invocation criteria .....	113
13.5.1.2	Invocation of ANF-ISIMM .....	114
13.5.1.2.1	Case 1) .....	114
13.5.1.2.2	Case 2) .....	114
13.5.1.2.3	Case 3) .....	114
13.5.1.2.4	Case 4) .....	115
13.5.2	Operation .....	115
13.5.2.1	Case 1) .....	115
13.5.2.2	Case 2) .....	116
13.5.2.3	Case 3) .....	117
13.5.2.4	Case 4) .....	117
13.6	Exceptional procedures .....	118
13.6.0	General .....	118
13.6.1	Detected by the visited SwMI MM .....	119
13.6.2	Detected by the home SwMI MM .....	119
13.7	Dynamic description .....	120
14	Individual subscriber Database Recovery (IDR) service description - stage 1 .....	123
14.1	Service definition .....	123
14.2	Service description .....	123

14.3	Service architecture .....	124
14.4	Normal procedures .....	124
14.4.1	Invocation .....	124
14.4.1.1	Invocation criteria .....	124
14.4.1.2	Invocation of ANF-ISIMM .....	125
14.4.2	Operation .....	126
14.4.2.0	General .....	126
14.4.2.1	The visited SwMI MM receives the HMM recovery indication .....	126
14.4.2.1A	The home SwMI MM receives the VMM recovery indication .....	127
14.4.2.2	The virtual migration or restricted migration .....	127
14.4.2.3	The virtual RSI .....	128
14.4.2.4	The iteration .....	128
14.4.2.5	The completion of the IDR .....	128
14.4.2.5.1	VMM recovery .....	128
14.4.2.5.2	HMM recovery .....	129
14.5	Exceptional procedures .....	129
14.6	Dynamic description.....	130
15	Group attachment service description - stage 1.....	134
15.1	Service definition .....	134
15.2	Service description .....	134
15.3	Service architecture .....	135
15.4	Normal procedures .....	135
15.4.1	Invocation .....	135
15.4.1.1	Invocation criteria .....	135
15.4.1.2	Invocation of ANF-ISIMM .....	136
15.4.1.2.1	Case 1).....	136
15.4.1.2.2	Cases 2) to 4).....	138
15.4.1.2.3	Case 5).....	139
15.4.1.2.4	Case 6).....	144
15.4.2	Operation .....	145
15.4.2.1	Case 1) .....	145
15.4.2.1.0	General .....	145
15.4.2.1.1	Group attachment with pre-defined migration profile(s).....	145
15.4.2.1.2	Group attachment with migration profile exchange .....	147
15.4.2.1.3	SS-migration profile(s) exchange .....	153
15.4.2.2	Cases 2) to 4).....	156
15.4.2.2.1	Updates to G-HDB .....	156
15.4.2.2.2	Sending of group attachment approval .....	156
15.4.2.2.3	Receipt of group attachment approval .....	156
15.4.2.3	Case 5) .....	157
15.4.2.3.0	General .....	157
15.4.2.3.1	Group home SwMI MM initiated group attachment with pre-defined migration profile(s).....	157
15.4.2.3.2	Group home SwMI MM initiated group attachment with migration profile exchange .....	158
15.5	Exceptional procedures .....	161
15.5.0	General.....	161
15.5.1	Detected by the visited SwMI MM.....	162
15.5.2	Detected by the group home SwMI MM .....	163
15.6	Interactions .....	163
15.7	Dynamic description.....	164
16	Group detachment service description (stage 1) .....	167
16.1	Service definition .....	167
16.2	Service description .....	168
16.3	Service architecture .....	168
16.4	Normal procedures .....	169
16.4.1	Invocation .....	169
16.4.1.0	General .....	169
16.4.1.1	Void.....	170
16.4.1.2	Invocation of ANF-ISIMM .....	170
16.4.1.2.1	Cases 1) to 3).....	170
16.4.1.2.2	Cases 4) and 5) .....	171
16.4.2	Operation .....	171

16.4.2.1	Cases 1) to 3).....	171
16.4.2.2	Cases 4) and 5).....	172
16.5	Exceptional procedures .....	173
16.6	Interactions .....	175
16.7	Dynamic description.....	176
17	Group Database Recovery (GDR) service description - stage 1 .....	177
17.1	Service definition .....	177
17.2	Service description .....	177
17.3	Service architecture .....	178
17.4	Normal procedures .....	179
17.4.1	Invocation .....	179
17.4.1.1	Invocation criteria .....	179
17.4.1.2	Invocation of ANF-ISIMM .....	179
17.4.2	Operation .....	180
17.4.2.0	General.....	180
17.4.2.1	Verification of age information.....	181
17.4.2.2	The visited SwMI MM receives the G-HDR indication.....	181
17.4.2.3	The group home SwMI MM receives the G-VDR indication .....	182
17.4.2.4	The virtual group attachment and detachment .....	182
17.4.2.5	The iteration .....	183
17.4.2.6	The completion of the GDR .....	183
17.4.2.6.1	G-HDR .....	183
17.4.2.6.2	G-VDR .....	184
17.5	Exceptional procedures .....	184
17.6	Dynamic description.....	186
18	Group linking/unlinking service description - stage 1 .....	188
18.1	Service definition .....	188
18.2	Service description .....	189
18.3	Service architecture .....	189
18.4	Normal procedures .....	190
18.4.1	Invocation .....	190
18.4.1.1	Invocation criteria .....	190
18.4.1.2	Invocation of ANF-ISIMM .....	190
18.4.1.2.1	Case 1) - group linking service.....	190
18.4.1.2.2	Case 2) - group unlinking service.....	191
18.4.1.2.3	Case 3) - remote group unlinking service .....	192
18.4.2	Operation .....	192
18.4.2.0	General.....	192
18.4.2.1	Case 1) - group linking service .....	192
18.4.2.1.1	First phase of group linking service.....	192
18.4.2.1.2	Second phase of group linking service .....	193
18.4.2.2	Case 2) - group unlinking service .....	195
18.4.2.3	Case 3) - remote group unlinking service .....	196
18.5	Exceptional procedures .....	196
18.5.0	General.....	196
18.5.1	Case 1) - group linking service .....	196
18.5.2	Case 2) - group unlinking service .....	197
18.5.3	Case 3) - remote group unlinking service .....	198
18.6	Interactions .....	199
18.7	Dynamic description.....	199
18a	Linked group attachment service description - stage 1 .....	202
18a.1	Service definition .....	202
18a.2	Service description .....	202
18a.3	Service Architecture .....	203
18a.4	Normal Procedure.....	203
18a.4.1	Invocation .....	203
18a.4.1.1	Invocation criteria .....	203
18a.4.1.2	Invocation of ANF-ISIMM .....	204
18a.4.1.2.1	Case 1 .....	204
18a.4.1.2.2	Case 2 .....	204

18a.4.2	Operation .....	204
18a.5	Exceptional cases .....	204
18a.6	Interactions .....	205
18a.7	Dynamic description.....	205
18b	Linked group detachment service description - stage 1 .....	206
18b.1	Service definition .....	206
18b.2	Service description .....	206
18b.3	Service architecture .....	207
18b.4	Normal procedure.....	207
18b.4.1	Invocation .....	207
18b.4.1.1	Invocation criteria .....	207
18b.4.1.2	Invocation of ANF-ISIMM .....	208
18b.4.1.2.1	Case 1 .....	208
18b.4.1.2.2	Case 2 .....	208
18b.4.2	Operation .....	208
18b.5	Exceptional cases .....	208
18b.6	Interactions .....	209
18b.7	Dynamic description.....	209
19	ANF-ISIMM stage 2 specification .....	210
19.1	General .....	210
19.2	Functional model.....	210
19.3	Information flow diagrams.....	211
20	Migration - stage 2 information flow sequences .....	211
20.0	General .....	211
20.1	Normal operation.....	212
20.1.1	Migration with pre-defined profile(s) .....	212
20.1.2	Migration with basic migration profile exchange .....	213
20.1.3	Migration with basic migration and SS-migration profiles exchange.....	214
20.1.3.1	SS-migration profiles exchanged before final migration approval.....	214
20.1.3.2	SS-migration profiles exchanged after final migration approval .....	216
20.2	Exceptional operation.....	218
20.2.1	Migration rejection request upon receipt of the Migration_ind .....	218
20.2.2	Migration rejection request upon receipt of Profile update_conf and SS-profile update_conf .....	219
20.3	FE actions for subscriber migration .....	220
20.3.1	FE actions of FE1 .....	220
20.3.2	FE actions of FE3 .....	221
21	Restricted migration - stage 2 information flow sequences .....	222
21.0	General .....	222
21.1	Normal operation.....	222
21.1.1	Restricted migration requested by visited SwMI MM .....	222
21.1.2	Restricted migration requested by individual subscriber home SwMI upon receipt of MIGRATION_ind from the visited SwMI MM .....	222
21.1.3	Restricted migration requested by individual subscriber home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the visited SwMI MM .....	222
21.2	Exceptional operation.....	223
21.3	FE actions for restricted migration .....	223
21.3.1	FE actions of FE1 .....	223
21.3.2	FE actions of FE3 .....	223
22	Removal of Subscriber Information - stage 2 information flow sequences .....	223
22.0	General .....	223
22.1	Normal operation.....	224
22.2	Exceptional operation.....	224
22.3	FE actions for subscriber migration .....	225
22.3.1	FE actions of FE1 .....	225
22.3.2	FE actions of FE4 .....	225
23	De-registration - stage 2 information flow sequences .....	226
23.0	General .....	226
23.1	Normal operation.....	226

23.1.1	Visited SwMI MM initiated de-registration.....	226
23.1.2	Individual subscriber home SwMI MM initiated de-registration.....	227
23.2	Exceptional operation.....	228
23.2.1	Visited SwMI MM initiated de-registration rejected .....	228
23.2.2	Individual subscriber home SwMI MM initiated de-registration rejected .....	229
23.3	FE actions.....	229
23.3.1	FE actions of FE1 .....	229
23.3.2	FE actions of FE3 .....	230
24	Profile update - stage 2 information flow sequences.....	230
24.0	General .....	230
24.1	Normal operation.....	231
24.2	Profile update rejection .....	232
24.3	FE actions for Profile update.....	232
24.3.1	FE actions of FE1 .....	232
24.3.2	FE actions of FE3 .....	232
25	SS-profile update - stage 2 information flow sequences .....	233
25.0	General .....	233
25.1	Normal operation.....	233
25.2	SS-profile update rejection .....	234
25.3	FE actions for SS-profile update .....	234
25.3.1	FE actions of FE1 .....	234
25.3.2	FE actions of FE3 .....	234
26	Authentication - stage 2 information flow sequences.....	235
26.0	General .....	235
26.1	Normal operation.....	235
26.1.1	Authentication.....	235
26.1.2	Successful subsequent authentication .....	236
26.2	Authentication invoked in conjunction with migration.....	237
26.3	Exceptional operation.....	239
26.3.1	Authentication rejection in the visited SwMI .....	239
26.4	FE actions for authentication.....	240
26.4.1	FE actions of FE1 .....	240
26.4.2	FE actions of FE3 .....	241
27	Over The Air Re-keying (OTAR) - stage 2 information flow sequences.....	241
27.0	General .....	241
27.1	Normal operation.....	241
27.1.1	OTAR SCK generation service.....	241
27.1.2	Visited SwMI MM initiated OTAR SCK delivery service .....	243
27.1.3	Home SwMI MM initiated OTAR SCK delivery service .....	244
27.1.4	OTAR SCK generation service, subsequent use of parameters .....	245
27.2	Exceptional operation.....	246
27.2.1	Failed OTAR SCK generation service.....	246
27.2.2	Failed visited SwMI MM initiated OTAR SCK delivery .....	247
27.2.3	Failed home SwMI MM initiated OTAR SCK delivery .....	248
27.2.4	Failed subsequent use of OTAR SCK generation parameters .....	249
27.3	FE actions for OTAR .....	249
27.3.1	FE actions of FE1 .....	249
27.3.2	FE actions of FE3 .....	250
28	Individual subscriber database recovery - stage 2 information flow sequences.....	250
28.0	General .....	250
28.1	Normal operation.....	250
28.1.1	HMM recovery .....	250
28.1.2	VMM recovery .....	254
28.2	Exceptional operation.....	257
28.2.1	Rejection of HMM recovery .....	257
28.2.2	Rejection of VMM recovery .....	258
28.3	FE actions.....	258
28.3.1	FE actions of FE1 .....	258
28.3.2	FE actions of FE3 .....	259

28.3.3	FE actions of FE4 .....	259
29	Group attachment - stage 2 information flow sequences .....	259
29.1	Normal operation.....	259
29.1.1	Visited SwMI MM initiated group attachment without migration profile exchange .....	259
29.1.2	Visited SwMI MM initiated first group attachment with migration profile exchange.....	261
29.1.3	Group home SwMI MM initiated group attachment without migration profile exchange.....	263
29.1.4	Group home SwMI MM initiated group attachment with migration profile exchange.....	264
29.2	Exceptional operation.....	266
29.2.1	Rejection of visited SwMI MM initiated group attachment without migration profile exchange .....	266
29.2.2	Rejection of group home SwMI MM initiated group attachment with migration profile exchange .....	267
29.2.3	Rejection of group home SwMI MM initiated group attachment without migration profile exchange .....	268
29.2.4	Rejection of group home SwMI MM initiated group attachment with migration profile exchange, rejected by subscriber .....	269
29.3	FE actions .....	270
29.3.1	FE actions of FE2 .....	270
29.3.2	FE actions of FE3 .....	271
30	Normal operation for group detachment - stage 2 information flow sequences.....	272
30.1	Normal operation.....	272
30.1.1	Visited SwMI MM initiated group detachment .....	272
30.1.2	Group home SwMI MM initiated group detachment.....	273
30.2	Exceptional operation.....	274
30.2.1	Rejection of visited SwMI MM initiated group detachment.....	274
30.2.2	Rejection of group home SwMI MM initiated group detachment rejection .....	275
30.3	FE actions .....	275
30.3.1	FE actions of FE2 .....	275
30.3.2	FE actions of FE3 .....	276
31	Group database recovery - stage 2 information flow sequences.....	276
31.1	Normal operation.....	276
31.1.1	G-HDR.....	276
31.1.2	G-VDR.....	280
31.2	Exceptional operation.....	283
31.2.1	Rejection of G-HDR .....	283
31.2.2	Rejection of G-VDR .....	284
31.3	FE actions .....	284
31.3.1	FE actions of FE2 .....	284
31.3.2	FE actions of FE3 .....	285
32	Group linking/unlinking - stage 2 information flow scenarios.....	285
32.1	Normal operation.....	285
32.1.1	Group linking.....	285
32.1.2	Group unlinking.....	285
32.1.3	Remote group unlinking .....	286
32.2	Exceptional operation - group linking rejected by participating SwMI .....	286
32.3	FE actions .....	286
32.3.1	FE actions of FE5 .....	286
32.3.2	FE actions of FE6 .....	286
32a	Linked group attachment/detachment - stage 2 information flow scenarios.....	286
32a.1	Normal operation.....	286
32a.1.1	Visited SwMI MM initiated attachment to a linked group in the linking participating SwMI .....	286
32a.1.2	Visited SwMI MM initiated detachment from a linked group in the linking participating SwMI.....	287
32a.2	Exceptional operation - attach linked group rejected by linking controlling SwMI.....	288
32a.3	FE actions .....	289
32a.3.1	FE actions of FE2 .....	289
32a.3.2	FE actions of FE5 .....	290
33	Definition of stage 2 information flows .....	290
33.0	General .....	290
33.0a	ATTACH LINKED GROUP .....	290
33.0b	ATTACH LINKED GROUP REJECT .....	291
33.1	AUTHENTICATION DEMAND .....	291

33.2	AUTHENTICATION RESPONSE.....	291
33.3	AUTHENTICATION RESULT.....	292
33.4	AUTH REJECT.....	292
33.5	DE-REGISTRATION .....	292
33.6	DE-REG REJECT .....	293
33.6a	DETACH LINKED GROUP .....	293
33.7	GROUP ATTACHMENT .....	293
33.8	GROUP ATT REJECT .....	294
33.9	GROUP DETACHMENT .....	294
33.10	GROUP DET REJECT .....	294
33.11	HMM RECOVERY .....	295
33.12	HMM RECOVERY COMPLETED.....	295
33.13	HMM RECOVERY REJECT .....	295
33.14	LINKING .....	296
33.15	LINKING COMMAND .....	296
33.16	LINKING REJECT .....	296
33.17	MIGRATION .....	296
33.18	MIGRATION REJECT.....	297
33.19	OTAR-KEY DEMAND .....	297
33.20	OTAR-KEY PROVIDE .....	297
33.21	OTAR-KEY REJECT .....	298
33.22	OTAR-KEY RESULT .....	298
33.23	OTAR-PARAM DEMAND .....	298
33.24	OTAR-PARAM PROVIDE .....	298
33.25	OTAR-PARAM REJECT .....	299
33.26	OTAR-PARAM RESULT .....	299
33.27	PROFILE REJECT.....	299
33.28	PROFILE UPDATE.....	300
33.29	REMOTE UNLINKING .....	300
33.30	REMOVE REJECT .....	300
33.31	REMOVE SUBS .....	301
33.32	SS-PROFILE REJECT .....	301
33.33	SS-PROFILE UPDATE .....	302
33.34	UNLINKING .....	302
33.35	UNLINKING REJECT .....	302
33.36	VMM RECOVERY .....	302
33.37	VMM RECOVERY COMPLETED.....	303
33.38	VMM RECOVERY REJECT .....	303
33.39	Profiles .....	303
33.39.0	General.....	303
33.39.1	Basic migration profiles.....	303
33.39.1.1	Group basic migration profile (original and temporary) .....	303
33.39.1.2	Individual basic migration profile .....	305
33.39.2	SS-migration profile (original and temporary) .....	306
33.39.3	Relation between subscribers and group.....	306
34	ANF-ISIMM encoding requirements - stage 3.....	306
34.0	Introduction .....	306
34.1	ANF-ISIMM PDU description tables.....	307
34.1.0	General.....	307
34.1.0a	ATTACH LINKED GROUP .....	307
34.1.0b	ATTACH LINKED GROUP RESPONSE .....	308
34.1.0c	ATTACH LINKED GROUP REJECT .....	308
34.1.1	AUTHENTICATION DEMAND.....	309
34.1.2	AUTHENTICATION RESPONSE .....	309
34.1.3	AUTHENTICATION RESULT .....	310
34.1.4	AUTH REJECT .....	310
34.1.5	DE-REGISTRATION .....	311
34.1.6	DE-REGISTRATION RESPONSE .....	311
34.1.7	DE-REG REJECT .....	312
34.1.7a	DETACH LINKED GROUP .....	312
34.1.7b	DETACH LINKED GROUP RESPONSE .....	312

34.1.8	GROUP ATTACHMENT .....	313
34.1.9	GROUP ATTACHMENT RESPONSE.....	314
34.1.10	GROUP ATT REJECT.....	314
34.1.11	GROUP DETACHMENT .....	315
34.1.12	GROUP DETACHMENT RESPONSE.....	316
34.1.13	GROUP DET REJECT.....	316
34.1.14	HMM RECOVERY .....	317
34.1.15	HMM RECOVERY COMPLETED .....	317
34.1.16	HMM RECOVERY REJECT.....	317
34.1.17	HMM RECOVERY RESPONSE.....	318
34.1.18	LINKING.....	318
34.1.19	LINKING COMMAND .....	318
34.1.20	LINKING COMMAND RESPONSE.....	318
34.1.21	LINKING REJECT.....	318
34.1.22	LINKING RESPONSE.....	318
34.1.23	MIGRATION .....	319
34.1.24	MIGRATION REJECT .....	319
34.1.25	MIGRATION REJECT RESPONSE .....	320
34.1.26	MIGRATION RESPONSE.....	320
34.1.27	OTAR-KEY DEMAND .....	321
34.1.28	OTAR-KEY PROVIDE.....	321
34.1.29	OTAR-KEY REJECT.....	322
34.1.30	OTAR-KEY RESULT .....	322
34.1.31	OTAR-PARAM DEMAND .....	322
34.1.32	OTAR-PARAM PROVIDE.....	323
34.1.33	OTAR-PARAM REJECT.....	323
34.1.34	OTAR-PARAM RESULT .....	324
34.1.35	PROFILE REJECT .....	324
34.1.36	PROFILE UPDATE .....	325
34.1.37	PROFILE UPDATE RESPONSE.....	325
34.1.38	REMOTE UNLINKING .....	326
34.1.39	REMOVE REJECT .....	326
34.1.40	REMOVE SUBS .....	326
34.1.41	REMOVE SUBS RESPONSE.....	327
34.1.42	SS-PROFILE REJECT .....	327
34.1.43	SS-PROFILE UPDATE .....	327
34.1.44	SS-PROFILE UPDATE RESPONSE.....	328
34.1.45	UNLINKING .....	328
34.1.46	UNLINKING REJECT .....	328
34.1.47	UNLINKING RESPONSE .....	329
34.1.48	VMM RECOVERY .....	329
34.1.49	VMM RECOVERY COMPLETED .....	329
34.1.50	VMM RECOVERY REJECT.....	330
34.1.51	VMM RECOVERY RESPONSE .....	330
34.2	PDU information element encoding .....	330
34.2.1	Advanced link .....	330
34.2.2	Age stamp .....	331
34.2.3	AI security class (participating SwMI) .....	331
34.2.4	AI security class (requested).....	331
34.2.5	AI encryption state list .....	332
34.2.6	ANF-ISIMM invoke id .....	333
34.2.6a	Attach linked group rejection cause .....	333
34.2.7	Authentication invocation .....	333
34.2.8	Authentication rejection cause .....	334
34.2.9	Authentication service .....	334
34.2.10	Authentication type .....	335
34.2.11	Basic migration profile info .....	335
34.2.12	Call restoration support .....	335
34.2.13	Call time-out set-up phase timer (T301) .....	336
34.2.14	Call time-out timer (T310).....	336
34.2.15	Circuit mode protected (high) data service .....	337
34.2.16	Circuit mode protected (low) data service .....	337

34.2.17	Circuit mode unprotected speech + data service.....	338
34.2.18	CONS.....	338
34.2.19	Default SS-information.....	338
34.2.20	De-registration rejection cause .....	339
34.2.21	De-registration type .....	339
34.2.22	Duplex service .....	339
34.2.23	End-to-end encryption service .....	340
34.2.24	First/Subsequent Group attachment.....	340
34.2.25	Following conditional element(s) present.....	340
34.2.25a	Forced removal .....	341
34.2.26	Group attachment/detachment .....	341
34.2.27	Group attachment rejection cause .....	341
34.2.28	Group basic migration profile (original and temporary).....	342
34.2.29	Group detachment rejection cause .....	343
34.2.30	Group information .....	343
34.2.31	Group information in subscriber profile .....	343
34.2.32	Group priority .....	344
34.2.33	GSSI.....	344
34.2.34	Home/Visited SwMI MM initiated.....	344
34.2.35	Independent of authentication service.....	344
34.2.36	Individual basic migration profile (original and temporary).....	345
34.2.37	Interleaving depth .....	346
34.2.38	IP service .....	347
34.2.39	ISSI .....	347
34.2.40	Void .....	347
34.2.41	Last group detachment.....	347
34.2.42	Linking rejection cause .....	347
34.2.43	Maximum number of timeslots.....	348
34.2.44	Migration rejection cause.....	348
34.2.45	Migration type .....	349
34.2.46	MNI .....	349
34.2.47	MNIs of SSI and of visited SwMI MM following .....	349
34.2.48	Not supported SS .....	349
34.2.49	Number of following elements .....	350
34.2.50	Number of not supported SSs .....	350
34.2.51	Number of SS-information .....	350
34.2.52	Original/Subsequent use of param .....	350
34.2.53	OTAR SCK delivery service .....	351
34.2.54	OTAR SCK generation service.....	351
34.2.55	OTAR SCK key rejection cause .....	352
34.2.56	OTAR SCK param rejection cause .....	352
34.2.57	Other linked group .....	352
34.2.58	PDU type .....	353
34.2.59	Pre-defined profile set reference(s).....	354
34.2.60	Profile exchange support .....	354
34.2.61	Profile rejection cause .....	355
34.2.62	Profile type.....	355
34.2.63	Point-to-multipoint acknowledged service .....	355
34.2.64	Point-to-multipoint broadcast service .....	356
34.2.65	Point-to-multipoint service .....	356
34.2.66	Point-to-point service.....	357
34.2.67	Profile status .....	357
34.2.68	Proprietary .....	357
34.2.69	Recovery .....	358
34.2.70	Recovery rejection cause .....	358
34.2.71	Recovery type .....	358
34.2.72	Restricted migration support.....	358
34.2.73	RSI rejection cause .....	359
34.2.74	SCLNS .....	359
34.2.75	SDS profile .....	359
34.2.76	Speech service .....	360
34.2.77	SS-information.....	360