

ETSI TS 100 392-5 V2.4.1 (2016-03)



Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D) and Direct Mode Operation (DMO); Part 5: Peripheral Equipment Interface (PEI)

iTeh Standards PREVIEW
(standards.it-eh.com)
Full standards list: /674e5b97-
https://standards.it-eh.com/catalogue/list.asp?lang=fr&ts=100-392-5-v2.4.1-
c2d5-4c6d-902e-b3df47f408b2/cats-100-392-5-v2.4.1-
2016-03

Reference

RTS/TETRA-03227

Keywords

data, interface, TETRA, V+D, voice

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	22
Foreword.....	22
Modal verbs terminology.....	23
1 Scope	24
2 References	24
2.1 Normative references	24
2.2 Informative references.....	26
3 Symbols and abbreviations.....	26
3.1 Symbols.....	26
3.2 Abbreviations	27
4 Overview of TETRA PEI	30
4.1 Introduction	30
4.2 Protocol architecture.....	31
4.3 Context model	31
4.4 Void.....	35
4.5 SDS Message stacks.....	35
4.5.0 General on SDS Message stacks.....	35
4.5.1 Status message texts.....	35
4.5.2 SDS 1 message texts	35
4.5.3 Status and SDS types 1, 2 and 3	35
4.5.4 SDS type 4	36
4.6 Phone books	36
4.7 Reserved status values considerations.....	36
4.8 SDS-TL considerations	36
4.9 AT commands	37
4.9.1 General on AT commands	37
4.9.2 AT command state.....	38
4.9.3 AT circuit mode data state	39
4.9.4 TNP1 and packet data state.....	39
4.9.5 Transitions between states	40
4.9.5.1 Transition from AT command state to AT circuit mode data state	40
4.9.5.2 Transition from AT circuit mode data state to AT command state	40
4.9.5.3 Transition from AT command state to TNP1 or packet data state	40
4.9.5.4 Transition from TNP1 and packet data state to AT command state.....	40
4.10 TNP1 and IP network layer	41
4.10.1 General operation.....	41
4.10.2 IP addressing.....	41
4.10.3 Local mode	41
4.10.4 Wide mode.....	42
4.11 TNP1 operation	42
4.12 Link start up at the MT.....	43
5 Physical layer	43
5.1 General on physical layer	43
5.2 Physical layer for V.24/V.28.....	43
5.2.1 Electrical characteristics for V.24/V.28.....	43
5.2.2 Physical connection	44
5.2.3 Character format	44
5.2.4 Data transmission rate for V.24/V.28	45
5.3 Wire-line high rate connectivity technologies.....	45
5.3.1 General.....	45
5.3.2 Universal Serial Bus	46
5.3.3 USB On-The-Go.....	46
5.4 Wireless high rate connectivity	47
5.4.1 General.....	47

5.4.2	Wireless Security	47
5.4.3	Certified Wireless USB	47
5.4.4	Bluetooth	47
6	AT command set	48
6.1	General on AT command set	48
6.2	Limitations	48
6.3	SDS user data	48
6.4	AT command syntax	49
6.4.1	General on AT command syntax	49
6.4.2	Command line	49
6.4.2.0	Command line structure	49
6.4.2.1	Prefix	49
6.4.2.2	Body	49
6.4.2.3	Termination Character	49
6.4.2.4	Concatenating extended commands	50
6.4.2.5	Multiline extended commands	50
6.4.3	Command types	50
6.4.4	Parameters	51
6.4.5	AT command examples	51
6.4.6	Information responses and result codes	52
6.4.6.1	General on information responses and result codes	52
6.4.6.2	Information Responses	52
6.4.6.3	Result Code	53
6.4.6.4	AT result examples in verbose mode	53
6.4.6.5	AT result examples in numeric mode	55
6.4.6.6	Aborting information results and result codes	56
6.4.7	Handling of unknown parameters	56
6.5	Existing V.250 commands for call control	57
6.5.1	Commands	57
6.5.2	Result Codes	57
6.5.3	Dialled string and user identity	57
6.6	Existing V.250 commands for PEI control	58
6.6a	Modified V.250 commands for PEI control	58
6.6a.1	General on modified V.250 commands for PEI control	58
6.6a.2	Line termination character: S3	58
6.6a.2.1	General on S3	58
6.6a.2.2	Description	59
6.6a.2.3	S3 set syntax	59
6.6a.2.4	S3 read syntax	59
6.6a.2.5	S3 read result code text	59
6.6a.2.6	S3 test syntax	59
6.6a.2.7	S3 test result syntax	59
6.6a.3	Response formatting character: S4	59
6.6a.3.1	General on S4	59
6.6a.3.2	Description	59
6.6a.3.3	S4 set syntax	59
6.6a.3.4	S4 read syntax	60
6.6a.3.5	S4 read result code text	60
6.6a.3.6	S4 test syntax	60
6.6a.3.7	S4 test result syntax	60
6.6a.4	Line editing character: S5	60
6.6a.4.1	General on S5	60
6.6a.4.2	Description	60
6.6a.4.3	S5 set syntax	60
6.6a.4.4	S5 read syntax	60
6.6a.4.5	S5 read result code text	60
6.6a.4.6	S5 test syntax	61
6.6a.4.7	S5 test result syntax	61
6.6a.5	Echo: E	61
6.6a.5.1	General on E	61
6.6a.5.2	Description	61

6.6a.5.3	E set syntax	61
6.6a.5.4	E read syntax	61
6.6a.5.5	E read result code text	61
6.6a.5.6	E test syntax	61
6.6a.5.7	E test result syntax	61
6.6a.6	Result code suppression: Q	62
6.6a.6.1	General on Q	62
6.6a.6.2	Description	62
6.6a.6.3	Q set syntax	62
6.6a.6.4	Q read syntax	62
6.6a.6.5	Q read result code text	62
6.6a.6.6	Q test syntax	62
6.6a.6.7	Q test result syntax	62
6.6a.7	MT response format: V	62
6.6a.7.1	General on V	62
6.6a.7.2	Description	62
6.6a.7.3	V set syntax	62
6.6a.7.4	V read syntax	63
6.6a.7.5	V read result code text	63
6.6a.7.6	V test syntax	63
6.6a.7.7	V test result syntax	63
6.6a.8	Circuit 109 (DCD) behavior: &C	63
6.6a.8.1	General on &C	63
6.6a.8.2	Description	63
6.6a.8.3	&C set syntax	63
6.6a.8.4	&C read syntax	63
6.6a.8.5	&C read result code text	63
6.6a.8.6	&C test syntax	63
6.6a.8.7	&C test result syntax	64
6.6a.9	Circuit 108/2 (DTR) behavior: &D	64
6.6a.9.1	General on &D	64
6.6a.9.2	Description	64
6.6a.9.3	&D set syntax	64
6.6a.9.4	&D read syntax	64
6.6a.9.5	&D read result code text	64
6.6a.9.6	&D test syntax	64
6.6a.9.7	&D test result syntax	64
6.6a.10	PEI data rate: +IPR	64
6.6a.10.1	General on +IPR	64
6.6a.10.2	Description	65
6.6a.10.3	+IPR set syntax	65
6.6a.10.4	+IPR read syntax	65
6.6a.10.5	+IPR read result code text	65
6.6a.10.6	+IPR test syntax	65
6.6a.10.7	+IPR test result syntax	65
6.7	Existing V.250 commands for generic MT control	65
6.7a	Modified V.250 commands for generic MT control	66
6.7a.1	General on modified V.250 commands for generic MT control	66
6.7a.2	Full factory defaults Z	66
6.7a.2.1	General on full factory defaults Z	66
6.7a.2.2	Description	66
6.7a.2.3	Z execution syntax	66
6.7a.2.4	Z test syntax	66
6.7a.3	Factory defaults &F	66
6.7a.3.1	General on factory defaults &F	66
6.7a.3.2	Description	67
6.7a.3.3	&F execution syntax	67
6.7a.3.4	&F test syntax	67
6.8	Existing Hayes AT commands for PEI control	67
6.9	Existing 3GPP commands for MT and call control	67
6.10	Modified PCCA wireless extended commands	68
6.11	Modified Cellular commands for MT control	69

6.11.1	General on cellular commands for MT control.....	69
6.11.2	MT Capabilities +GCAP	69
6.11.2.1	General on +GCAP	69
6.11.2.2	Description	69
6.11.2.3	GCAP execution syntax	69
6.11.2.4	GCAP execution read syntax	69
6.11.2.5	GCAP execution read and unsolicited result code text	69
6.11.2.6	GCAP test syntax	70
6.11.3	Network registration +CREG	70
6.11.3.1	General on +CREG	70
6.11.3.2	CREG set syntax	70
6.11.3.3	Description of set command.....	70
6.11.3.4	CREG execution read syntax	70
6.11.3.5	CREG execution read and unsolicited result code text	70
6.11.3.6	CREG test syntax	70
6.11.3.7	CREG test result syntax	70
6.11.4	Get MT TETRA identities +CNUM	71
6.11.4.1	General on +CNUM	71
6.11.4.2	Description	71
6.11.4.3	CNUM execution mode syntax	71
6.11.4.4	CNUM execution read mode syntax	71
6.11.4.5	CNUM execution read result code text	71
6.11.4.6	CNUM test syntax.....	71
6.11.5	Get MT TETRA Identities (alternative commands)	72
6.11.5.1	Get MT TETRA Fixed identity number(s): ITSI and Gateway address(es) +CNUMF	72
6.11.5.1.1	General on +CNUMF	72
6.11.5.1.2	Description	72
6.11.5.1.3	CNUMF execution mode syntax	72
6.11.5.1.4	CNUMF execution read mode syntax	72
6.11.5.1.5	CNUMF execution read result code text	72
6.11.5.1.6	CNUMF test syntax	72
6.11.5.2	Get MT static group identities +CNUMS	72
6.11.5.2.1	General on +CNUMS	72
6.11.5.2.2	Description	73
6.11.5.2.3	CNUMS set or execution/set syntax.....	74
6.11.5.2.4	CNUMS execution read or read syntax	74
6.11.5.2.5	CNUMS execution read or execution/set and unsolicited result code text	74
6.11.5.2.6	CNUMS test syntax	75
6.11.5.2.7	CNUMS test result syntax	75
6.11.5.3	Get MT dynamic group identities +CNUMD	75
6.11.5.3.1	General on +CNUMD	75
6.11.5.3.2	Description	76
6.11.5.3.3	CNUMD set or execution/set syntax	77
6.11.5.3.4	CNUMD execution read or read syntax	77
6.11.5.3.5	CNUMD execution read or execution/set and unsolicited result code text	77
6.11.5.3.6	CNUMD test syntax	78
6.11.5.3.7	CNUMD test result syntax	78
6.12	SDS message stack commands.....	78
6.12.1	General on SDS message stack commands.....	78
6.12.2	Delete message +CMGD	78
6.12.2.1	General on +CMGD.....	78
6.12.2.2	CMGD execution syntax	79
6.12.2.3	Description	79
6.12.2.4	CMGD test syntax.....	79
6.12.2.5	CMGD test result syntax	79
6.12.3	List messages +CMGL	79
6.12.3.1	General on +CMGL	79
6.12.3.2	CMGL execution syntax	79
6.12.3.3	Description	79
6.12.3.4	CMGL execution result code text	79
6.12.3.5	CMGL test syntax	80
6.12.4	Read message +CMGR.....	80

6.12.4.1	General on +CMGR	80
6.12.4.2	CMGR execution syntax	80
6.12.4.3	Description	80
6.12.4.4	CMGR execution result code text	80
6.12.4.5	CMGR test syntax	81
6.12.5	Write message +CMGW	81
6.12.5.1	General on +CMGW	81
6.12.5.2	CMGW execution syntax	81
6.12.5.3	Description	81
6.12.5.4	CMGW execution result code text	82
6.12.5.5	CMGW test syntax	82
6.12.6	Message send from store +CMSS	82
6.12.6.1	General on +CMSS	82
6.12.6.2	CMSS execution syntax	83
6.12.6.3	Description	83
6.12.6.4	CMSS execution result code text	83
6.12.6.5	CMSS test syntax	83
6.12.7	New message indication +CMTI	83
6.12.7.1	General on +CMTI	83
6.12.7.2	Description	84
6.12.7.3	CMTI unsolicited result code text	84
6.13	SDS direct commands	84
6.13.1	General on SDS direct commands	84
6.13.2	Send message +CMGS	84
6.13.2.1	General on +CMGS	84
6.13.2.2	CMGS execution syntax	84
6.13.2.3	Description	85
6.13.2.4	CMGS execution and unsolicited result code text	85
6.13.2.5	CMGS test syntax	85
6.13.3	TETRA SDS Receive +CTSDSR	86
6.13.3.1	General on +CTSDSR	86
6.13.3.2	Description	86
6.13.3.3	CTSDSR unsolicited result code text	86
6.14	TETRA MT control commands	86
6.14.1	General on TETRA MT control commands	86
6.14.2	TETRA Broadcast +CTBCT	86
6.14.2.1	General on +CTBCT	86
6.14.2.2	Description	86
6.14.2.3	CTBCT execution read and unsolicited result code text	86
6.14.2.4	CTBCT execution read syntax	87
6.14.2.5	CTBCT test syntax	87
6.14.3	TETRA Status Text Read +CTSTR	87
6.14.3.1	General on +CTSTR	87
6.14.3.2	CTSTR execution syntax	87
6.14.3.3	Description	87
6.14.3.4	CTSTR execution result code text	87
6.14.3.5	CTSTR test syntax	87
6.14.4	TETRA Service Profile +CTSP	87
6.14.4.1	General on +CTSP	87
6.14.4.2	CTSP set syntax	88
6.14.4.3	Description	88
6.14.4.4	CTSP read syntax	90
6.14.4.5	CTSP read result code text	90
6.14.4.6	CTSP test syntax	90
6.14.4.7	CTSP test result syntax	90
6.14.5	TETRA service definition for Circuit Mode services +CTSDC	91
6.14.5.1	General on +CTSDC	91
6.14.5.2	CTSDC set syntax	91
6.14.5.3	Description	91
6.14.5.4	CTSDC read syntax	91
6.14.5.5	CTSDC read result code text	91
6.14.5.6	CTSDC test syntax	92

6.14.5.7	CTSDC test result syntax	92
6.14.6	TETRA service definition for SDS Service +CTSDS	92
6.14.6.1	General on +CTSDS	92
6.14.6.2	CTSDS set syntax	92
6.14.6.3	Description	92
6.14.6.4	CTSDS read syntax	92
6.14.6.5	CTSDS read result code text	93
6.14.6.6	CTSDS test syntax	93
6.14.6.7	CTSDS test result syntax	93
6.14.7	TETRA operating mode +CTOM	93
6.14.7.1	General on +CTOM	93
6.14.7.2	CTOM set syntax	93
6.14.7.3	Description	93
6.14.7.4	CTOM read syntax	94
6.14.7.5	CTOM read and unsolicited result code text	94
6.14.7.6	CTOM test syntax	94
6.14.7.7	CTOM test result	94
6.14.8	TETRA DM communication type +CTDCT	94
6.14.8.1	General on +CTDCT	94
6.14.8.2	CTDCT set syntax	94
6.14.8.3	Description	94
6.14.8.4	CTDCT read syntax	94
6.14.8.5	CTDCT read and unsolicited result code text	94
6.14.8.6	CTDCT test syntax	94
6.14.8.7	CTDCT test result text	94
6.14.9	TETRA Transient communication type +CTTCT	95
6.14.9.1	General on +CTTCT	95
6.14.9.2	CTTCT set syntax	95
6.14.9.3	Description	95
6.14.9.4	CTTCT unsolicited result code text	95
6.14.9.5	CTTCT read syntax	95
6.14.9.6	CTTCT read result syntax	95
6.14.9.7	CTTCT test syntax	95
6.14.9.8	CTTCT test result syntax	95
6.14.10	TETRA DMO visible gateways/repeaters +CTDGR	95
6.14.10.1	General on +CTDGR	95
6.14.10.2	CTDGR set syntax	95
6.14.10.3	Description	96
6.14.10.4	CTDGR execution read and unsolicited result code text	96
6.14.10.5	CTDGR execution read syntax	96
6.14.10.6	CTDGR test syntax	96
6.14.11	TETRA DM Carrier Selection +CTDCS	96
6.14.11.1	General on +CTDCS	96
6.14.11.2	CTDCS set syntax	96
6.14.11.3	Description	96
6.14.11.4	CTDCS read and unsolicited result code text	97
6.14.11.5	CTDCS read syntax	97
6.14.11.6	CTDCS test syntax	97
6.14.12	MT Reboot R	97
6.14.12.1	General on MT Reboot R	97
6.14.12.2	Description	97
6.14.12.3	R execution syntax	97
6.14.12.4	R test syntax	97
6.14.13	TETRA Broadcast +CTBCF	97
6.14.13.1	General on +CTBCF	97
6.14.13.2	Description	98
6.14.13.3	CTBCF set syntax	98
6.14.13.4	CTBCF execute syntax	98
6.14.13.5	CTBCF execute and unsolicited result code text	98
6.14.13.6	CTBCF read syntax	98
6.14.13.7	CTBCF test syntax	98
6.14.13.8	CTBCF test result text	98

6.14.14	TETRA radio frequency sensitive area mode +CTRFSA	99
6.14.14.1	General on +CTRFSA	99
6.14.14.2	Description	99
6.14.14.3	CTRFSA set syntax	99
6.14.14.4	CTRFSA read syntax	99
6.14.14.5	CTRFSA read and unsolicited result code text	99
6.14.14.6	CTRFSA test syntax	99
6.14.14.7	CTRFSA test result text	99
6.15	New TETRA call handling commands	99
6.15.1	General on new TETRA call handling commands	99
6.15.2	TETRA Call Connect +CTCC	100
6.15.2.1	General on +CTCC	100
6.15.2.2	Description	100
6.15.2.3	CTCC unsolicited result code text	100
6.15.3	TETRA Call Release +CTCR	100
6.15.3.1	General on +CTCR	100
6.15.3.2	Description	100
6.15.3.3	CTCR unsolicited result code text	100
6.15.4	TETRA Incoming Call Notification +CTICN	100
6.15.4.1	General on +CTICN	100
6.15.4.2	Description	100
6.15.4.3	CTICN unsolicited result code text	101
6.15.5	TETRA outgoing Call progress notification +CTOCP	101
6.15.5.1	General on +CTOCP	101
6.15.5.2	Description	101
6.15.5.3	CTOCP unsolicited result code text	101
6.15.6	TETRA Group Set up +CTGS	101
6.15.6.1	General on +CTGS	101
6.15.6.2	CTGS set syntax	102
6.15.6.3	Description	102
6.15.6.4	CTGS read syntax	102
6.15.6.5	CTGS read and unsolicited result code text	102
6.15.6.6	CTGS test syntax	102
6.15.6.7	CTGS test result syntax	102
6.15.7	Void	102
6.15.8	Transmit Demand +CTXD	102
6.15.8.1	General on +CTXD	102
6.15.8.2	CTXD execution syntax	103
6.15.8.3	Description	103
6.15.8.4	CTXD test syntax	103
6.15.8.5	CTXD test result syntax	103
6.15.9	Up Transmit Ceased +CUTXC	103
6.15.9.1	General +CUTXC	103
6.15.9.2	CUTXC execution syntax	103
6.15.9.3	Description	103
6.15.9.4	CUTXC test syntax	103
6.15.10	Transmission Grant +CTXG	103
6.15.10.1	General on +CTXG	103
6.15.10.2	Description	104
6.15.10.3	CTXG unsolicited result code text	104
6.15.11	Down Transmission Ceased +CDTXC	104
6.15.11.1	General on +CDTXC	104
6.15.11.2	Description	104
6.15.11.3	CDTXC unsolicited result code text	104
6.15.12	Transmission Continue +CTXN	104
6.15.12.1	General on +CTXN	104
6.15.12.2	Description	104
6.15.12.3	CTXN unsolicited result code text	104
6.15.13	Transmission Interrupt +CTXI	104
6.15.13.1	General on +CTXI	104
6.15.13.2	Description	104
6.15.13.3	CTXI unsolicited result code text	105

6.15.14	Transmission Wait +CTXW	105
6.15.14.1	General on +CTXW	105
6.15.14.2	Description	105
6.15.14.3	CTXW unsolicited result code text	105
6.15.15	Key Status +CTKST	105
6.15.15.1	General on +CTKST	105
6.15.15.2	CTKST set syntax	105
6.15.15.3	Description	105
6.16	MT errors.....	106
6.16.1	General on MT errors	106
6.16.2	Report MT error +CMEE	106
6.16.2.1	General on +CMEE.....	106
6.16.2.2	CMEE set syntax.....	106
6.16.2.3	Description.....	106
6.16.2.4	CMEE set result code text.....	106
6.16.2.5	CMEE read syntax	106
6.16.2.6	CMEE read result code text	106
6.16.2.7	CMEE test syntax.....	106
6.16.3	MT error result code +CME ERROR	106
6.16.3.1	General on +CME ERROR.....	106
6.16.3.2	Description	107
6.16.3.3	CME ERROR unsolicited result code text	107
6.16.4	MT result code +CME PARAMETER.....	107
6.16.4.1	General on +CME PARAMETER	107
6.16.4.2	Description	107
6.16.4.3	CME PARAMETER unsolicited result code text	107
6.17	Parameter description and values	107
6.17.1	General on parameters	107
6.17.2	Access Priority.....	107
6.17.3	AI service.....	107
6.17.4	AI mode	108
6.17.5	Alpha	108
6.17.5a	Ancillary ID.....	108
6.17.6	Area	109
6.17.6a	Baud rate.....	109
6.17.7	BS service	110
6.17.8	Call status	110
6.17.9	Called party identity.....	110
6.17.10	Calling party identity	111
6.17.11	Called party identity type.....	111
6.17.12	Calling party identity type	111
6.17.13	CC instance	111
6.17.13a	Cell load CA	112
6.17.13b	Cell load CA control.....	112
6.17.13c	Cell load DA TCH	112
6.17.13d	Cell load DA TCH control.....	112
6.17.13e	Cell load DA PDCH	112
6.17.13f	Cell load DA PDCH control	113
6.17.13g	Cell load DA CCH/SDS	113
6.17.13h	Cell load DA CCH/SDS control	113
6.17.14	Class of MS.....	113
6.17.14a	Circuit 108/2 behaviour	115
6.17.14b	Circuit 109 behaviour	116
6.17.15	CLIR control.....	116
6.17.15a	Command line echo	116
6.17.16	Comms type.....	116
6.17.17	CT unsolic.....	116
6.17.18	Disconnect cause	117
6.17.19	DM carrier	118
6.17.20	DM communication type	118
6.17.21	End to end encryption.....	118
6.17.22	Extended error report.....	118

6.17.23	Extended error report codes	118
6.17.24	Gateway/repeater address	120
6.17.24a	Gateway/repeater type	120
6.17.25	Group type	120
6.17.26	GR unsolic	120
6.17.27	Hook	121
6.17.28	Ident unsolic.....	121
6.17.29	Importance factor.....	121
6.17.29a	Key name	121
6.17.29b	Key status	122
6.17.30	LA	122
6.17.31	Length.....	122
6.17.31a	Line editing character	122
6.17.31b	Line termination character	122
6.17.32	Link identifier	122
6.17.33	Lower range Limit	123
6.17.34	Message index	123
6.17.35	Message reference.....	123
6.17.36	MNI	123
6.17.37	Number of groups	123
6.17.38	Num type	123
6.17.39	Parameter number	123
6.17.40	Void	124
6.17.41	Presence information	124
6.17.42	Priority	124
6.17.43	Priority level	125
6.17.44	Proprietary	125
6.17.45	Proprietary element owner.....	125
6.17.46	Reg stat	125
6.17.47	Reg unsolic	125
6.17.47a	RF SA mode	125
6.17.47b	RF SA unsolic.....	126
6.17.47c	Response format mode.....	126
6.17.47d	Response formatting character.....	126
6.17.47e	Result code suppression.....	126
6.17.48	RqTx	126
6.17.49	SDS instance	126
6.17.50	SDS-TL addressing.....	127
6.17.51	SDS Status	127
6.17.52	Security information	127
6.17.53	Service profile.....	127
6.17.54	Service layer1	128
6.17.55	Service layer2	128
6.17.56	Serviced GSSI.....	129
6.17.57	Simplex	129
6.17.58	Slots/Codec	129
6.17.59	Stack full.....	129
6.17.60	Stack present	130
6.17.61	TPI (Transmitting Party Identity)	130
6.17.62	TPI (Transmitting Party Identity) type.....	130
6.17.63	Transient communication type.....	130
6.17.64	TxCont	130
6.17.65	TxDemandPriority	130
6.17.66	TxGrant.....	131
6.17.67	TxRqPrmsn	131
6.17.68	Upper range limit.....	131
6.17.69	User data	131
6.17.70	Version number	131
6.18	Outgoing call set up methodology.....	132
6.18.1	General on outgoing call set up methodology.....	132
6.18.2	Voice calls	132
6.18.3	Circuit mode data calls	132

6.18.4	Sending of SDS messages.....	133
6.18.4.1	General on sending of SDS messages	133
6.18.4.2	Send via Stack.....	133
6.18.4.3	Direct Send.....	134
6.19	Incoming call set up methodology	134
6.19.1	General on incoming call set up methodology.....	134
6.19.2	Voice calls	134
6.19.3	Circuit mode data calls	134
6.19.4	Reception of SDS messages.....	134
6.19.4.1	Received via Stack	134
6.19.4.2	Direct Received.....	135
6.20	Voice and circuit mode data call maintenance commands	135
6.21	Call clear down commands	135
6.21.1	General on call clear down commands	135
6.21.2	TE Initiated clear	135
6.21.3	Network and MT Initiated clear.....	135
6.22	MEX layer support.....	136
6.22.0	General on support of MEX layer commands.....	136
6.22.1	MEX Capability +CTMCAP	136
6.22.1.1	General on +CTMCAP	136
6.22.1.2	CTMCAP execution syntax	136
6.22.1.3	CTMCAP execution result code text.....	136
6.22.1.4	CTMCAP test syntax	136
6.22.2	MEX Connect +CTMCON.....	136
6.22.2.1	General on +CTMCON.....	136
6.22.2.2	CTMCON execution syntax.....	136
6.22.2.3	CTMCON execution result code text.....	136
6.22.2.4	CTMCON test syntax.....	136
6.22.3	MEX End +CTMEND.....	136
6.22.3.1	General on +CTMEND.....	136
6.22.3.2	CTMEND execution syntax.....	137
6.22.3.3	CTMEND execution and unsolicited result code text.....	137
6.22.3.4	CTMEND test syntax.....	137
6.22.4	MEX Handle +CTMHDL.....	137
6.22.4.1	General on +CTMHDL.....	137
6.22.4.2	CTMHDL execution syntax	137
6.22.4.3	CTMHDL execution result code text.....	137
6.22.4.4	CTMHDL test syntax.....	137
6.22.5	MEX Modify +CTMMOD	137
6.22.5.1	General on +CTMMOD.....	137
6.22.5.2	CTMMOD execution syntax.....	137
6.22.5.3	CTMMOD result code text	137
6.22.5.4	CTMMOD unsolicited result code syntax.....	138
6.22.5.5	CTMMOD test syntax.....	138
6.22.6	MEX QOS Class +CTMQC	138
6.22.6.1	General on +CTMQC.....	138
6.22.6.2	CTMQC execution syntax.....	138
6.22.6.3	CTMQC execution result code text.....	138
6.22.6.4	CTMQC test syntax.....	138
6.22.7	Request new logical PEI Connection +CTPCON.....	138
6.22.7.1	General on +CTPCON	138
6.22.7.2	CTPCON execution syntax	138
6.22.7.3	CTPCON execution result code text	138
6.22.7.4	CTPCON test syntax	139
6.22.8	MEX related parameters	139
6.22.8.1	CONTEXT_READY timer.....	139
6.22.8.2	Data class	139
6.22.8.3	Data importance	139
6.22.8.4	Data priority	140
6.22.8.5	DCOMP	140
6.22.8.6	Delay class	140
6.22.8.7	Device address	140

6.22.8.8	Endpoint address	140
6.22.8.9	Maximum transmission unit.....	140
6.22.8.10	Mean active throughput.....	141
6.22.8.11	Mean throughput	141
6.22.8.12	MEX capability	141
6.22.8.13	MEX connect reject cause.....	141
6.22.8.14	MEX connect report	143
6.22.8.15	MEX data importance	143
6.22.8.16	MEX data priority	143
6.22.8.17	MEX deactivation type	143
6.22.8.18	MEX escalate DSCP5 Flag Enable	143
6.22.8.19	MEX escalate DSCP5 Flag Reset	144
6.22.8.20	MEX filter	144
6.22.8.21	MEX filter operation	144
6.22.8.22	MEX filter type	144
6.22.8.23	MEX handle	144
6.22.8.24	MEX mode.....	144
6.22.8.25	MEX modify reject cause.....	145
6.22.8.26	MEX modify report.....	145
6.22.8.27	MEX NSAPI usage	145
6.22.8.28	MEX PDP address	145
6.22.8.29	MEX PDP type.....	146
6.22.8.30	MEX PDU priority max	146
6.22.8.31	MEX precedence.....	146
6.22.8.32	MEX precedence rank.....	146
6.22.8.33	MEX precedence supported	146
6.22.8.34	MEX peer IP filter.....	147
6.22.8.35	MEX QoS.....	147
6.22.8.36	MEX QoS class.....	147
6.22.8.37	MEX QoS class access.....	147
6.22.8.38	MEX QoS class upper/lower (Downlink)	147
6.22.8.39	MEX QoS class upper/lower (Uplink)	147
6.22.8.40	MEX QoS filter	147
6.22.8.41	MEX transaction type	147
6.22.8.42	Minimum peak throughput.....	148
6.22.8.43	Mobile IPv4 information.....	148
6.22.8.44	NSAPI.....	148
6.22.8.45	NSAPI data priority.....	148
6.22.8.46	NSAPI QoS negotiation	148
6.22.8.47	PCOMP	149
6.22.8.48	PCON result	149
6.22.8.49	PDU priority.....	149
6.22.8.50	PDU priority max.....	149
6.22.8.51	Reliability class	149
6.22.8.52	Schedule availability	150
6.22.8.53	Scheduled access	150
6.22.8.54	Scheduled number of N-PDUs per grant.....	150
6.22.8.55	Scheduled N-PDU size.....	150
6.22.8.56	Schedule repetition period.....	150
6.22.8.57	Schedule timing error.....	151
6.22.8.58	Share response flag	151
7	TNP1 service description	151
7.1	Service primitives at the TNP1A-SAP	151
7.2	Service primitives at the TNP1B-SAP	151
7.3	Service primitives at TNP1A-SAP and TNP1B-SAP	152
7.4	Primitive descriptions.....	152
7.4.1	TNP1-Services CAPABILITY	152
7.4.2	TNP1-SDS-TL CAPABILITY	152
7.4.3	TNP1-IDENTIFICATION.....	153
7.4.4	TNP1-IDENTITIES.....	153
7.4.5	TNP1-REPORT	154