INTERNATIONAL STANDARD

ISO 7206-1

Third edition 2008-04-01

Implants for surgery — Partial and total hip joint prostheses —

Part 1: Classification and designation of dimensions

Teh ST Implants chirurgicaux — Prothèses partielles et totales de l'articulation de la hanche —

St Partie 1: Classification et désignation des dimensions



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7206-1:2008 https://standards.iteh.ai/catalog/standards/sist/3849da7b-a7c6-4ab1-9ed3-9de7073a0a1f/iso-7206-1-2008



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

| Cor | ntents | Page |
|-------|---|------|
| Fore | eword | iv |
| Intro | oduction | v |
| 1 | Scope | 1 |
| 2 | Normative references | |
| 3 | Terms and definitions | |
| 4 | Classification | 3 |
| 4.1 | Description | |
| 4.2 | Coating | |
| 4.3 | Description Coating Advanced classification | |
| 5 | Designation of dimensions | 8 |
| 5.1 | Femoral components | 8 |
| 5.2 | | 8 |

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 7206-1 was prepared by Technical Committee ISO/TC 150, *Implants for surgery*, Subcommittee SC 4, *Bone and joint replacements*.

This third edition cancels and replaces the second edition (ISO 7206-1:1995), which has been technically revised.

(standards.iteh.ai)

ISO 7206 consists of the following parts, under the general title *Implants for surgery — Partial and total hip joint prostheses*:

https://standards.iteh.ai/catalog/standards/sist/3849da7b-a7c6-4ab1-9ed3-

- Part 1: Classification and designation of dimensions fiso-7206-1-2008
- Part 2: Articulating surfaces made of metallic, ceramic and plastics materials
- Part 4: Determination of endurance properties and performance of stemmed femoral components
- Part 6: Determination of endurance properties of head and neck region of stemmed femoral components
- Part 8: Methods of determining endurance performance of stemmed femoral components
- Part 10: Determination of resistance to static load of modular femoral heads

Introduction

Partial and total hip joint prostheses are designed to transmit load and allow movement under high stress conditions. Many different designs of hip joint prosthesis are used around the world and this first part of a series of test standards gives a comprehensive description of the most common hip joint prostheses by a detailed classification system. Dimensions of selected types of hip joint prosthesis will be the basis for all the test standards in this series.

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Implants for surgery — Partial and total hip joint prostheses —

Part 1:

Classification and designation of dimensions

1 Scope

This part of ISO 7206 provides a means of classification and standardizes the designation of dimensions for partial and total hip joint prostheses.

Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies ARD PREVIEW

ISO 21534, Non-active surgical implants — Joint replacement implants — Particular requirements

ISO 21535, Non-active surgical implants — Joint replacement implants — Specific requirements for hip-joint replacement implants https://standards.iteh.ai/catalog/standards/sist/3849da7b-a7c6-4ab1-9ed3-

9de7073a0a1f/iso-7206-1-2008

Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 21534 and ISO 21535, together with the following, apply.

3.1

bipolar femoral component

component(s) of a hip joint replacement consisting of a concave surface insert to articulate with a femoral head and a convex surface to articulate with the biological acetabulum

3.2

bone cement

acrylic resin cements used for fixation of implant components whether with radio-opaque or non-radio-opaque properties and supplied as units containing pre-measured amounts of sterile powder and of sterile liquid in forms suitable for mixing at the time of implantation

3.3

cemented hip joint replacement

component(s) of a hip joint replacement intended to be fixed to the bone by bone cement

cementless hip joint replacement

component(s) of a hip joint replacement intended to be fixed to the bone either by pressfit and/or bone ingrowth into the components' surface structure

3.5

modular femoral stem

femoral stem that is composed of two or more components (not counting a modular femoral head and neck) intended to be assembled to form a femoral stem before or during implantation of the stem

3.6

monobloc stem

femoral stem that is a single part including the head, with no modularity

3.7

modular head stem

stem designed to be used with a separate femoral articulating head that has a locking feature that engages with corresponding feature on the most proximal aspect of the stem

3.8

press fit fixation

cementless fixation of hip joint replacement components to the bone by elastic frictional connection due to pre-stress

3.9

in-/ongrowth fixation

cementless fixation of hip joint replacement components through bone in-/ongrowth into/on the components' surface structure like macro/micro-structures or porous coatings

3.10

primary hip joint component iTeh STANDARD PREVIEW

implant used to replace one or both of the articulating surfaces of the hip joint in primary surgery designated as:

- surface replacement (components having no stem)
- short stem with CT ≤ 120 mm

ISO 7206-1:2008

— medium stem (120 mm | transfer | 200 mm) ai/catalog/standards/sist/3849da7b-a7c6-4ab1-9ed3-9de7073a0a1f/iso-7206-1-2008

where CT is the distance from centre of head "C" to tip of stem "T" as designated in Figures 6 to 10

NOTE These implants can also be used for revision surgery.

3.11

reconstruction hip joint component

implant used to replace one or both of the articulating surfaces of the hip joint and adjacent bone structures in revision or tumour surgery

3.12

revision hip joint component

implant used to replace one or both of the articulating surfaces of an artificial hip joint in revision surgery

3.13

spherical design

acetabular component either of pressfit or screw ring fixation with a spherical outside contour of the cup

3.14

spherical flattened design

acetabular component either of pressfit or screw ring fixation with a spherical outside contour and a flattened pole of the cup

3.15

conical design

acetabular component either of pressfit or screw ring fixation with a conical outside contour

4 Classification

4.1 Description

Hip joint prostheses shall be classified as follows:

- a) femoral component (consisting of one or more components);
- b) acetabular component (consisting of one or more components);
- c) a combination of a) and b).

Both femoral and acetabular components shall be sub-grouped according to the intended use as

- primary;
- revision;
- reconstruction.

NOTE A primary implant can be used for revision.

4.2 Coating

For easy handling of the classification system all parameters are coded. The code gives a clear description of the total hip joint replacement by using an alphanumerical system for femoral component, acetabular component and articulating surface, e.g. as shown in Figure 1.

Further classification parameters shall be "fixation" and "articulated surface" as given in the classification chart in Figure 2. https://standards.iteh.ai/catalog/standards/sist/3849da7b-a7c6-4ab1-9ed3-

9de7073a0a1f/iso-7206-1-2008

4.3 Advanced classification

For a more detailed classification the "Advanced Classification Chart of Total Hip Joint Replacement" (Figures 3 to 5) should be used.

© ISO 2008 – All rights reserved




Figure 1 — Example of alphanumeric code

2.1

cup

Α1


1.0

stem

СР

articulating

surface



iTeh STANDARD PREVIEW component component

Figure 2 — Classification chart and code of total hip joint replacement