

## SLOVENSKI STANDARD

**SIST ISO 25177:2011**

**01-marec-2011**

**Nadomešča:**

**SIST ISO 11259:1999**

---

### **Kakovost tal - Terenski opis tal**

Soil quality - Field soil description

### **iTeh STANDARD PREVIEW**

Qualité du sol - Description du sol sur le terrain

**(standards.iteh.ai)**

**Ta slovenski standard je istoveten z:SIST ISO 25177:2008**

<https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-49e23d5d4b55/sist iso 25177 2011>

---

#### **ICS:**

13.080.01      Kakovost tal in pedologija na splošno      Soil quality and pedology in general

**SIST ISO 25177:2011**

**en,fr**

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 25177:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-49e23d5d4b55/sist-iso-25177-2011>

INTERNATIONAL  
STANDARD

ISO  
25177

First edition  
2008-11-15

---

---

---

**Soil quality — Field soil description**

*Qualité du sol — Description du sol sur le terrain*

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ISO 25177:2011](#)  
<https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-49e23d5d4b55/sist-iso-25177-2011>



Reference number  
ISO 25177:2008(E)

© ISO 2008

**ISO 25177:2008(E)****PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 25177:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-49e23d5d4b55/sist-iso-25177-2011>



### COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

	Page
<b>Foreword.....</b>	<b>v</b>
<b>Introduction .....</b>	<b>vi</b>
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 General references .....</b>	<b>1</b>
<b>3.1 Site/profile numbers .....</b>	<b>1</b>
<b>3.2 Location .....</b>	<b>1</b>
<b>3.3 Geographical coordinates .....</b>	<b>2</b>
<b>3.4 Date of observation .....</b>	<b>2</b>
<b>3.5 Author and organization .....</b>	<b>2</b>
<b>4 Profile environment .....</b>	<b>2</b>
<b>4.1 Previous precipitation .....</b>	<b>2</b>
<b>4.2 Land use at plot level (checked by detailed field survey) .....</b>	<b>3</b>
<b>4.3 Type of cultivation or vegetation or human utilization (at the plot level) .....</b>	<b>3</b>
<b>4.4 Geomorphology of the site .....</b>	<b>4</b>
<b>4.5 Slope length (in metres) .....</b>	<b>4</b>
<b>4.6 Slope value .....</b>	<b>4</b>
<b>4.7 Orientation (aspect) of the slope .....</b>	<b>4</b>
<b>4.8 Nature of the parent material .....</b>	<b>4</b>
<b>4.8.1 Modified or artificial material .....</b>	<b>4</b>
<b>4.8.2 Natural material.....</b>	<b>4</b>
<b>4.9 Presence and depth of water table.....</b>	<b>5</b>
<b>4.9.1 General.....</b>	<b>5</b>
<b>4.9.2 Depth .....</b>	<b>5</b>
<b>4.9.3 Minimum depth of water table .....</b>	<b>5</b>
<b>4.9.4 Maximum depth of water table .....</b>	<b>5</b>
<b>4.9.5 Nature of the water .....</b>	<b>6</b>
<b>5 Surface appearance.....</b>	<b>6</b>
<b>5.1 Percentage of land surface occupied by rock outcrops or surface exposures of “non-natural” material (e.g. on an industrial site) .....</b>	<b>6</b>
<b>5.2 Evidence of erosion.....</b>	<b>6</b>
<b>6 General designation – Soil type .....</b>	<b>7</b>
<b>6.1 General.....</b>	<b>7</b>
<b>6.2 Type of soil classification used.....</b>	<b>7</b>
<b>6.3 Soil type with reference to the soil classification used .....</b>	<b>7</b>
<b>6.4 Type of horizon designation used .....</b>	<b>7</b>
<b>6.5 Sequence of horizons.....</b>	<b>7</b>
<b>7 Horizon or layer description .....</b>	<b>8</b>
<b>7.1 General.....</b>	<b>8</b>
<b>7.2 Horizon or layer number .....</b>	<b>8</b>
<b>7.3 Depth .....</b>	<b>8</b>
<b>7.4 Estimation of moisture status .....</b>	<b>8</b>
<b>7.5 Colour of the horizon or layer matrix.....</b>	<b>9</b>
<b>7.6 Mottles .....</b>	<b>9</b>
<b>7.6.1 General.....</b>	<b>9</b>
<b>7.6.2 Abundance .....</b>	<b>9</b>
<b>7.6.3 Colour .....</b>	<b>10</b>
<b>7.7 Estimated organic matter content.....</b>	<b>10</b>

<b>7.8</b>	<b>Texture .....</b>	<b>10</b>
<b>7.8.1</b>	<b>Description of texture diagram .....</b>	<b>10</b>
<b>7.8.2</b>	<b>Estimation .....</b>	<b>10</b>
<b>7.9</b>	<b>Coarse elements .....</b>	<b>10</b>
<b>7.9.1</b>	<b>General .....</b>	<b>10</b>
<b>7.9.2</b>	<b>Abundance (in percent volume fraction) .....</b>	<b>10</b>
<b>7.9.3</b>	<b>Maximum size of the most frequently observed coarse elements .....</b>	<b>11</b>
<b>7.9.4</b>	<b>Nature .....</b>	<b>11</b>
<b>7.10</b>	<b>Carbonates and effervescence .....</b>	<b>11</b>
<b>7.10.1</b>	<b>Intensity of effervescence .....</b>	<b>11</b>
<b>7.10.2</b>	<b>Location of effervescence .....</b>	<b>12</b>
<b>7.11</b>	<b>Main categories of structure .....</b>	<b>12</b>
<b>7.12</b>	<b>Compactness .....</b>	<b>13</b>
<b>7.13</b>	<b>Total estimated porosity .....</b>	<b>13</b>
<b>7.14</b>	<b>Roots .....</b>	<b>14</b>
<b>7.14.1</b>	<b>Size (diameter) of most frequently observed roots .....</b>	<b>14</b>
<b>7.14.2</b>	<b>Abundance .....</b>	<b>14</b>
<b>7.15</b>	<b>Density of worm channels (usually an average over a number of square decimetres) .....</b>	<b>14</b>
<b>7.16</b>	<b>Nature of lower horizon boundary .....</b>	<b>14</b>
<b>Annex A</b> (informative)	<b>Charts for estimating proportions of mottles, coarse elements, etc. ....</b>	<b>16</b>
<b>Annex B</b> (informative)	<b>Reference soil groups of the World Reference Base for soil resources (FAO, ISRIC and ISSS, 2006) .....</b>	<b>17</b>
<b>Annex C</b> (informative)	<b>Soil horizon designation — Example of the FAO System (2006) .....</b>	<b>23</b>
<b>Annex D</b> (informative)	<b>Examples of texture diagrams .....</b>	<b>28</b>
<b>Annex E</b> (informative)	<b>Determination of soil texture in the field .....</b>	<b>31</b>
<b>Annex F</b> (informative)	<b>Some types of soil structure .....</b>	<b>34</b>
<b>Bibliography .....</b>	<b>SIST ISO 25177:2011.....</b>	<b>35</b>

<https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-49e23d5d4b55/sist-iso-25177-2011>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 25177 was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 1, *Evaluation of criteria, terminology and codification*.

**iTeh STANDARD PREVIEW**  
This first edition of ISO 25177 cancels and replaces ISO 11259:1998, which has been technically revised.  
**(standards.iteh.ai)**

[SIST ISO 25177:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-49e23d5d4b55/sist-iso-25177-2011>

## Introduction

Traditionally, descriptions of soils and their environment were carried out as parts of soil survey and soil inventories, the purpose of which was to describe the pedogenetic context of the soil and assess applied aspects, principally agronomic potentials.

Today, many soil observations are made as part of much wider environmental studies, and include analysis for objectives such as the following:

- the identification of human influences on the soils, particular attention being paid to the negative effects of these influences (for example, pollution and physical deterioration);
- land protection within the context of “sustainable” agriculture;
- the prediction of the fate of contaminants introduced into the soil;
- the assessment of the consequences resulting from changes in the use of the soil;
- setting up monitoring programmes for specific purposes (observation of changes of soil properties in time);  
**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**
- the development of spatial data bases (used in the context of GIS) aimed at facilitating the geographical representation of these;
- many other uses.

[SIST ISO 25177:2011](https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-)

<https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b->

Therefore, this International Standard is based on aspects of the traditional approach to soil description [for example, the Guidelines for soil description FAO ROME (2006)]. The descriptions of soils and sites alone are not sufficient. Field and laboratory measurements, whether physical, chemical or biological, must accompany this description. Care must be taken in the specification of sites and in the methods of sampling and the number of samples. It is therefore imperative that this International Standard be considered in the context of other International Standards developed within the framework of ISO/TC 190, *Soil quality*.

# Soil quality — Field soil description

## 1 Scope

This International Standard is a guide for describing the soil and its environmental context at a given site. Sites can be natural, near-natural, urban or industrial. It is important to realize that a number of soil samples can be taken at a site to support the soil description. The information provided by the descriptions in this International Standard provides the context for the presentation of results from analyses undertaken on soil samples.

NOTE 1 It might not be possible or necessary to record data under all the headings listed in these descriptions.

NOTE 2 Overall guidance for presentation of information from soil surveys is given in ISO 15903.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3166-1:2006, *Codes for the representation of names of countries and their subdivisions — Part 1: Country codes* <https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-49e23d5d4b55/sist-iso-25177-2011>

ISO 3166-2:2007, *Codes for the representation of names of countries and their subdivisions — Part 2: Country subdivision code*

ISO 14688-2:2004, *Geotechnical investigation and testing — Identification and classification of soil — Part 2: Principles for a classification*

## 3 General references

### 3.1 Site/profile numbers

- Profile number
- Survey number or code

### 3.2 Location

- Country
- Administrative division

Country codes according to ISO 3166-1 and ISO 3166-2 shall be used. For historical research, designations according to ISO 3166-3 should be considered, when necessary.

To be adapted according to the country: (provinces, states, regions, departments, towns, etc.), both uncoded and coded.

**ISO 25177:2008(E)****3.3 Geographical coordinates**

- Type of geographical reference system (degrees, Lambert, national reference grid)
- Position within the geographical reference system (longitude in deg/min/s, latitude in deg/min/s)
- Altitude (in metres)

**3.4 Date of observation**

- Year
- Month
- Day
- Time

**3.5 Author and organization**

- Author's name
  - Accreditation
  - Name of organization
  - Department
  - Address
  - Telephone
  - Fax number
  - E-mail address
- [SIST ISO 25177:2011  
https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-49e23d5d4b55/sist-iso-25177-2011](https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-49e23d5d4b55/sist-iso-25177-2011)

# iTeh STANDARD PREVIEW

## (standards.iteh.ai)

**4 Profile environment****4.1 Previous precipitation**

- 0 No precipitation within the last month
- 1 No precipitation within the last week
- 2 No precipitation within the last three days
- 3 Rainy but no intense precipitation within the last three days
- 4 Moderate rain for several days or intense rainfall the day before the observation
- 5 Extreme precipitation or snow melt or inundation just before the observation
- 6 Not recorded

## 4.2 Land use at plot level (checked by detailed field survey)

- 01 Buildings and industrial infrastructures
- 02 Mining site (current or past)
- 03 Metal processing sites
- 04 Chemical processing sites
- 05 Oil and gas production sites
- 06 Metal manufacturing sites
- 07 Food processing sites
- 08 Waste disposal sites
- 09 Cultivated lands
- 10 Horticulture
- 11 Grazing
- 12 Orchards, fruit plantations or grapevines
- 13 Forest, woodlands
- 14 Mixed land use (agroforestry or agropastoral)
- 15 Gathering/hunting-fishing (exploitation of natural vegetation, hunting or fishing)
- 16 Nature protection (for example, nature reserve, protected area, erosion control by terracing)
- 17 Wetland (for example, marsh, swamp, mangrove, etc.)
- 18 Snow or ice cover
- 19 Bare rock or rocky surface
- 20 Natural lands
- 21 Natural grasslands
- 22 Recreation land
- 23 Other type of unutilized and unmanaged site

## 4.3 Type of cultivation or vegetation or human utilization (at the plot level)

Be as clear and precise as possible. For cultivated plants, it may be interesting to note the variety, when known.

EXAMPLE      Grazing (natural meadow, planted grassland); metal processing (ferrous, non-ferrous); mining site (iron, deep coal, open-cast coal); cultivated lands (maize, oats, rice); horticulture (flowers, vegetables).

#### 4.4 Geomorphology of the site

- The position of the site in the landscape
- The geomorphology of the immediate surroundings of the site (scale: 0,1 km)

#### 4.5 Slope length (in metres)

When flat, note 0 (zero).

#### 4.6 Slope value

The average slope value is measured in the vicinity of the soil pit (flat = 0).

Slope may be expressed in percent or degrees:

- slope value, in percent;
- slope value, in degrees.

#### 4.7 Orientation (aspect) of the slope

The orientation of the slope can be expressed in the following ways:

a) N-S-E-W

NE-SE-NW-SW

with VV = variable and AA = flat; or

[SIST ISO 25177:2011](#)

b) use degrees with the following convention:  
<http://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-49e23d5d4b55/sist-iso-25177-2011>

0° = north

90° = east

180° = south

270° = west

with VV = variable and AA = flat.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

#### 4.8 Nature of the parent material

##### 4.8.1 Modified or artificial material

The nature of the parent material may be modified by the use of the site, or artificial materials may be imported to a site. The knowledge of the history of the site may provide information about the modifications of the natural material.

##### 4.8.2 Natural material

The natural parent material and/or bedrock should be described as completely as possible, according to local knowledge. For example, glacial tills, marine alluvium, metamorphic bedrock, hard limestone, loessic deposit, etc.

## 4.9 Presence and depth of water table

### 4.9.1 General

The depth of the water table generally fluctuates during the year, sometimes in relation with the seasons or the tide.

In 4.9.2, note the depth of the water table during the description of the site.

Subclauses 4.9.3 and 4.9.4 are included to describe the variations in water-table depth, when there are some variations in depth and when these variations are known (piezometers, investigations, or as marks on the walls of the profile).

In 4.9.3, the minimum depth of the water table shall be noted (water table at its highest point).

In 4.9.4, the maximum depth of the water table shall be noted (water table at its lowest point).

When the person writing the description does not know these variations in depth, record “unknown” in 4.9.3 and 4.9.4.

When there is no variation in the water-table depth, or when the describer does not know if there are depth variations, do not answer the points in 4.9.3 and 4.9.4.

### 4.9.2 Depth

The depth can be

## iTeh STANDARD PREVIEW (standards.iteh.ai)

- a) observed or measured,
- b) estimated, or
- c) not observed.

[SIST ISO 25177:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/e5c58e92-ceb6-4f2a-921b-49e23d5d4b55/sist-iso-25177-2011>

If it is estimated, observed or measured, the depth is expressed in centimetres.

### 4.9.3 Minimum depth of water table

The minimum depth of the water table can be

- a) observed or measured,
- b) estimated, or
- c) not observed.

If it is estimated, observed or measured, the depth is expressed in centimetres.

### 4.9.4 Maximum depth of water table

The maximum depth of the water table can be

- a) observed or measured,
- b) estimated,
- c) not observed.

If it is estimated, observed or measured, the depth is expressed in centimetres.