INTERNATIONAL STANDARD



First edition 2013-03-01

Software and systems engineering — Tools and methods for product line technical management

Ingénierie du logiciel et des systèmes — Outils et méthodes pour le management technique des gammes de produits

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 26555:2013 https://standards.iteh.ai/catalog/standards/sist/3424b689-d32e-4c83-bb00aa8562dfa8f1/iso-iec-26555-2013



Reference number ISO/IEC 26555:2013(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 26555:2013 https://standards.iteh.ai/catalog/standards/sist/3424b689-d32e-4c83-bb00aa8562dfa8f1/iso-iec-26555-2013



© ISO/IEC 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents

1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Reference model for product line technical management	2
5	Process management	6
5.1	Applying process enabling processes for product lines	7
5.1.1	Establish process management group	7
5.1.2	Align resources for process definition and improvements	
5.1.3	Govern process definition and improvement	9
5.1.4	Prepare process management and improvement	9
5.2	Domain engineering process definition	
5.2.1	Define domain engineering processes	
5.2.2	Validate domain engineering processes	
5.2.3	Deploy the domain engineering processes	
5.3	Application engineering process definition	
5.3.1	Define application engineering processes	12
5.3.2	Validate the conformance of application engineering processes with domain engineering	
	processes	13
5.3.3	Deploy the application engineering processes.	14
5.4	Applying process monitoring and control for product lines	
5.4.1 5.4.2	Plan for process monitoring and <u>control</u> ₆₅₅₅₂₀₁₃	
5.4.2 5.4.3	Define process performance measures movisity/34240089-d32e-4c83-bb00-	15
5.4.3 5.4.4	Measure and manage process performance 20335-2013 Coordinate processes for improving reusability	15
5.4.4	Applying process improvement for product lines	16
5.5.1	Assess processes	
5.5.2	Estimate the impact of changes on processes	
5.5.3	Plan process improvement	
5.5.4	Implement process improvements	
5.5.5	Evaluate process improvement	
6	Variability management	10
6.1	Variability model management	20
6.1.1	Establish variability modeling policy	
6.1.2	Collect variability information	
6.1.3	Verify variability models	
6.1.4	Share and maintain variability models	
6.2	Variability documentation management	
6.2.1	Establish policies for variability documentation	
6.2.2	Collect annotations of variability models	
6.2.3	Validate the variability documentation	
6.3	Variability binding management	
6.3.1	Establish binding policy	
6.3.2	Guide trade-offs analysis among alternatives of binding time	
6.3.3	Guide binding time decision	
6.3.4	Maintain binding information	
6.4	Variability tracing	
6.4.1	Establish policies for traceability management of variability models	
6.4.2	Define links between variability model and domain assets	
6.4.3	Manage the changes of the defined trace links	
6.5	Variability control and evolution	28

6.5.1	Identify and analyze the evolution needs of variants	
6.5.2	Add or remove variants	
6.5.3	Add or remove dependencies and constraints	
6.5.4	Change binding time	
6.5.5	Maintain the affected traceabilities	
6.5.6	Provide feedback for variabilities and the variability evolution process	.30
7	Asset Management	20
, 7.1	Asset identification	
7.1.1	Set up and maintain organizational policies for managing assets	
7.1.1	Identity asset candidates	
7.1.2	Estimate efforts necessary to create, reuse, and update domain assets	.3Z
7.1.3	Determine assets	
7.1.5	Elicit information necessary to reuse assets	
7.2	Asset base implementation	.34
7.2.1	Establish the mining (retrieval) mechanism for assets	
7.2.2	Define and implement the CRUD method for assets	
7.2.3	Establish asset base	
7.2.4	Evaluate asset base	
7.3	Asset verification	
7.3.1	Review the selected assets	
7.3.2	Review asset configurations	
7.3.3	Create and release baselines of assets	
7.4	Asset evolution (including change management)	
7.4.1	Manage asset changes	.38
7.4.2	Maintain traceability of assets. Manage feedback	.39
7.4.3	Manage reedback	.39
7.4.4	Transform the existing assets into assets to rehabilitate asset base	.39
7.4.5	Dispose assets from asset base <u>Standards.iteh.al</u>	
8	Support management processes	.40
8 8.1	Support management processes Technical quality management for SSP	.40 .41
8 8.1 8.1.1	Support management processes	.40 .41 .41
8.1.2	Support management processes Technical quality management for SSP <u>ISO/IEC 26555:2013</u> Establish technical quality management policyrds/sist/3424b689-d32e-4c83-bb00- Establish and maintain criteria for quality assurance 555-2013.	.42
8.1.2 8.1.3	Establish and maintain criteria for quality assurance 2222-2013. Perform quality assurance according to criteria	.42 .42
8.1.2	Establish and maintain criteria for quality assurance 2222-2013 Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues	.42 .42 .42
8.1.2 8.1.3	Establish and maintain criteria for quality assurance 222-2913. Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL	.42 .42 .42 .43
8.1.2 8.1.3 8.1.4 8.2 8.2.1	Establish and maintain criteria for quality assurance 222-2912 Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL Identify configurations of member products	.42 .42 .42 .43 .43
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2	Establish and maintain criteria for quality assurance 222-2013. Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL Identify configurations of member products Establish configuration tree for a product line	.42 .42 .42 .43 .44 .44
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.2 8.2.3	Establish and maintain criteria for quality assurance 222-2013. Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL Identify configurations of member products Establish configuration tree for a product line Manage configuration of variability in space	.42 .42 .43 .43 .44 .44
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3	Establish and maintain criteria for quality assurance 222-2013. Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL. Identify configurations of member products Establish configuration tree for a product line Manage configuration of variability in space Decision management for SSPL	.42 .42 .43 .43 .44 .44 .45 .46
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3 8.3.1	Establish and maintain criteria for quality assurance 2525-2013. Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL Identify configurations of member products Establish configuration tree for a product line Manage configuration of variability in space Decision management for SSPL Establish decision management policy	.42 .42 .43 .44 .44 .45 .46 .46
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3 8.3.1 8.3.2	Establish and maintain criteria for quality assurance 2525-2013. Perform quality assurance according to criteria	.42 .42 .43 .44 .44 .45 .46 .46 .47
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3	Establish and maintain criteria for quality assurance 2525-2013 Perform quality assurance according to criteria	.42 .42 .43 .44 .44 .45 .46 .46 .47 .47
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4	Establish and maintain criteria for quality assurance 2525-2013 Perform quality assurance according to criteria	.42 .42 .43 .44 .44 .45 .46 .46 .47 .47
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.3.4 8.4	Establish and maintain criteria for quality assurance 222-2013. Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL Identify configurations of member products Establish configuration tree for a product line Manage configuration of variability in space Decision management for SSPL Establish decision management policy Tailor decision procedure Guide the decision execution Learn from execution results Technical risk management for SSPL	.42 .42 .43 .44 .44 .45 .46 .47 .47 .47 .47
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.4 8.4.1	Establish and maintain criteria for quality assurance 2525-2013. Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL Identify configurations of member products Establish configuration tree for a product line Manage configuration of variability in space Decision management for SSPL Establish decision management policy Tailor decision procedure Guide the decision execution Learn from execution results Technical risk management for SSPL Identify technical risks	.42 .42 .43 .44 .44 .45 .46 .46 .47 .47 .47 .48 .48
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.4 8.4.1 8.4.2	Establish and maintain criteria for quality assurance 2525-2013. Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL Identify configurations of member products Establish configuration tree for a product line Manage configuration of variability in space Decision management for SSPL Establish decision management policy Tailor decision procedure Guide the decision execution Learn from execution results Technical risk management for SSPL Identify technical risks	.42 .42 .43 .44 .44 .45 .46 .47 .47 .47 .48 .48 .49
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.4.1 8.4.2 8.4.3	Establish and maintain criteria for quality assurance 2020-2013 Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL Identify configurations of member products Establish configuration tree for a product line. Manage configuration of variability in space Decision management for SSPL Establish decision management policy Tailor decision procedure. Guide the decision execution Learn from execution results Technical risk management for SSPL Identify technical risks Assess technical risks mitigation plans	.42 .42 .43 .44 .45 .46 .47 .47 .47 .48 .49 .49
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.4.1 8.4.2 8.4.3 8.4.4	Establish and maintain criteria for quality assurance according to criteria	.42 .42 .43 .44 .45 .46 .47 .47 .48 .49 .49 .49
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.4.1 8.4.2 8.4.3 8.4.4 8.4.4 8.5	Establish and maintain criteria for quality assurance 222-2013 Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL Identify configurations of member products Establish configuration tree for a product line Manage configuration of variability in space Decision management for SSPL Establish decision management policy Tailor decision procedure Guide the decision execution Learn from execution results Technical risk management for SSPL Identify technical risks Assess technical risks mitigation plans Activate the mitigation plan	.42 .42 .43 .44 .45 .46 .47 .47 .48 .49 .49 .49 .50
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.4.2 8.4.3 8.4.2 8.4.3 8.4.4 8.5 8.5.1	Establish and maintain criteria for quality assurance according to criteria. Perform quality assurance according to criteria. Communicate and ensure resolution of noncompliance issues. Configuration management for SSPL. Identify configurations of member products. Establish configuration tree for a product line. Manage configuration of variability in space. Decision management for SSPL. Establish decision management policy. Tailor decision procedure. Guide the decision execution. Learn from execution results. Technical risk management for SSPL. Identify technical risks. Assess technical risks. Develop technical risk mitigation plans. Activate the mitigation plan. Tool management for SSPL.	.42 .42 .43 .44 .45 .46 .47 .47 .48 .49 .49 .50 .50
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.4.2 8.4.3 8.4.4 8.4.2 8.4.3 8.4.4 8.5 8.5.1 8.5.2	Establish and maintain criteria for quality assurance approximate Perform quality assurance according to criteria. Communicate and ensure resolution of noncompliance issues. Configuration management for SSPL. Identify configurations of member products Establish configuration tree for a product line. Manage configuration of variability in space. Decision management for SSPL Establish decision management policy Tailor decision procedure. Guide the decision execution. Learn from execution results Technical risk management for SSPL Identify technical risks Assess technical risks mitigation plans. Activate the mitigation plan. Tool management for SSPL. Identify needs for tool management. Select and adapt tools.	.42 .42 .43 .44 .45 .46 .47 .47 .48 .49 .50 .50 .51
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.4.2 8.4.3 8.4.2 8.4.3 8.4.4 8.5 8.5.1	Establish and maintain criteria for quality assurance according to criteria. Perform quality assurance according to criteria. Communicate and ensure resolution of noncompliance issues. Configuration management for SSPL. Identify configurations of member products. Establish configuration tree for a product line. Manage configuration of variability in space. Decision management for SSPL. Establish decision management policy. Tailor decision procedure. Guide the decision execution. Learn from execution results. Technical risk management for SSPL. Identify technical risks. Assess technical risks. Develop technical risk mitigation plans. Activate the mitigation plan. Tool management for SSPL.	.42 .42 .43 .44 .45 .46 .47 .47 .48 .49 .50 .50 .51
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.4.1 8.4.2 8.4.3 8.4.4 8.4.2 8.4.3 8.4.4 8.5 8.5.1 8.5.2 8.5.3	Establish and maintain criteria for quality assurance approximate Perform quality assurance according to criteria. Communicate and ensure resolution of noncompliance issues. Configuration management for SSPL. Identify configurations of member products Establish configuration tree for a product line. Manage configuration of variability in space. Decision management for SSPL Establish decision management policy Tailor decision procedure. Guide the decision execution. Learn from execution results Technical risk management for SSPL Identify technical risks Assess technical risks mitigation plans. Activate the mitigation plan. Tool management for SSPL. Identify needs for tool management. Select and adapt tools.	.42 .42 .43 .44 .45 .46 .47 .47 .48 .49 .49 .50 .51 .51
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.4.2 8.4.3 8.4.4 8.4.2 8.4.3 8.4.4 8.5 8.5.1 8.5.2 8.5.3 Annex	Establish and maintain criteria for quality assurance according to criteria. Perform quality assurance according to criteria. Communicate and ensure resolution of noncompliance issues. Configuration management for SSPL. Identify configurations of member products. Establish configuration tree for a product line. Manage configuration of variability in space. Decision management for SSPL. Establish decision management policy. Tailor decision procedure. Guide the decision execution. Learn from execution results. Technical risk management for SSPL. Identify technical risks. Assess technical risks. Develop technical risk mitigation plans. Activate the mitigation plan. Tool management for SSPL. Identify needs for tool management. Select and adapt tools. Set-up and maintain tools.	.42 .42 .43 .44 .45 .46 .47 .47 .47 .48 .49 .50 .51 .51 .51
8.1.2 8.1.3 8.1.4 8.2 8.2.1 8.2.2 8.2.3 8.3 8.3.1 8.3.2 8.3.3 8.3.4 8.4.2 8.4.3 8.4.4 8.4.2 8.4.3 8.4.4 8.5 8.5.1 8.5.2 8.5.3 Annex Annex	Establish and maintain criteria for quality assurance D33-2003 Perform quality assurance according to criteria Communicate and ensure resolution of noncompliance issues Configuration management for SSPL Identify configurations of member products Establish configuration tree for a product line Manage configuration of variability in space. Decision management for SSPL Establish decision management policy Tailor decision procedure Guide the decision procedure Learn from execution results Technical risk management for SSPL Identify technical risks Assess technical risks Develop technical risk mitigation plans Activate the mitigation plan Tool management for SSPL Identify needs for tool management Set-up and maintain tools A (informative) Technical Management and Technical Readiness Levels (TRL).	.42 .42 .43 .44 .45 .46 .47 .47 .47 .48 .49 .50 .51 .51 .52 .53

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 26555 was prepared by Joint Technical Committee ISO/IEC JTC1, Information technology, Subcommittee SC 7, Software and systems engineering, **PREVIEW**

(standards.iteh.ai)

ISO/IEC 26555:2013 https://standards.iteh.ai/catalog/standards/sist/3424b689-d32e-4c83-bb00aa8562dfa8f1/iso-iec-26555-2013

Introduction

The major purpose of this International Standard is to deal with the capabilities of tools and methods of software and systems product line (SSPL) Technical Management. This International Standard defines how the tools and methods can support for the software and systems product line-specific technical management processes. Since product lines deal with multiple products that have similarities, product lines have an unprecedented level of technical management complexities. This arises from several sources:

- There are inherent differences in technical considerations because there are parallel development processes, domain and application engineering, in a product line and the two processes are tightly related with each other around assets.
- The close relationships among domain engineering, application engineering, and assets require the highly matured managerial capabilities for addressing relationships among them.
- There are lack of tools and methods to support the product line-specific technical management.

Technical management provides management support for a timely and proper deployment of product line in balance with pre-defined product line objectives such as reusability, reducing cost, improving quality, and etc. as well as its planned cost, schedule, and resources. Technical management addresses actual means used to support, monitor, and control the activities of both domain engineering and application engineering of a product line.

(standards.iteh.ai)

There are needs for defining product line-specific technical management processes that integrate the involved product line disciplines with those for a single product. Furthermore, support of tools and methods are required so that a product line organization can perform technical management under the systematic control of complexities. This International Standard addresses the product line-specific processes in technical management by dividing those into *process management*, *variability management, asset management, and support management* areas with the guidance of a set of tools and methods capabilities for supporting tasks for product line technical management.

This International Standard is intended to benefit people who acquire, supply, develop, operate, and maintain tools and methods for product line technical management. This International Standard can be used in one or more of the following modes:

- By an organization intended to implement product lines to understand, adopt, and enact the processes, tools, and methods for product line technical management. This also helps the organization to evaluate and select relevant tools and methods based on business and user-related criteria.
- By a tool vendor who facilitates or leverages product line engineering practices to provide a set of tool capabilities that should be embodied in a tool for supporting product line technical management.

ISO/IEC 26550 addresses both engineering and management processes and covers the key characteristics of product line development. ISO/IEC 26550 provides an overview of the consecutive international standards (i.e., ISO/IEC 26551 through ISO/IEC 26556) as well as the structure of the model:

- Processes and capabilities of methods and tools for product line scoping, domain requirements engineering, and application requirements engineering are provided as *ISO/IEC 26551: Software and* systems engineering – Tools and methods for product line requirements engineering.
- Processes and capabilities of methods and tools for domain design and application design are provided as ISO/IEC 26552: Software and systems engineering – Tools and methods for product line architecture design.

- Processes and capabilities of methods and tools for domain realization and application realization are provided as ISO/IEC 26553: Software and systems engineering – Tools and methods for product line realization.
- Processes and capabilities of methods and tools for domain verification and validation and application verification and validation are provided as ISO/IEC 26554: Software and systems engineering – Tools and methods for product line verification and validation.
- Processes and capabilities of methods and tools for technical management are provided as ISO/IEC 26555: Software and systems engineering – Tools and methods for product line technical management.
- Processes and capabilities of methods and tools for organizational management are provided as ISO/IEC 26556: Software and systems engineering – Tools and methods for product line organizational management.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 26555:2013 https://standards.iteh.ai/catalog/standards/sist/3424b689-d32e-4c83-bb00aa8562dfa8f1/iso-iec-26555-2013

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 26555:2013 https://standards.iteh.ai/catalog/standards/sist/3424b689-d32e-4c83-bb00aa8562dfa8f1/iso-iec-26555-2013

Software and systems engineering — Tools and methods for product line technical management

1 Scope

This International Standard deals with the tools and methods of technical management for software products, software services, software-intensive systems (including System Architecture and excluding hardware) within a product line. The scope of this International Standard is as follows:

- Enable the users of this International Standard to holistically understand, adopt, and enact the processes, tools, and methods for product line technical management. This International Standard also helps the users evaluate and select relevant tools and methods based on business and user-related criteria.
- Help product line engineers, developers, and tool vendors make informed decisions about capabilities of tools and methods that are required for supporting product line implementation from technical aspects.
- Provide product line-specific processes and capabilities of tools and methods in technical management.

This International Standard does not concern processes and capabilities of tools and methods for technical management for a one-of-a-kind system but rather deals with those belonging to a family of systems.

NOTE System Architecture as a itset of logical and physical principles used to achieve a mission within a given environment. From System Architecture are derived components that can be subsystems, software products, humanbased products like crew or operators or hardware product like mechanical structures, electronic boards, chemicals, etc. The scope of the standards spans from the system, to sub-systems and software products. Other types of components and especially those related to human beings and to hardware parts are not within the scope of this International Standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 12207:2008, Systems and software engineering — Software life cycle processes

ISO/IEC 15288:2008, Systems and software engineering — System life cycle processes

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply. The general terms common to all software and systems product line have been excluded. For more information concerning the general terms, see ISO/IEC 26550.

3.1

application engineering process

set of processes for developing a member product in a product line

3.2

attached process

defines how each asset will be used in application

NOTE The set of attached processes are those for orchestrating the assets together into a coherent whole application.

3.3

binding time

moment of variability resolution

3.4

external variability

variability that is visible to customers

3.5

domain engineering process

set of processes for domain asset development

3.6

internal variability

variability defined from an engineer's perspective and is not visible to customers

3.7

variability binding

act of determining the variant of the variation point defined in the variability model

3.8

variability documentation

detailed description of variability models for being used across the member products within a product line

3.9

https://standards.iteh.ai/catalog/standards/sist/3424b689-d32e-4c83-bb00aa8562dfa8f1/iso-iec-26555-2013

(standards.iteh.ai)

variability in space

variation occurs at the same time with different shape

3.10

variability in time variation occurs at different times

3.11

variability mechanism

handles variants in a product line for supporting assembly of domain assets

3.12

variability traceability

trace links established for a variability model both with domain assets and with application assets where variants are bound

4 Reference model for product line technical management

The technical management provides processes for addressing technical issues that arise during implementation of a product line, deployment of processes, and development of assets and products within a product line in balance with accomplishing the objectives of a product line, the given costs, schedule, and so forth. Technical management process group deals with variability management, asset management, process management, support management process for managing technical capabilities, resources, issues, and skills that are required for successful implementation of product lines.

Tools and methods in technical management support the systematic development of product lines. Because of profound complexity of product lines, proper tool support for domain engineering lifecycle, application engineering lifecycle, technical management, and organizational management should be provided so that a product line organization can control the technical complexities.

The reference model for technical management in Figure 1 is structured into four processes, process management, variability management, asset management, and support management. Each process is divided into subprocesses and each subprocess is described in terms of the following attributes:

- The title of the subprocess
- The purpose of the subprocess
- The inputs to produce the outcomes
- The tasks to achieve the outcomes
- The outcomes of the subprocess
- The capabilities of tools and methods are a list of the required support of tools and methods for performing the tasks properly




Figure 1 — Product line technical management

Product line technical management shall be conducted from a multidimensional viewpoint that is domain and application engineering. As managerial targets vary according to each viewpoint, management processes for each of them differ. Moreover, assets are used across all applications, and hence applications within a product line shall share common processes for deriving their applications from assets.

Product line development tends to be performed in a parallel or distributed manner, and therefore technical management processes and related capabilities of tools/methods should be defined by considering these aspects. As for variabilities they can be managed orthogonally in order to avoid complexity of a product line. Variabilities can be managed orthogonally in order to avoid complexity of a product line. Therefore, the modeling and evolution of variabilities and their traceabilities with domain/application assets must be engineered systematically balancing with its cost, effectiveness, and supported over the product line life cycle.

Project processes and software support processes provided in ISO/IEC 12207 are compatible with the technical management dealt in this International Standard. However, the life cycle model management process that is categorized in organizational project-enabling processes provided in ISO/IEC 12207 is addressed in the process management part of this International Standard.

Because there are collaborations among groups of people in engineering and managing product lines, some relevant processes must support these collaborations. Process management process serves for establishing and managing a product line organization's capabilities of implementing product line processes. It shall serve to do the following and to define the capabilities of tools and methods for related support:

- Applying process enabling processes for product lines addresses the organization's capabilities for initiation, execution, control, and improvement of product line processes.
- *Domain engineering process definition* establishes and maintains domain engineering processes for product line platform development.
- Application engineering process definition defines and maintains application specific processes for developing each application based on product line platform.
- Applying process monitoring and control for product lines aims to align domain/application engineering processes to achieve product line goals and objectives.
- Applying process improvement for product lines serves for the assessment and improvement of domain/application engineering processes.

Variability throughout the domain and application engineering lifecycle processes of a product line should be managed properly. Variability management process defines how member products in a product line can vary and includes variability model management and the explicit documentation of variability. Variability management process shall serve to do the following and to define the capabilities of tools and methods for related support:

- Variability model management supports to maintain the integrity of domain variability model and application variability models.
- Variability binding management maintains necessary binding information to achieve the efficient development of a member product and proactive reuse of product line platform.
- Variability documentation management supports detailed descriptions of variability models to provide the rationales of variability related decisions standards/sist/3424b689-d32e-4c83-bb00-
- Variability tracing establishes and maintains trace links between elements of the variability model and the associated domain/application assets.
- *Variability control and evolution* deals with change requests, change impact analysis, change execution, and verification/validation for the change.

The asset management process covers the establishment of asset base and change management for the assets. Domain engineering is responsible for creating and maintaining the reusable domain assets that are stored and managed in the asset base. It also manages the application assets that are worth generalizing and incorporating into domain assets. Asset management process includes management activities for application assets produced and maintained for each member product in a product line. Asset management process shall serve to do the following and to define the capabilities of tools and methods for related support:

- Asset identification selects asset candidates (e.g., features, models, specifications, and test cases) developed in domain/application engineering.
- Asset base implementation configures the structure of domain/application assets and makes them easy to mine, retrieve, and manage.
- Asset verification aims to assure whether the defined strategy of asset structure has been reflected.
- Asset evolution serves to deal with change requests from domain and application lifecycle processes.

Support management processes deal with generic processes that support the implementation, qualification, and automation/semi-automation of other processes. This includes processes that can be generally applied across the product line organization. Support management processes shall serve to do the following and to define the capabilities of tools and methods for related support:

- Technical quality management for SSPL provides assurance about whether assets from domain and application engineering comply with predefined quality criteria and whether domain and application engineering processes comply with predefined provisions.
- Configuration management for SSPL controls the configurations of product line platform as well as configurations of each member product in a product line.
- Decision management for SSPL aims to select the best option where alternatives exist. Quantitative criteria should be considered to achieve an objective decision.
- Technical risk management for SSPL deals with risk identification, assessment, prioritization, and mitigation to prevent failures that inhibit the achievement of business values and product line objectives.
- *Tool management for SSPL* serves to improve productivity and quality by automation or semiautomation of domain engineering, application engineering, technical management, and organizational management processes.

The identification and analysis of the aspects involved in product line technical management process group will enable an organization to understand the technical management process group and to formulate a strategy for the successful implementation of a product line. The technical management process group shall be defined from these aspects and product line-specific tasks shall be identified on the basis of these aspects.

The following table shows the key aspects for each characteristic of product line technical management process group:

Category	Aspects
Reuse	application engineering, assets, domain engineering, product management,
management	platform, reusability
Variability	binding, variability
management	binding, variability
Complexity	collaboration, configuration, domain architecture, enabling technology support,
management	https://sitexture.ittraceability.standards/sist/3424b689-d32e-4c83-bb00-
Quality	measurement & tracking, verification & validation
management	

- Application engineering: Application engineering processes provide processes for developing applications based on assets. Discrimination of domain and application engineering processes is a unique technical aspect of product line development.
- Asset: Technical management provides managerial capabilities necessary for managing assets. Asset management is a distinguished aspect of product line development.
- *Binding:* Technical management serves to prepare sufficient information necessary to bind variants, so that each application can focus on only on application specific parts. Variability binding is an aspect that distinguishes technical management of the product line development from that of single product development.
- *Collaboration:* Collaboration is essential in a product line because product line engineering uses artifacts or products developed in different organization units. Technical management enables that people do their technical roles and responsibilities within agreed-on commitments.
- Configuration: Configurations of assets for a product line are distinguished technical aspects of product line development. Maintaining integrity of assets is an important aspect. Configurations of products and artifacts of a product line can be multidimensional, i.e., exist in time and space.
- *Domain architecture:* Technical management enables the decision for obtaining individual component assets of the domain architecture.
- *Domain engineering:* Domain engineering processes are a technical aspect that distinguishes product line development from single product development.

- *Enabling technology support:* Enabling technologies for supporting efficient reuse and management of variability and assets distinguish from single product development.
- Measurement & tracking: Technical management defines tasks, tool capabilities, and method capabilities for the product line measurement & tracking. The performance of the product line processes should be measured aligning with the overall product line objectives. The measurement results should be collected, and they must be used to control product lines for the better achievement of the product line objectives.
- *Platform*: Technical management enables the development of a platform and the development of applications based on the platform.
- *Product management:* Product management should have capability for defining and analyzing the measures that make it possible to evaluate designed reusability and productivity and thereafter coordinate a product line towards achieving its goals. These are possible under the support of technical management.
- *Reusability:* Technical management monitors and controls whether the desired level of reusability is achieved in a product line. Providing managerial support for achieving desired level of reusability is a key aspect peculiar to product line development.
- *Texture:* Technical management enables that application can obey the rules defined in textures. Managerial support for obeying textures are dealt in technical management.
- *Traceability:* There exist trace links for asset management and variability management in technical management.
- Validation and verification: Validation and verification of assets, platform, and variability model are an aspect that distinguishes product line development from single development.
- Variability: Technical management provides managerial capabilities for variability. Variability management is a distinguished aspect of product line development.

ISO/IEC 26555:2013

5 Process management^{//standards.iteh.ai/catalog/standards/sist/3424b689-d32e-4c83-bb00aa8562dfa8f1/iso-iec-26555-2013}

Because product line requires a group of people working together and calls for repeated, ongoing, disciplined interactions among separate organizational units, it is essential to make participants adhere a process. Product line engineering relies on a high quality process definition and its effective enactment to achieve required fidelity. In particular, because changes on assets impact more than one application, configuration and changes should be controlled in a disciplined way and asset developers should follow the disciplines carefully. This process deals with processes that are specialized for product lines consistent with the life cycle model management process of ISO/IEC 12207 and ISO/IEC 15288. The subprocesses of process management are as follows:

- Applying process enabling processes for product lines serves to ensure the readiness for product line process. This subprocess provides capabilities for establishing product line process leadership, resources, and collaboration environment, and supporting product line process assessment and improvement.
- Domain engineering process definition serves to define the commonly used processes within a product line and make the participants share them. This subprocess is composed of tasks such as defining, validating, and deploying domain engineering processes.
- Application engineering process definition serves to define the application specific processes for developing applications within a product line context. Application engineering processes address how application developers develop their applications based on platform, assets, and variability models. Application engineering processes should be tailored (if necessary) or harmonized with domain engineering processes for right use of assets.
- Applying process monitoring and control for product lines serves to measure the performance of processes and if necessary, planning corrective actions to resolve problems for fixing the deviations. Processes for identifying measurement objectives and process-performance objectives are provided.

Measures correspond to the overall product line objectives are defined and their measurement results are collected for controlling processes.

 Applying process improvement for product lines is normally proceeded by organizational process assessment which identifies the weaknesses and strengths of the domain and application engineering processes. Process improvement should be systematic to migrate from an as-is state toward a to-be state.

5.1 Applying process enabling processes for product lines

Purpose of applying process enabling processes for product lines

The purpose of applying process enabling processes for product lines is to get ready for process implementation and improvement such as relevant-policies, steering groups (e.g. SEPG) for process assessment and improvement, and resources for executing them.

Because a group of people who belong to different organization units, sometimes working at geographically different locations, is involved in a product line, a product line organization requires support for communicating about domain engineering processes and obtaining agreement on processes. Moreover, a centralized organization responsible for commitment, assessment, and improvement is highly required for providing integrated process enabling environment.

Inputs

- Domain and application process assets (e.g. documented policies, process assessment and improvement assets used in the single system development, organizational roles & responsibilities, etc.)
- Resource inventory with availability dards.iteh.ai)
- Size and complexity of a product line

https://standards.iteh.ai/catalog/standards/sist/3424b689-d32e-4c83-bb00aa8562dfa8f1/iso-iec-26555-2013

Outcomes

• *Product line process management group* is established

- Communication and collaboration work environments are facilitated
- Process improvement goals and strategies are documented
- Requirements for infrastructure and resources for enabling processes are defined
- Infrastructure for process-enabling is implemented and maintained

Tasks

- *Establish process management group* is to establish the sponsorship and accountability for leading the process management and improvement.
- Align resources for process improvement is to provide adequate resources for developing process assets, performing process improvement, facilitating an environment that enables communication about processes, and forming a basis for cooperating to solve a problem of processes. Necessary supports for executing the established process improvement goals and strategies are identified and provided.
- Govern process improvement is to monitor and control the status of process improvement and implementation from the overall product line perspective. Process management group as a process control tower determines appropriate actions for steering process improvement.

5.1.1 Establish process management group

The goal of this task is to establish and maintain the sponsorship and accountability for the process management and improvement. Process management group (PMG) has responsibilities for leading the remaining tasks of process enabling process and making necessary decisions.