

ETSI TS 136 521-3 V11.2.0 (2013-10)



LTE;
Evolved Universal Terrestrial Radio Access (E-UTRA);
User Equipment (UE) conformance specification;
Radio transmission and reception;
Part 3: Radio Resource Management (RRM)
conformance testing
(3GPP TS 36.521-3 version 11.2.0 Release 11)



ReferenceRTS/TSGR-0536521-3vb20

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECTTM, PLUGTESTSTM, UMTSTM and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPPTM and LTETM are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/14fa2bd5-6017-4967-80e9-5902ecb7948a/etsi-ts-136-521-3-v11.2.0>
2013-10

Contents

Intellectual Property Rights	2
Foreword.....	2
Foreword.....	38
Introduction	38
1 Scope	39
2 References	39
3 Definitions, symbols and abbreviations	40
3.1 Definitions	40
3.2 Symbols.....	41
3.3 Abbreviations	42
3A Requirements for support of RRM	44
3A.1 General	44
3A.2 Requirements Classification for Statistical Testing.....	44
3A.3 RRM Test Configurations	44
3A.3.1 UE with Single or Multiple Antenna Connector.....	44
3A.3.2 Test configuration for Inter band test cases	45
3A.3.3 Test configuration for Inter RAT test cases	45
3A.3.4 UE with Multiband Capability.....	45
3A.3.5 Operating band configuration	45
4 E-UTRAN RRC_IDLE State Mobility	46
4.1 E-UTRAN Cell Selection	46
4.2 E-UTRAN Cell Re-Selection	46
4.2.1 E-UTRAN FDD - FDD cell re-selection intra frequency case	46
4.2.1.1 Test purpose	46
4.2.1.2 Test applicability	46
4.2.1.3 Minimum conformance requirements	46
4.2.1.4 Test description	47
4.2.1.4.1 Initial conditions.....	47
4.2.1.4.2 Test procedure	48
4.2.1.4.3 Message contents	49
4.2.1.5 Test requirement	49
4.2.2 E-UTRAN TDD - TDD cell re-selection intra frequency case	51
4.2.2.1 Test purpose	51
4.2.2.2 Test applicability	51
4.2.2.3 Minimum conformance requirements	51
4.2.2.4 Test description	51
4.2.2.4.1 Initial conditions.....	51
4.2.2.4.2 Test procedure	52
4.2.2.4.3 Message contents.....	53
4.2.2.5 Test requirement	53
4.2.3 E-UTRAN FDD - FDD cell re-selection inter frequency case	55
4.2.3.1 Test purpose	55
4.2.3.2 Test applicability	55
4.2.3.3 Minimum conformance requirements	55
4.2.3.4 Test description	56
4.2.3.4.1 Initial conditions.....	56
4.2.3.4.2 Test procedure	57
4.2.3.4.3 Message contents.....	58
4.2.3.5 Test requirement	58
4.2.4 E-UTRAN FDD - TDD cell re-selection inter frequency case	60
4.2.4.1 Test purpose	61
4.2.4.2 Test applicability	61

4.2.4.3	Minimum conformance requirements	61
4.2.4.4	Test description	62
4.2.4.4.1	Initial conditions	62
4.2.4.4.2	Test procedure	63
4.2.4.4.3	Message contents	64
4.2.4.5	Test requirement	64
4.2.5	E-UTRAN TDD - FDD cell re-selection inter frequency case	67
4.2.5.1	Test purpose	67
4.2.5.2	Test applicability	67
4.2.5.3	Minimum conformance requirements	67
4.2.5.4	Test description	68
4.2.5.4.1	Initial conditions	68
4.2.5.4.2	Test procedure	69
4.2.5.4.3	Message contents	70
4.2.5.5	Test requirement	70
4.2.6	E-UTRAN TDD - TDD cell re-selection inter frequency case	73
4.2.6.1	Test purpose	73
4.2.6.2	Test applicability	73
4.2.6.3	Minimum conformance requirements	73
4.2.6.4	Test description	74
4.2.6.4.1	Initial conditions	74
4.2.6.4.2	Test procedure	75
4.2.6.4.3	Message contents	76
4.2.6.5	Test requirement	76
4.2.7	E-UTRAN FDD – FDD Inter frequency case in the existence of non-allowed CSG cell	79
4.2.7.1	Test purpose	79
4.2.7.2	Test applicability	79
4.2.7.3	Minimum conformance requirements	79
4.2.7.4	Test description	80
4.2.7.4.1	Initial conditions	80
4.2.7.4.2	Test procedure	81
4.2.7.4.3	Message contents	82
4.2.7.5	Test requirement	84
4.2.8	E-UTRAN TDD – TDD Inter frequency case in the existence of non-allowed CSG cell	86
4.2.8.1	Test purpose	86
4.2.8.2	Test applicability	86
4.2.8.3	Minimum conformance requirements	86
4.2.8.4	Test description	87
4.2.8.4.1	Initial conditions	87
4.2.8.4.2	Test procedure	88
4.2.8.4.3	Message contents	89
4.2.8.5	Test requirement	91
4.3	E-UTRAN to UTRAN Cell Re-Selection	93
4.3.1	E-UTRAN FDD - UTRAN FDD cell re-selection	93
4.3.1.1	E-UTRA FDD - UTRAN FDD cell reselection: UTRA FDD is of higher priority	93
4.3.1.1.1	Test purpose	93
4.3.1.1.2	Test applicability	93
4.3.1.1.3	Minimum conformance requirements	93
4.3.1.1.4	Test description	94
4.3.1.1.4.1	Initial conditions	94
4.3.1.1.4.2	Test procedure	94
4.3.1.1.4.3	Message contents	95
4.3.1.1.5	Test requirement	96
4.3.1.2	E-UTRAN FDD - UTRAN FDD cell re-selection: UTRA FDD is of lower priority	98
4.3.1.2.1	Test purpose	99
4.3.1.2.2	Test applicability	99
4.3.1.2.3	Minimum conformance requirements	99
4.3.1.2.4	Test description	99
4.3.1.2.4.1	Initial conditions	99
4.3.1.2.4.2	Test procedure	100
4.3.1.2.4.3	Message contents	101
4.3.1.2.5	Test requirement	101

4.3.1.3	E-UTRAN FDD - UTRAN FDD cell re-selection in fading propagation conditions: UTRA FDD is of lower priority.....	103
4.3.1.3.1	Test purpose	103
4.3.1.3.2	Test applicability	104
4.3.1.3.3	Minimum conformance requirements.....	104
4.3.1.3.4	Test description	104
4.3.1.3.4.1	Initial conditions	104
4.3.1.3.4.2	Test procedure.....	105
4.3.1.3.4.3	Message contents	106
4.3.1.3.5	Test requirement	107
4.3.2	E-UTRAN FDD - UTRAN TDD cell re-selection	111
4.3.2.1	Test purpose	112
4.3.2.2	Test applicability.....	112
4.3.2.3	Minimum conformance requirements	112
4.3.2.3.1	3.84Mcps TDD option.....	112
4.3.2.3.2	1.28Mcps TDD option.....	112
4.3.2.3.3	7.68Mcps TDD option.....	112
4.3.2.4	Test description	113
4.3.2.4.1	3.84Mcps TDD option.....	113
4.3.2.4.2	1.28Mcps TDD option.....	113
4.3.2.4.2.1	Initial conditions	113
4.3.2.4.2.2	Test procedure.....	113
4.3.2.4.2.3	Message contents	114
4.3.2.4.3	7.68 Mcps TDD option.....	115
4.3.2.5	Test requirement	115
4.3.2.5.1	3.84Mcps TDD option.....	115
4.3.2.5.2	1.28Mcps TDD option.....	115
4.3.2.5.3	7.68 Mcps TDD option.....	117
4.3.3	E-UTRAN TDD - UTRAN FDD cell re-selection	117
4.3.3.1	Test purpose	117
4.3.3.2	Test applicability.....	117
4.3.3.3	Minimum conformance requirements	117
4.3.3.4	Test description	118
4.3.3.4.1	Initial conditions.....	118
4.3.3.4.2	Test procedure	119
4.3.3.4.3	Message contents.....	119
4.3.3.5	Test requirement	120
4.3.4	E-UTRAN TDD - UTRAN TDD cell re-selection	122
4.3.4.1	E-UTRA TDD - UTRAN TDD cell re-selection: UTRA is of higher priority.....	122
4.3.4.1.1	Test purpose	122
4.3.4.1.2	Test applicability	122
4.3.4.1.3	Minimum conformance requirements.....	122
4.3.4.1.4	Test description	123
4.3.4.1.4.1	Initial conditions	123
4.3.4.1.4.2	Test procedure.....	124
4.3.4.1.4.3	Message contents	124
4.3.4.1.5	Test requirement	125
4.3.4.2	E-UTRAN TDD - UTRAN TDD cell re-selection: UTRA is of lower priority.....	127
4.3.4.2.1	Test purpose	128
4.3.4.2.2	Test applicability	128
4.3.4.2.3	Minimum conformance requirements.....	128
4.3.4.2.4	Test description	128
4.3.4.2.4.1	Initial conditions	128
4.3.4.2.4.2	Test procedure.....	129
4.3.4.2.4.3	Message contents	130
4.3.4.2.5	Test requirement	130
4.3.4.3	EUTRA TDD-UTRA TDD cell reselection in fading propagation conditions: UTRA TDD is of lower priority.....	132
4.3.4.3.1	Test purpose	132
4.3.4.3.2	Test applicability	132
4.3.4.3.3	Minimum conformance requirements.....	132
4.3.4.3.4	Test description	133

4.3.4.3.4.1	Initial conditions	133
4.3.4.3.4.2	Test procedure.....	134
4.3.4.3.4.3	Message contents	135
4.3.4.3.5	Test requirement	136
4.4	E-UTRAN to GSM Cell Re-Selection.....	140
4.4.1	E-UTRAN FDD - GSM cell re-selection.....	140
4.4.1.1	Test purpose	140
4.4.1.2	Test applicability	140
4.4.1.3	Minimum conformance requirements	140
4.4.1.4	Test description	141
4.4.1.4.1	Initial conditions.....	141
4.4.1.4.2	Test procedure	142
4.4.1.4.3	Message contents.....	143
4.4.1.5	Test requirement	143
4.4.2	E-UTRAN TDD - GSM cell re-selection	144
4.4.2.1	Test purpose	144
4.4.2.2	Test applicability	144
4.4.2.3	Minimum conformance requirements	144
4.4.2.4	Test description	145
4.4.2.4.1	Initial conditions.....	145
4.4.2.4.2	Test procedure	146
4.4.2.4.3	Message contents.....	147
4.4.2.5	Test requirement	147
4.5	E-UTRAN to HRPD Cell Re-Selection.....	148
4.5.1	E-UTRAN FDD - HRPD Cell re-selection.....	148
4.5.1.1	E-UTRAN FDD - HRPD Cell Reselection: HRPD is of Lower Priority	148
4.5.1.1.1	Test purpose	148
4.5.1.1.2	Test applicability	148
4.5.1.1.3	Minimum conformance requirements.....	148
4.5.1.1.4	Test description	149
4.5.1.1.5	Test requirement	150
4.5.2	E-UTRAN TDD - HRPD Cell re-selection.....	151
4.5.2.1	E-UTRAN TDD - HRPD Cell Reselection: HRPD is of Lower Priority	151
4.5.2.1.1	Test purpose	152
4.5.2.1.2	Test applicability	152
4.5.2.1.3	Minimum conformance requirements.....	152
4.5.2.1.4	Test description	152
4.5.2.1.5	Test requirement	154
4.6	E-UTRAN to cdma2000 1xRTT Cell Re-Selection	155
4.6.1	E-UTRAN FDD - cdma2000 1xRTT Cell re-selection	155
4.6.1.1	E-UTRAN FDD - cdma2000 1x Cell Reselection: cdma2000 1X is of Lower Priority	155
4.6.1.1.1	Test purpose	156
4.6.1.1.2	Test applicability	156
4.6.1.1.3	Minimum conformance requirements.....	156
4.6.1.1.4	Test description	156
4.6.1.1.5	Test requirements	158
4.6.2	E-UTRAN TDD - cdma2000 1xRTT Cell re-selection	159
4.6.2.1	E-UTRAN TDD - cdma2000 1x Cell Reselection: cdma2000 1X is of Lower Priority	159
4.6.2.1.1	Test purpose	159
4.6.2.1.2	Test applicability	159
4.6.2.1.3	Minimum conformance requirements.....	160
4.6.2.1.4	Test description	160
4.6.2.1.5	Test requirements	162
5	E-UTRAN RRC_CONNECTED State Mobility	163
5.1	E-UTRAN Handover.....	164
5.1.1	E-UTRAN FDD-FDD Handover intra frequency case	164
5.1.1.1	Test purpose	164
5.1.1.2	Test applicability	164
5.1.1.3	Minimum conformance requirements	164
5.1.1.4	Test description	164
5.1.1.4.1	Initial conditions.....	164

5.1.1.4.2	Test procedure	165
5.1.1.4.3	Message contents.....	166
5.1.1.5	Test requirement	167
5.1.2	E-UTRAN TDD-TDD Handover intra frequency case.....	169
5.1.2.1	Test purpose	169
5.1.2.2	Test applicability.....	169
5.1.2.3	Minimum conformance requirements	169
5.1.2.4	Test description	169
5.1.2.4.1	Initial conditions.....	169
5.1.2.4.2	Test procedure	170
5.1.2.4.3	Message contents.....	171
5.1.2.5	Test requirement	172
5.1.3	E-UTRAN FDD-FDD Handover inter frequency case	173
5.1.3.1	Test purpose	174
5.1.3.2	Test applicability.....	174
5.1.3.3	Minimum conformance requirements	174
5.1.3.4	Test description	174
5.1.3.4.1	Initial conditions.....	174
5.1.3.4.2	Test procedure	175
5.1.3.4.3	Message contents.....	176
5.1.3.5	Test requirement	177
5.1.4	E-UTRAN TDD-TDD Handover inter frequency case.....	179
5.1.4.1	Test purpose	179
5.1.4.2	Test applicability.....	179
5.1.4.3	Minimum conformance requirements	179
5.1.4.4	Test description	180
5.1.4.4.1	Initial conditions.....	180
5.1.4.4.2	Test procedure	181
5.1.4.4.3	Message contents.....	181
5.1.4.5	Test requirement	183
5.1.5	E-UTRAN FDD-FDD inter frequency Handover: unknown target cell	184
5.1.5.1	Test purpose	184
5.1.5.2	Test applicability.....	184
5.1.5.3	Minimum conformance requirements	184
5.1.5.4	Test description	185
5.1.5.4.1	Initial conditions.....	185
5.1.5.4.2	Test procedure	186
5.1.5.4.3	Message contents.....	186
5.1.5.5	Test requirement	187
5.1.6	E-UTRAN TDD-TDD inter frequency handover: unknown target cell.....	188
5.1.6.1	Test purpose	188
5.1.6.2	Test applicability.....	188
5.1.6.3	Minimum conformance requirements	188
5.1.6.4	Test description	189
5.1.6.4.1	Initial conditions.....	189
5.1.6.4.2	Test procedure	190
5.1.6.4.3	Message contents.....	190
5.1.6.5	Test requirement	191
5.1.7	E-UTRAN FDD-TDD Handover inter frequency case.....	193
5.1.7.1	Test purpose	193
5.1.7.2	Test applicability.....	193
5.1.7.3	Minimum conformance requirements	193
5.1.7.4	Test description	194
5.1.7.4.1	Initial conditions.....	194
5.1.7.4.2	Test procedure	195
5.1.7.4.3	Message contents.....	195
5.1.7.5	Test requirement	197
5.1.8	E-UTRAN TDD-FDD Handover inter frequency case.....	199
5.1.8.1	Test purpose	199
5.1.8.2	Test applicability.....	199
5.1.8.3	Minimum conformance requirements	199
5.1.8.4	Test description	199

5.1.8.4.1	Initial conditions	199
5.1.8.4.2	Test procedure	200
5.1.8.4.3	Message contents	201
5.1.8.5	Test requirement	202
5.2	Handover from E-UTRAN to other RATs	205
5.2.1	E-UTRAN FDD - UTRAN FDD handover	205
5.2.1.1	Test purpose	205
5.2.1.2	Test applicability	205
5.2.1.3	Minimum conformance requirements	205
5.2.1.4	Test description	206
5.2.1.4.1	Initial conditions	206
5.2.1.4.2	Test procedure	207
5.2.1.4.3	Message contents	208
5.2.1.5	Test requirement	210
5.2.2	E-UTRAN TDD - UTRAN FDD handover	211
5.2.2.1	Test purpose	212
5.2.2.2	Test applicability	212
5.2.2.3	Minimum conformance requirements	212
5.2.2.4	Test description	213
5.2.2.4.1	Initial conditions	213
5.2.2.4.2	Test procedure	214
5.2.2.4.3	Message contents	215
5.2.2.5	Test requirement	217
5.2.3	E-UTRAN FDD - GSM handover	219
5.2.3.1	Test purpose	219
5.2.3.2	Test applicability	219
5.2.3.3	Minimum conformance requirements	219
5.2.3.4	Test description	220
5.2.3.4.1	Initial conditions	220
5.2.3.4.2	Test procedure	221
5.2.3.4.3	Message contents	222
5.2.3.5	Test requirement	223
5.2.4	E-UTRAN TDD - UTRAN TDD handover	224
5.2.4.1	Test purpose	224
5.2.4.2	Test applicability	224
5.2.4.3	Minimum conformance requirements	224
5.2.4.4	Test description	225
5.2.4.4.1	Initial conditions	225
5.2.4.4.2	Test procedure	226
5.2.4.4.3	Message contents	227
5.2.4.5	Test requirement	228
5.2.5	E-UTRAN FDD - UTRAN TDD handover	230
5.2.5.1	Test purpose	230
5.2.5.2	Test applicability	230
5.2.5.3	Minimum conformance requirements	230
5.2.5.3.1	void	230
5.2.5.3.2	1.28Mcps TDD option	230
5.2.5.3.2	void	231
5.2.5.4	Test description	231
5.2.5.4.1	void	231
5.2.5.4.2	1.28Mcps TDD option	231
5.2.5.4.3	7.68 Mcps TDD option	235
5.2.5.5	Test requirement	235
5.2.5.5.1	3.84Mcps TDD option	235
5.2.5.5.2	1.28Mcps TDD option	235
5.2.5.5.2	7.68 Mcps TDD option	237
5.2.6	E-UTRA TDD - GSM handover	237
5.2.6.1	Test purpose	237
5.2.6.2	Test applicability	237
5.2.6.3	Minimum conformance requirements	237
5.2.6.4	Test description	238
5.2.6.4.1	Initial conditions	238

5.2.6.4.2	Test procedure	239
5.2.6.4.3	Message contents	240
5.2.6.5	Test requirement	241
5.2.7	E-UTRAN FDD - UTRAN FDD handover: unknown target cell	243
5.2.7.1	Test purpose	243
5.2.7.2	Test applicability	243
5.2.7.3	Minimum conformance requirements	243
5.2.7.4	Test description	244
5.2.7.4.1	Initial conditions	244
5.2.7.4.2	Test procedure	244
5.2.7.4.3	Message contents	245
5.2.7.5	Test requirement	245
5.2.8	E-UTRAN FDD - GSM handover: unknown target cell	247
5.2.8.1	Test purpose	247
5.2.8.2	Test applicability	247
5.2.8.3	Minimum conformance requirements	247
5.2.8.4	Test description	248
5.2.8.4.1	Initial conditions	248
5.2.8.4.2	Test procedure	249
5.2.8.4.3	Message contents	249
5.2.8.5	Test requirement	250
5.2.9	E-UTRAN TDD - GSM handover: unknown target cell	251
5.2.9.1	Test purpose	251
5.2.9.2	Test applicability	251
5.2.9.3	Minimum conformance requirements	251
5.2.9.4	Test description	252
5.2.9.4.1	Initial conditions	252
5.2.9.4.2	Test procedure	253
5.2.9.4.3	Message contents	253
5.2.9.5	Test requirement	254
5.2.10	E-UTRAN TDD - UTRAN TDD handover: unknown target cell	255
5.2.10.1	Test purpose	255
5.2.10.2	Test applicability	255
5.2.10.3	Minimum conformance requirements	256
5.2.10.4	Test description	256
5.2.10.4.1	Initial conditions	256
5.2.10.4.2	Test procedure	257
5.2.10.4.3	Message contents	258
5.2.10.5	Test requirement	258
5.3	Handover from E-UTRAN to non-3GPP RATs	260
5.3.1	E-UTRAN FDD - HRPD handover	260
5.3.1.1	Test purpose	260
5.3.1.2	Test applicability	260
5.3.1.3	Minimum conformance requirements	260
5.3.1.4	Test description	261
5.3.1.4.1	Initial conditions	261
5.3.1.4.2	Test procedure	262
5.3.1.4.3	Message contents	263
5.3.1.5	Test requirement	269
5.3.2	E-UTRAN FDD - cdma2000 1xRTT handover	271
5.3.2.1	Test purpose	271
5.3.2.2	Test applicability	271
5.3.2.3	Minimum conformance requirements	271
5.3.2.4	Test description	272
5.3.2.4.1	Initial conditions	272
5.3.2.4.2	Test procedure	273
5.3.2.4.3	Message contents	273
5.3.2.5	Test requirement	273
5.3.3	E-UTRAN FDD - HRPD handover: unknown target cell	275
5.3.3.1	Test purpose	275
5.3.3.2	Test applicability	275
5.3.3.3	Minimum conformance requirements	275

5.3.3.4	Test description	276
5.3.3.4.1	Initial conditions	276
5.3.3.4.2	Test procedure	277
5.3.3.4.3	Message contents	278
5.3.3.5	Test requirement	278
5.3.4	E-UTRAN FDD - cdma2000 1xRTT handover: unknown target cell	279
5.3.4.1	Test purpose	279
5.3.4.2	Test applicability	280
5.3.4.3	Minimum conformance requirements	280
5.3.4.4	Test description	280
5.3.4.4.1	Initial conditions	280
5.3.4.4.2	Test procedure	281
5.3.4.4.3	Message contents	282
5.3.4.5	Test requirement	282
5.3.5	E-UTRAN TDD - HRPD handover	283
5.3.5.1	Test purpose	283
5.3.5.2	Test applicability	284
5.3.5.3	Minimum conformance requirements	284
5.3.5.4	Test description	284
5.3.5.4.1	Initial conditions	284
5.3.5.4.2	Test procedure	285
5.3.5.4.3	Message contents	286
5.3.5.5	Test requirement	295
5.3.6	E-UTRAN TDD - cdma2000 1xRTT handover	296
5.3.6.1	Test purpose	296
5.3.6.2	Test applicability	296
5.3.6.3	Minimum conformance requirements	297
5.3.6.4	Test description	297
5.3.6.4.1	Initial conditions	297
5.3.6.4.2	Test procedure	298
5.3.6.4.3	Message contents	299
5.3.6.5	Test requirement	307
6	RRC Connection Mobility Control	308
6.1	RRC Re-establishment	309
6.1.1	E-UTRAN FDD Intra-frequency RRC Re-establishment	309
6.1.1.1	Test purpose	309
6.1.1.2	Test applicability	309
6.1.1.3	Minimum conformance requirements	309
6.1.1.4	Test description	310
6.1.1.4.1	Initial conditions	310
6.1.1.4.2	Test procedure	310
6.1.1.4.3	Message contents	311
6.1.1.5	Test requirement	311
6.1.2	E-UTRAN FDD Inter-frequency RRC Re-establishment	313
6.1.2.1	Test purpose	313
6.1.2.2	Test applicability	313
6.1.2.3	Minimum conformance requirements	313
6.1.2.4	Test description	313
6.1.2.4.1	Initial conditions	313
6.1.2.4.2	Test procedure	314
6.1.2.4.3	Message contents	315
6.1.2.5	Test requirement	316
6.1.3	E-UTRAN TDD Intra-frequency RRC Re-establishment	317
6.1.3.1	Test purpose	317
6.1.3.2	Test applicability	317
6.1.3.3	Minimum conformance requirements	317
6.1.3.4	Test description	318
6.1.3.4.1	Initial conditions	318
6.1.3.4.2	Test procedure	318
6.1.3.4.3	Message contents	319
6.1.3.5	Test requirement	320

6.1.4	E-UTRAN TDD Inter-frequency RRC Re-establishment	321
6.1.4.1	Test purpose	321
6.1.4.2	Test applicability	321
6.1.4.3	Minimum conformance requirements	321
6.1.4.4	Test description	322
6.1.4.4.1	Initial conditions	322
6.1.4.4.2	Test procedure	323
6.1.4.4.3	Message contents	323
6.1.4.5	Test requirement	324
6.2	Random Access	325
6.2.1	E-UTRAN FDD - Contention Based Random Access Test	325
6.2.1.1	Test purpose	325
6.2.1.2	Test applicability	325
6.2.1.3	Minimum conformance requirements	326
6.2.1.4	Test description	326
6.2.1.4.1	Initial conditions	326
6.2.1.4.2	Test procedure	326
6.2.1.4.3	Message contents	328
6.2.1.5	Test requirement	329
6.2.2	E-UTRAN FDD - Non-Contention Based Random Access Test	331
6.2.2.1	Test purpose	331
6.2.2.2	Test applicability	331
6.2.2.3	Minimum conformance requirements	331
6.2.2.4	Test description	332
6.2.2.4.1	Initial conditions	332
6.2.2.4.2	Test procedure	332
6.2.2.4.3	Message contents	333
6.2.2.5	Test requirement	333
6.2.3	E-UTRAN TDD - Contention Based Random Access Test	335
6.2.3.1	Test purpose	335
6.2.3.2	Test applicability	335
6.2.3.3	Minimum conformance requirements	335
6.2.3.4	Test description	336
6.2.3.4.1	Initial conditions	336
6.2.3.4.2	Test procedure	336
6.2.3.4.3	Message contents	338
6.2.3.5	Test requirement	338
6.2.4	E-UTRAN TDD - Non-Contention Based Random Access Test	341
6.2.4.1	Test purpose	341
6.2.4.2	Test applicability	341
6.2.4.3	Minimum conformance requirements	341
6.2.4.4	Test description	342
6.2.4.4.1	Initial conditions	342
6.2.4.4.2	Test procedure	342
6.2.4.4.3	Message contents	343
6.2.4.5	Test requirement	343
6.3	RRC Connection Release with Redirection	345
6.3.1	Redirection from E-UTRAN FDD to UTRAN FDD	345
6.3.1.1	Test purpose	345
6.3.1.2	Test applicability	345
6.3.1.3	Minimum conformance requirements	345
6.3.1.4	Test description	346
6.3.1.4.1	Initial conditions	346
6.3.1.4.2	Test procedure	347
6.3.1.4.3	Message contents	347
6.3.1.5	Test requirement	348
6.3.2	Redirection from E-UTRAN TDD to UTRAN FDD	350
6.3.2.1	Test purpose	350
6.3.2.2	Test applicability	350
6.3.2.3	Minimum conformance requirements	350
6.3.2.4	Test description	351
6.3.2.4.1	Initial conditions	351

6.3.2.4.2	Test procedure	351
6.3.2.4.3	Message contents.....	352
6.3.2.5	Test requirement	353
6.3.3	Redirection from E-UTRAN FDD to GERAN when System Information is provided.....	355
6.3.3.1	Test Purpose.....	355
6.3.3.2	Test applicability.....	355
6.3.3.3	Minimum conformance requirements	355
6.3.3.4	Test description	356
6.3.3.4.1	Initial conditions.....	356
6.3.3.4.2	Test procedure	356
6.3.3.4.3	Message contents.....	357
6.3.3.5	Test requirement	357
6.3.4	Redirection from E-UTRAN TDD to GERAN when System Information is provided.....	359
6.3.4.1	Test Purpose.....	359
6.3.4.2	Test applicability.....	359
6.3.4.3	Minimum conformance requirements	359
6.3.4.4	Test description	359
6.3.4.4.1	Initial conditions.....	359
6.3.4.4.2	Test procedure	360
6.3.4.4.3	Message contents.....	361
6.3.4.5	Test requirement	361
6.3.5	E-UTRA TDD RRC connection release redirection to UTRA TDD	363
6.3.5.1	Test purpose	363
6.3.5.2	Test applicability.....	363
6.3.5.3	Minimum conformance requirements	363
6.3.5.4	Test description	363
6.3.5.4.1	Initial conditions.....	363
6.3.5.4.2	Test procedure	364
6.3.5.4.3	Message contents.....	365
6.3.5.5	Test requirement	365
6.3.6	E-UTRA FDD RRC connection release redirection to UTRA TDD	367
6.3.6.1	Test purpose	367
6.3.6.2	Test applicability.....	367
6.3.6.3	Minimum conformance requirements	367
6.3.6.4	Test description	368
6.3.6.4.1	Initial conditions.....	368
6.3.6.4.2	Test procedure	368
6.3.6.4.3	Message contents.....	369
6.3.6.5	Test requirement	370
6.3.7	E-UTRA TDD RRC connection release redirection to UTRA TDD without SI provided	371
6.3.7.1	Test purpose	371
6.3.7.2	Test applicability.....	371
6.3.7.3	Minimum conformance requirements	372
6.3.7.4	Test description	372
6.3.7.4.1	Initial conditions.....	372
6.3.7.4.2	Test procedure	373
6.3.7.4.3	Message contents.....	374
6.3.7.5	Test requirement	374
6.3.8	E-UTRA FDD RRC connection release redirection to UTRA TDD without SI provided	376
6.3.8.1	Test purpose	376
6.3.8.2	Test applicability.....	376
6.3.8.3	Minimum conformance requirements	376
6.3.8.4	Test description	377
6.3.8.4.1	Initial conditions.....	377
6.3.8.4.2	Test procedure	378
6.3.8.4.3	Message contents.....	378
6.3.8.5	Test requirement	379
6.3.9	Redirection from E-UTRAN FDD to UTRAN FDD without System Information	381
6.3.9.1	Test purpose	381
6.3.9.2	Test applicability.....	381
6.3.9.3	Minimum conformance requirements	381
6.3.9.4	Test description	382