



Machine-to-Machine communications (M2M); mla, dla and mld interfaces

PREVIEW
iTech STANDARDS
(standards-iteh.ai)
Full standards
https://standards.iteh.ai/catalog/standards-iteh.org/6377314e-7e6e-4b37-9c04-2613965704c6/etsi-ts-102-921-v1.3.1-2014-09

Reference

RTS/M2M-00010ed131

Keywords

interface, M2M, protocol, service

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2014.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	22
Foreword.....	22
Modal verbs terminology.....	22
1 Scope	23
2 References	23
2.1 Normative references	23
2.2 Informative references.....	26
3 Definitions, symbols, abbreviations and conventions	27
3.1 Definitions.....	27
3.2 Symbols.....	27
3.3 Abbreviations	27
3.4 Conventions.....	27
4 Overview	27
5 General security aspects	28
5.1 Key provisioning and hierarchy derivation	28
5.1.1 Kmr provisioning.....	28
5.1.1.1 Kmr provisioning independent of access network credentials	28
5.1.1.2 Kmr provisioning based on access network credentials.....	28
5.1.1.3 Kmr refresh and invalidation.....	28
5.1.2 Kmc derivation	29
5.1.2.1 Kmc derivation in the case of EAP based mutual authentication and key agreement.....	29
5.1.2.2 Kmc derivation in the case of GBA based mutual authentication and key agreement.....	29
5.1.2.3 Kmc derivation in the case of TLS based mutual authentication and key agreement	29
5.1.2.4 Kmc refresh and invalidation	29
5.2 Security Assumptions.....	29
6 M2M Service Bootstrapping	30
6.1 General Principles	30
6.2 Access Network Assisted M2M-Service Bootstrap Procedure.....	30
6.2.1 GBA-based M2M Service Bootstrap Procedure.....	30
6.2.1.1 Optional use of GBA_U with Ks_int_NAF	30
6.2.1.2 HTTP Digest Authentication and bootstrap parameter delivery	31
6.2.1.3 M2M Root Key (Kmr) derivation	31
6.2.2 EAP-based bootstrapping procedure using SIM/AKA Access Network Credentials	32
6.2.3 Bootstrapping from EAP-based access network layer	33
6.3 Bootstrapping using other methods.....	34
6.3.1 Bootstrapping methods using EAP over PANA	34
6.3.1.1 Generic procedure	34
6.3.1.1.1 Bootstrapping	34
6.3.1.1.2 Bootstrap-Erase	38
6.3.1.2 EAP/PANA - IBAKE bootstrapping operations	42
6.3.1.2.1 Provisioning of IBE specific parameters	43
6.3.1.2.2 Secure IBAKE protocol.....	44
6.3.1.3 EAP-TLS over PANA.....	45
6.3.2 M2M Service Bootstrap Procedure using TLS over TCP.....	45
6.3.2.1 Recap of M2M Service Bootstrap Procedure using TLS over TCP.....	45
6.3.2.2 Pre-Provisioning for M2M Service Bootstrap Procedure using TLS over TCP.....	46
6.3.2.3 Mutual Authentication for M2M Service Bootstrap Procedure using TLS over TCP	46
6.3.2.4 Parameter Delivery to D/G M2M Node for M2M Service Bootstrap Procedure using TLS over TCP	46
6.3.3 Specifications for TLS/Certificate-Based M2M Service Bootstrap Procedures	46
6.3.3.1 Introduction.....	46
6.3.3.2 TLS Details for TLS/Certificate-Based M2M Service Bootstrap Procedures.....	47

6.3.3.3	Certificate Considerations	47
6.3.3.3.1	M2M Device/Gateway Certificate Considerations	47
6.3.3.3.2	MSBF Certificate Considerations	48
6.4	M2M Service Bootstrap Parameter Delivery Procedure For Procedures using HTTP	49
6.4.1	Overview	49
6.4.2	bootstrapParamSet Resource	50
6.4.2.1	bootstrapParamSet Resource URI	50
6.4.2.2	bootstrapParamSet Resource Attributes	50
6.4.3	M2M Service Bootstrap Parameter Delivery Procedure Primitives	50
6.4.3.1	bootstrapParamSetExecuteRequestIndication	50
6.4.3.2	bootstrapParamSetExecuteResponseConfirm (successful case)	51
6.4.3.3	bootstrapParamSetExecuteResponseConfirm (unsuccessful case)	51
6.4.4	MSBF Filtering of Received bootstrapParamSetExecuteRequestIndication Primitives	51
6.4.5	M2M Service Bootstrap Parameter Delivery Procedure Sequence of Events	52
7	M2M Service Connection Procedures	54
7.1	General principles	54
7.2	M2M Service Connection Procedures leveraging access network credentials	55
7.2.1	M2M Service Connection Procedure based on GBA	55
7.2.1.1	TLS-PSK with GBA bootstrapped security association	55
7.2.1.1.1	M2M Connection Key (Kmc) derivation	56
7.2.2	M2M Service Connection Procedure Based On EAP/PANA with Access Network Credentials	57
7.3	M2M Service Connection Procedures using EAP/PANA	57
7.3.1	M2M Service Connection Setup Procedure using EAP/PANA	57
7.3.2	M2M Service Connection Tear-down Procedure using EAP/PANA	60
7.4	M2M Service Connection Procedure based on TLS-PSK	60
7.4.1	Introduction	60
7.4.2	TLS Details for M2M Service Connection Procedure Based On TLS-PSK	60
7.4.3	Sequence of events for M2M Service Connection Procedure based on TLS-PSK	61
7.4.4	Parameter Delivery to D/G M2M Node for M2M Service Connection Procedure based on TLS-PSK	61
7.4.5	M2M Service Connection Parameter Delivery Procedure For TLS-PSK-Based Procedures	62
7.4.5.1	Overview	62
7.4.5.2	connectionParamSet Resource	62
7.4.5.2.1	connectionParamSet Resource URI	62
7.4.5.2.2	connectionParamSet Resource Attributes	62
7.4.5.3	M2M Service Connection Parameter Delivery Procedure Primitives	63
7.4.5.3.1	connectionParamSetExecuteRequestIndication	63
7.4.5.3.2	connectionParamSetExecuteResponseConfirm (successful case)	63
7.4.5.3.3	connectionParamSetExecuteResponseConfirm (unsuccessful case)	64
7.4.5.4	M2M Service Connection Parameter Delivery Procedure Pre-Conditions	64
7.4.5.5	MAS Filtering of Received connectionParamSetExecuteRequestIndication Primitives	64
7.4.5.6	M2M Service Connection Parameter Delivery Sequence of Events	64
7.5	IVal security attributes in connection establishment	68
8	M2M Secure Communication over mId	68
8.1	Access Network Based Security	68
8.2	Channel Security	68
8.2.1	Supported Channel Security Methods	68
8.2.1.1	Negotiation to use a Channel Security Method	69
8.2.1.2	Supported TLS/DTLS Versions and TLS Cipher Suites for Channel Security Methods	69
8.2.1.3	Details of the DTLS/TLS Handshake	69
8.2.1.3.1	Applicability to DTLS and TLS	69
8.2.1.3.2	TLS ClientHello.server_name Field Details For Channel Security Methods	70
8.2.1.3.3	TLS ServerKeyExchange.psk_identity_hint Field Details For Channel Security Methods	70
8.2.1.3.4	TLS ClientKeyExchange.psk_identity and PSK Derivation for Channel Security Methods	70
8.3	Object Security	71
8.3.1	Securing CoAP-based mId	71
8.3.2	Securing XML-based mId	71
9	Resources	71
10	SCL Primitives	72
10.1	Introduction	72

10.2	General aspects.....	72
10.2.1	SCL primitives.....	72
10.2.2	Asynchronous and semi-asynchronous processing.....	73
10.3	Common operations.....	73
10.3.1	Issuer actions.....	73
10.3.1.1	Compose RequestIndication primitive.....	73
10.3.1.2	Send a RequestIndication to the Receiver SCL.....	74
10.3.1.2.1	Determination of the Receiver SCL.....	74
10.3.1.2.2	Selection of communication channel.....	74
10.3.1.3	Wait for ResponseConfirm primitive.....	80
10.3.2	Hosting SCL actions.....	81
10.3.2.1	Check existence of the addressed resource.....	81
10.3.2.2	Check the syntax of received message.....	81
10.3.2.3	Check validity of resource representation for CREATE.....	81
10.3.2.4	Check validity of resource representation for UPDATE.....	81
10.3.2.5	Check authorization of the requestingEntity based on accessRightID.....	82
10.3.2.6	Check authorization of the requestingEntity based on selfPermission.....	83
10.3.2.7	Check authorization of the requestingEntity based on default access rights.....	84
10.3.2.8	Announce resource.....	84
10.3.2.8.1	Update of announce on request of application.....	85
10.3.2.8.2	Update of announce on request of local SCL.....	86
10.3.2.8.3	Create announced Resource.....	87
10.3.2.8.4	Retrieve announced Resource.....	87
10.3.2.8.5	Update announced Resource.....	88
10.3.2.8.6	Delete announced Resource.....	88
10.3.2.9	DeAnnounce resource.....	88
10.3.2.10	Create the resource.....	89
10.3.2.11	Create a collection resource representation.....	90
10.3.2.12	Create a successful ResponseConfirm.....	90
10.3.2.13	Create an unsuccessful ResponseConfirm.....	90
10.3.2.14	Read the addressed resource.....	90
10.3.2.15	Update the addressed resource.....	90
10.3.2.16	Delete the addressed resource.....	91
10.3.2.17	Send ResponseConfirm primitive.....	91
10.3.2.18	Identify the managed remote entity and the management protocol.....	91
10.3.2.19	Locate the MO information to be managed on the remote entity.....	91
10.3.2.20	Establish a management session with the remote entity.....	92
10.3.2.21	Send the management request(s) to the remote entity corresponding to the received RequestIndication primitive.....	92
10.3.2.22	Identify the managed remote entity and the management protocol.....	93
10.3.2.23	SCL retargeting to an application.....	95
10.3.3	Receiver SCL actions.....	97
10.3.3.1	Re-targeting.....	97
10.4	<scIBase> resource and management procedures.....	98
10.4.1	<scIBase> resource.....	98
10.4.2	scIBaseCreate.....	98
10.4.3	scIBaseRetrieve.....	99
10.4.3.1	scIBaseRetrieveRequestIndication.....	99
10.4.3.2	scIBaseRetrieveResponseConfirm (successful case).....	100
10.4.3.3	scIBaseRetrieveResponseConfirm (unsuccessful case).....	100
10.4.4	scIBaseUpdate.....	100
10.4.4.1	scIBaseUpdateRequestIndication.....	100
10.4.4.2	scIBaseUpdateResponseConfirm (successful case).....	101
10.4.4.3	scIBaseUpdateResponseConfirm (unsuccessful case).....	101
10.4.5	scIBaseDelete.....	101
10.5	scls resource and management procedures.....	102
10.5.1	scls resource.....	102
10.5.2	sclsCreate.....	102
10.5.3	sclsRetrieve.....	102
10.5.3.1	sclsRetrieveRequestIndication.....	102
10.5.3.2	sclsRetrieveResponseConfirm (successful case).....	103
10.5.3.3	sclsRetrieveResponseConfirm (unsuccessful case).....	103

10.5.4	sclsUpdate.....	104
10.5.4.1	sclsUpdateRequestIndication	104
10.5.4.2	sclsUpdateResponseConfirm (successful case).....	105
10.5.4.3	sclsUpdateResponseConfirm (unsuccessful case).....	105
10.5.5	sclsDelete.....	105
10.6	<scl> resource and management procedures	106
10.6.1	<scl> resource.....	106
10.6.2	sclCreate	108
10.6.2.1	sclCreateRequestIndication.....	108
10.6.2.2	sclCreateReponseConfirm(successful case).....	111
10.6.2.3	sclCreateReponseConfirm(unsuccessful case).....	111
10.6.3	sclRetrieve	111
10.6.3.1	sclRetrieveRequestIndication.....	111
10.6.3.2	sclRetrieveResponseConfirm (successful case)	112
10.6.3.3	sclRetrieveResponseConfirm (unsuccessful case)	112
10.6.4	sclUpdate	113
10.6.4.1	sclUpdateRequestIndication.....	113
10.6.4.2	sclUpdateResponseConfirm (successful case)	114
10.6.4.3	sclUpdateResponseConfirm (unsuccessful case)	114
10.6.5	sclDelete	115
10.6.5.1	sclDeleteRequestIndication.....	115
10.6.5.2	sclDeleteResponseConfirm (successful case)	116
10.6.5.3	sclDeleteResponseConfirm (unsuccessful case)	116
10.7	applications resource and management procedures.....	116
10.7.1	applications resource.....	116
10.7.2	applicationsCreate.....	117
10.7.3	applicationsRetrieve.....	117
10.7.3.1	applicationsRetrieveRequestIndication	117
10.7.3.2	applicationsRetrieveResponseConfirm (successful case)	118
10.7.3.3	sclsRetrieveResponseConfirm (unsuccessful case).....	118
10.7.4	applicationsUpdate.....	118
10.7.4.1	applicationsUpdateRequestIndication	118
10.7.4.2	applicationsUpdateResponseConfirm (successful case)	119
10.7.4.3	applicationsUpdateResponseConfirm (unsuccessful case)	119
10.7.5	applicationsDelete.....	119
10.8	<application> resource and management procedures.....	120
10.8.1	<application> resource.....	120
10.8.2	applicationCreate	120
10.8.2.1	applicationCreateRequestIndication.....	120
10.8.2.2	applicationCreateResponseConfirm (successful case)	121
10.8.2.3	applicationCreateResponseConfirm (unsuccessful case)	122
10.8.3	applicationRetrieve	122
10.8.3.1	applicationRetrieveRequestIndication.....	122
10.8.3.2	applicationRetrieveResponseConfirm (successful case).....	123
10.8.3.3	applicationRetrieveResponseConfirm (unsuccessful case)	123
10.8.4	applicationUpdate	123
10.8.4.1	applicationUpdateRequestIndication	123
10.8.4.2	applicationUpdateResponseConfirm (successful case).....	125
10.8.4.3	applicationUpdateResponseConfirm (unsuccessful case)	125
10.8.5	applicationDelete	125
10.8.5.1	applicationDeleteRequestIndication.....	125
10.8.5.2	applicationDeleteResponseConfirm (successful case)	126
10.8.5.3	applicationDeleteResponseConfirm (unsuccessful case)	126
10.9	<applicationAnnc> resource and management procedures	127
10.9.1	<applicationAnnc> resource	127
10.9.2	applicationAnncCreate.....	127
10.9.2.1	applicationAnncCreateRequestIndication	127
10.9.2.2	applicationAnncCreateResponseConfirm (successful case)	128
10.9.2.3	applicationAnncCreateResponseConfirm (unsuccessful case).....	128
10.9.3	applicationAnncRetrieve	128
10.9.3.1	applicationAnncRetrieveRequestIndication.....	128
10.9.3.2	applicationAnncRetrieveResponseConfirm (successful case)	129

10.9.3.3	applicationAnncRetrieveResponseConfirm (unsuccessful case)	129
10.9.4	applicationAnncUpdate	129
10.9.4.1	applicationAnncUpdateRequestIndication	129
10.9.4.2	applicationAnncUpdateResponseConfirm (successful case)	130
10.9.4.3	applicationAnncUpdateResponseConfirm (unsuccessful case)	130
10.9.5	applicationAnncDelete.....	130
10.9.5.1	applicationAnncDeleteRequestIndication	130
10.9.5.2	applicationAnncDeleteResponseConfirm (successful case)	131
10.9.5.3	applicationAnncDeleteResponseConfirm (unsuccessful case).....	131
10.10	accessRights resource and management procedures	131
10.10.1	accessRights resource	131
10.10.2	accessRightsCreate	131
10.10.3	accessRightsRetrieve	132
10.10.3.1	accessRightsRetrieveRequestIndication.....	132
10.10.3.2	accessRightsRetrieveResponseConfirm (successful case)	133
10.10.3.3	accessRightsRetrieveResponseConfirm (unsuccessful case)	133
10.10.4	accessRightsUpdate	133
10.10.4.1	accessRightsUpdateRequestIndication.....	133
10.10.4.2	accessRightsUpdateResponseConfirm (successful case)	134
10.10.4.3	accessRightsUpdateResponseConfirm (unsuccessful case)	134
10.10.5	accessRightsDelete	134
10.11	accessRight Resource and Management Procedures	135
10.11.1	accessRight resource	135
10.11.2	accessRightCreate.....	135
10.11.2.1	accessRightCreateRequestIndication	135
10.11.2.2	accessRightCreateResponseConfirm (successful case).....	136
10.11.2.3	accessRightCreateResponseConfirm (unsuccessful case).....	136
10.11.3	accessRightRetrieve.....	137
10.11.3.1	accessRightRetrieveRequestIndication	137
10.11.3.2	accessRightRetrieveResponseConfirm (successful case).....	138
10.11.3.3	accessRightRetrieveResponseConfirm (unsuccessful case).....	138
10.11.4	accessRightUpdate.....	138
10.11.4.1	accessRightUpdateRequestIndication	138
10.11.4.2	accessRightUpdateResponseConfirm (successful case).....	139
10.11.4.3	accessRightUpdateResponseConfirm (unsuccessful case).....	139
10.11.5	accessRightDelete.....	140
10.11.5.1	accessRightDeleteRequestIndication	140
10.11.5.2	accessRightDeleteResponseConfirm (successful case).....	141
10.11.5.3	accessRightDeleteResponseConfirm (unsuccessful case).....	141
10.12	<accessRightAnnc> resource and management procedures	141
10.12.1	<accessRightAnnc> resource.....	141
10.12.2	accessRightAnncCreate	141
10.12.2.1	accessRightAnncCreateRequestIndication.....	141
10.12.2.2	accessRightAnncCreateResponseConfirm (successful case)	142
10.12.2.3	accessRightAnncCreateResponseConfirm (unsuccessful case)	142
10.12.3	accessRightAnncRetrieve	143
10.12.3.1	accessRightAnncRetrieveRequestIndication.....	143
10.12.3.2	accessRightAnncRetrieveResponseConfirm (successful case)	143
10.12.3.3	accessRightAnncRetrieveResponseConfirm (unsuccessful case)	144
10.12.4	accessRightAnncUpdate	144
10.12.4.1	accessRightAnncUpdateRequestIndication.....	144
10.12.4.2	accessRightAnncUpdateResponseConfirm (successful case)	145
10.12.4.3	accessRightAnncUpdateResponseConfirm (unsuccessful case)	145
10.12.5	accessRightAnncDelete	145
10.12.5.1	accessRightAnncDeleteRequestIndication.....	145
10.12.5.2	accessRightAnncDeleteResponseConfirm (successful case)	146
10.12.5.3	accessRightAnncDeleteResponseConfirm (unsuccessful case)	146
10.13	containers resource and management procedures.....	146
10.13.1	containers resource	146
10.13.2	containersCreate	146
10.13.3	containersRetrieve	147
10.13.3.1	containersRetrieveRequestIndication.....	147

10.13.3.2	containersRetrieveResponseConfirm (successful case)	148
10.13.3.3	containersRetrieveResponseConfirm (unsuccessful case)	148
10.13.4	containersUpdate	148
10.13.4.1	containersUpdateRequestIndication	148
10.13.4.2	containersUpdateResponseConfirm (successful case)	149
10.13.4.3	containersUpdateResponseConfirm (unsuccessful case)	149
10.13.5	containersDelete	150
10.14	<container> resource and management procedures	150
10.14.1	<container> resource	150
10.14.2	containerCreate	150
10.14.2.1	containerCreateRequestIndication	150
10.14.2.2	containerCreateResponseConfirm (successful case)	151
10.14.2.3	containerCreateResponseConfirm (unsuccessful case)	152
10.14.3	containerRetrieve	152
10.14.3.1	containerRetrieveRequestIndication	152
10.14.3.2	containerRetrieveResponseConfirm (successful case)	153
10.14.3.3	containerRetrieveResponseConfirm (unsuccessful case)	153
10.14.4	containerUpdate	153
10.14.4.1	containerUpdateRequestIndication	153
10.14.4.2	containerUpdateResponseConfirm (successful case)	154
10.14.4.3	containerUpdateResponseConfirm (unsuccessful case)	154
10.14.5	containerDelete	155
10.14.5.1	containerDeleteRequestIndication	155
10.14.5.2	containerDeleteResponseConfirm (successful case)	155
10.14.5.3	containerDeleteResponseConfirm (unsuccessful case)	156
10.15	<containerAnnc> resource and management procedures	156
10.15.1	<containerAnnc> resource	156
10.15.2	containerAnncCreate	156
10.15.2.1	containerAnncCreateRequestIndication	156
10.15.2.2	containerAnncCreateResponseConfirm (successful case)	157
10.15.2.3	containerAnncCreateResponseConfirm (unsuccessful case)	157
10.15.3	containerAnncRetrieve	157
10.15.3.1	containerAnncRetrieveRequestIndication	157
10.15.3.2	containerAnncRetrieveResponseConfirm (successful case)	158
10.15.3.3	containerAnncRetrieveResponseConfirm (unsuccessful case)	158
10.15.4	containerAnncUpdate	158
10.15.4.1	containerAnncUpdateRequestIndication	158
10.15.4.2	containerAnncUpdateResponseConfirm (successful case)	159
10.15.4.3	containerAnncUpdateResponseConfirm (unsuccessful case)	159
10.15.5	containerAnncDelete	159
10.15.5.1	containerAnncDeleteRequestIndication	159
10.15.5.2	containerAnncDeleteResponseConfirm (successful case)	160
10.15.5.3	containerAnncDeleteResponseConfirm (unsuccessful case)	160
10.16	locationContainer resources and management procedures	161
10.16.1	<locationContainer> resource	161
10.16.2	locationContainerCreate	161
10.16.2.1	locationContainerCreateRequestIndication	161
10.16.2.2	locationContainerCreateResponseConfirm (successful case)	162
10.16.2.3	locationContainerCreateResponseConfirm (unsuccessful case)	163
10.16.3	locationContainerRetrieve	163
10.16.3.1	locationContainerRetrieveRequestIndication	163
10.16.3.2	locationContainerRetrieveResponseConfirm (successful case)	164
10.16.3.3	locationContainerRetrieveResponseConfirm (unsuccessful case)	164
10.16.4	locationContainerUpdate	164
10.16.4.1	locationContainerUpdateRequestIndication	164
10.16.4.2	locationContainerUpdateResponseConfirm (successful case)	165
10.16.4.3	locationContainerUpdateResponseConfirm (unsuccessful case)	165
10.16.5	locationContainerDelete	166
10.16.5.1	locationContainerDeleteRequestIndication	166
10.16.5.2	locationContainerDeleteResponseConfirm (successful case)	166
10.16.5.3	locationContainerDeleteResponseConfirm (unsuccessful case)	167
10.17	<locationcontainerAnnc> resource and management procedures	167

10.17.1	<locationContainerAnnc> resource	167
10.17.2	locationContainerAnncCreate	167
10.17.2.1	locationContainerAnncCreateRequestIndication	167
10.17.2.2	locationContainerAnncCreateResponseConfirm (successful case).....	168
10.17.2.3	locationContainerAnncCreateResponseConfirm (unsuccessful case).....	168
10.17.3	locationContainerAnncRetrieve.....	168
10.17.3.1	locationContainerAnncRetrieveRequestIndication	168
10.17.3.2	locationContainerAnncRetrieveResponseConfirm (successful case).....	169
10.17.3.3	locationContainerAnncRetrieveResponseConfirm (unsuccessful case).....	169
10.17.4	locationContainerAnncUpdate.....	169
10.17.4.1	locationContainerAnncUpdateRequestIndication	169
10.17.4.2	locationContainerAnncUpdateResponseConfirm (successful case).....	170
10.17.4.3	locationContainerAnncUpdateResponseConfirm (unsuccessful case).....	170
10.17.5	locationContainerAnncDelete	170
10.17.5.1	locationContainerAnncDeleteRequestIndication	170
10.17.5.2	locationContainerAnncDeleteResponseConfirm (successful case).....	171
10.17.5.3	locationContainerAnncDeleteResponseConfirm (unsuccessful case).....	171
10.18	contentInstances resource and management procedures	172
10.18.1	contentInstances resource	172
10.18.2	contentInstancesCreate	172
10.18.3	contentInstancesRetrieve	172
10.18.3.1	contentInstancesRetrieveRequestIndication.....	172
10.18.3.2	contentInstancesRetrieveResponseConfirm (successful case)	175
10.18.3.3	contentInstancesRetrieveResponseConfirm (unsuccessful case).....	175
10.18.4	contentInstancesUpdate	175
10.18.5	contentInstancesDelete	175
10.19	<contentInstance> resource and management procedures	176
10.19.1	<contentInstance> resource	176
10.19.2	contentInstanceCreate	176
10.19.2.1	contentInstanceCreateRequestIndication	176
10.19.2.2	contentInstanceCreateResponseConfirm (successful case).....	178
10.19.2.3	contentInstanceCreateResponseConfirm (unsuccessful case).....	178
10.19.3	contentInstanceRetrieve.....	178
10.19.3.1	contentInstanceRetrieveRequestIndication	178
10.19.3.2	contentInstanceRetrieveResponseConfirm (successful case).....	180
10.19.3.3	contentInstanceRetrieveResponseConfirm (unsuccessful case).....	180
10.19.4	contentInstanceUpdate.....	180
10.19.5	contentInstanceDelete.....	180
10.19.5.1	contentInstanceDeleteRequestIndication	180
10.19.5.2	contentInstanceDeleteResponseConfirm(succesful case).....	181
10.19.5.3	contentInstanceDeleteResponseConfirm (unsuccessful case).....	182
10.20	groups resource and management procedures	182
10.20.1	groups resource	182
10.20.2	groupsCreate	182
10.20.3	groupsRetrieve	182
10.20.3.1	groupsRetrieveRequestIndication	182
10.20.3.2	groupsRetrieveResponseConfirm (successful case).....	183
10.20.3.3	groupsRetrieveResponseConfirm (unsuccessful case).....	183
10.20.4	groupsUpdate.....	184
10.20.4.1	groupsUpdateRequestIndication	184
10.20.4.2	groupsUpdateResponseConfirm (successful case).....	184
10.20.4.3	groupsUpdateResponseConfirm (unsuccessful case).....	185
10.20.5	groupsDelete	185
10.21	<group> resource and management procedures	185
10.21.1	<group> resource	185
10.21.2	groupCreate.....	186
10.21.2.1	groupCreateRequestIndication	186
10.21.2.2	groupCreateResponseConfirm (successful case)	187
10.21.2.3	groupCreateResponseConfirm (unsuccessful case)	187
10.21.3	groupRetrieve	188
10.21.3.1	groupRetrieveRequestIndication.....	188
10.21.3.2	groupRetrieveResponseConfirm (successful case)	189

10.21.3.3	groupRetrieveResponseConfirm (unsuccessful case)	189
10.21.4	groupUpdate	189
10.21.4.1	groupUpdateRequestIndication	189
10.21.4.2	groupUpdateResponseConfirm (successful case)	190
10.21.4.3	GroupUpdateResponseConfirm (unsuccessful case)	191
10.21.5	groupDelete	191
10.21.5.1	groupDeleteRequestIndication	191
10.21.5.2	groupDeleteResponseConfirm (successful case)	192
10.21.5.3	groupDeleteResponseConfirm (unsuccessful case)	192
10.22	<groupAnnc> resource and management procedures	192
10.22.1	<groupAnnc> resource	192
10.22.2	groupAnncCreate	192
10.22.2.1	groupAnncCreateRequestIndication	192
10.22.2.2	groupAnncCreateResponseConfirm (successful case)	193
10.22.2.3	groupAnncCreateResponseConfirm (unsuccessful case)	193
10.22.3	groupAnncRetrieve	193
10.22.3.1	groupAnncRetrieveRequestIndication	193
10.22.3.2	groupAnncRetrieveResponseConfirm (successful case)	194
10.22.3.3	groupAnncRetrieveResponseConfirm (unsuccessful case)	194
10.22.4	groupAnncUpdate	195
10.22.4.1	groupAnncUpdateRequestIndication	195
10.22.4.2	groupAnncUpdateResponseConfirm (successful case)	195
10.22.4.3	groupAnncUpdateResponseConfirm (unsuccessful case)	195
10.22.5	groupAnncDelete	196
10.22.5.1	groupAnncDeleteRequestIndication	196
10.22.5.2	groupAnncDeleteResponseConfirm (successful case)	196
10.22.5.3	groupAnncDeleteResponseConfirm (unsuccessful case)	196
10.23	membersContent resource and management procedures	197
10.23.1	membersContent resource	197
10.23.2	membersContentCreate	197
10.23.2.1	membersContentCreateRequestIndication	197
10.23.2.2	membersContentCreateResponseConfirm (successful case)	199
10.23.2.3	membersContentCreateResponseConfirm (unsuccessful case)	199
10.23.3	membersContentRetrieve	200
10.23.3.1	membersContentRetrieveRequestIndication	200
10.23.3.2	membersContentRetrieveResponseConfirm (successful case)	201
10.23.3.3	membersContentRetrieveResponseConfirm (unsuccessful case)	202
10.23.4	membersContentUpdate	202
10.23.4.1	membersContentUpdateRequestIndication	202
10.23.4.2	membersContentUpdateResponseConfirm (successful case)	204
10.23.4.3	memberContentUpdateResponseConfirm (unsuccessful case)	204
10.23.5	membersContentDelete	205
10.23.5.1	membersContentDeleteRequestIndication	205
10.23.5.2	membersContentDeleteResponseConfirm (successful case)	206
10.23.5.3	membersContentDeleteResponseConfirm (unsuccessful case)	207
10.24	subscriptions resource and management procedures	207
10.24.1	subscriptions resource	207
10.24.2	subscriptionsCreate	207
10.24.3	subscriptionsRetrieve	207
10.24.3.1	subscriptionsRetrieveRequestIndication	207
10.24.3.2	subscriptionsRetrieveResponseConfirm (successful case)	208
10.24.3.3	subscriptionsRetrieveResponseConfirm (unsuccessful case)	208
10.24.4	subscriptionsUpdate	208
10.24.5	subscriptionsDelete	209
10.25	<subscription> resource and management procedures	209
10.25.1	<subscription> resource	209
10.25.2	subscriptionCreate	209
10.25.2.1	subscriptionCreateRequestIndication	209
10.25.2.2	subscriptionCreateResponseConfirm (successful case)	211
10.25.2.3	subscriptionCreateResponseConfirm (unsuccessful case)	211
10.25.3	subscriptionRetrieve	211
10.25.3.1	subscriptionRetrieveRequestIndication	211

10.25.3.2	subscriptionRetrieveResponseConfirm (successful case)	212
10.25.3.3	subscriptionRetrieveResponseConfirm (unsuccessful case)	212
10.25.4	subscriptionUpdate	212
10.25.4.1	subscriptionUpdateRequestIndication	212
10.25.4.2	subscriptionUpdateResponseConfirm (successful case)	214
10.25.4.3	subscriptionUpdateResponseConfirm (unsuccessful case)	214
10.25.5	subscriptionDelete	214
10.25.5.1	subscriptionDeleteRequestIndication	214
10.25.5.2	subscriptionDeleteResponseConfirm (successful case)	215
10.25.5.3	subscriptionDeleteResponseConfirm (unsuccessful case)	215
10.25.6	Notify representation	216
10.25.7	subscriptionNotify	216
10.25.7.1	subscriptionNotifyRequestIndication (normal case)	216
10.25.7.2	subscriptionNotifyResponseConfirm (response to normal case)	218
10.25.7.3	subscriptionNotifyRequestIndication (error case)	218
10.25.7.4	subscriptionNotifyResponseConfirm (response to error case)	219
10.26	m2mPoCs resource and management procedures	220
10.26.1	m2mPoCs resource	220
10.26.2	m2mPocsCreate	220
10.26.3	m2mPocsRetrieve	220
10.26.3.1	m2mPocsRetrieveRequestIndication	220
10.26.3.2	m2mPocsRetrieveResponseConfirm (successful case)	221
10.26.3.3	m2mPocsRetrieveResponseConfirm (unsuccessful case)	221
10.26.4	m2mPocsUpdate	221
10.26.5	m2mPocsDelete	222
10.27	m2mPoc Resource and Management Procedures	222
10.27.1	m2mPoc resource	222
10.27.2	m2mPocCreate	222
10.27.2.1	m2mPocCreateRequestIndication	222
10.27.2.2	m2mPocCreateResponseConfirm (successful case)	224
10.27.2.3	m2mPocCreateResponseConfirm (unsuccessful case)	224
10.27.3	m2mPocRetrieve	224
10.27.3.1	m2mPocRetrieveRequestIndication	224
10.27.3.2	m2mPocRetrieveResponseConfirm (successful case)	225
10.27.3.3	m2mPocRetrieveResponseConfirm (unsuccessful case)	225
10.27.4	m2mPocUpdate	225
10.27.4.1	m2mPocUpdateRequestIndication	225
10.27.4.2	m2mPocUpdateResponseConfirm (successful case)	226
10.27.4.3	m2mPocUpdateResponseConfirm (unsuccessful case)	227
10.27.5	m2mPocDelete	227
10.27.5.1	m2mPocDeleteRequestIndication	227
10.27.5.2	m2mPocDeleteResponseConfirm (successful case)	228
10.27.5.3	m2mPocDeleteResponseConfirm (unsuccessful case)	228
10.28	mgmtObjs resources and management procedures	229
10.28.1	mgmtObjs resource	229
10.28.2	mgmtObjsCreate	229
10.28.3	mgmtObjsRetrieve	229
10.28.3.1	mgmtObjsRetrieveRequestIndication	229
10.28.3.2	mgmtObjsRetrieveResponseConfirm (successful case)	230
10.28.3.3	mgmtObjsRetrieveResponseConfirm (unsuccessful case)	230
10.28.4	mgmtObjsUpdate	231
10.28.4.1	mgmtObjsUpdateRequestIndication	231
10.28.4.2	mgmtObjsUpdateResponseConfirm (successful case)	232
10.28.4.3	mgmtObjsUpdateResponseConfirm (unsuccessful case)	232
10.28.5	mgmtObjsDelete	232
10.29	<mgmtObj> resources and management procedures	232
10.29.1	<mgmtObj> resource	232
10.29.2	mgmtObjCreate	233
10.29.2.1	mgmtObjCreateRequestIndication	233
10.29.2.2	mgmtObjCreateResponseConfirm (successful case)	235
10.29.2.3	mgmtObjCreateResponseConfirm (unsuccessful case)	235
10.29.3	mgmtObjRetrieve	235

10.29.3.1	mgmtObjRetrieveRequestIndication	235
10.29.3.2	mgmtObjRetrieveResponseConfirm (successful case)	236
10.29.3.3	mgmtObjRetrieveResponseConfirm (unsuccessful case)	236
10.29.4	mgmtObjUpdate	237
10.29.4.1	mgmtObjUpdateRequestIndication	237
10.29.4.2	mgmtObjUpdateResponseConfirm (successful case)	238
10.29.4.3	mgmtObjUpdateResponseConfirm (unsuccessful case)	238
10.29.5	mgmtObjDelete	238
10.29.5.1	mgmtObjDeleteRequestIndication	238
10.29.5.2	mgmtObjDeleteResponseConfirm (successful case)	239
10.29.5.3	mgmtObjDeleteResponseConfirm (unsuccessful case)	239
10.29.6	mgmtObjExecute	240
10.29.6.1	mgmtObjExecuteRequestIndication	240
10.29.6.2	mgmtObjExecuteResponseConfirm (successful case)	241
10.29.6.3	mgmtObjExecuteResponseConfirm (unsuccessful case)	241
10.30	<parameters> resources and management procedures	241
10.30.1	<parameters> resource	241
10.30.2	parametersCreate	242
10.30.2.1	parametersCreateRequestIndication	242
10.30.2.2	parametersCreateResponseConfirm (successful case)	243
10.30.2.3	ParametersCreateResponseConfirm (unsuccessful case)	243
10.30.3	parametersRetrieve	244
10.30.3.1	parametersRetrieveRequestIndication	244
10.30.3.2	parametersRetrieveResponseConfirm (successful case)	245
10.30.3.3	parametersRetrieveResponseConfirm (unsuccessful case)	245
10.30.4	parametersUpdate	245
10.30.4.1	parametersUpdateRequestIndication	245
10.30.4.2	parametersUpdateResponseConfirm (successful case)	246
10.30.4.3	parametersUpdateResponseConfirm (unsuccessful case)	246
10.30.5	parametersDelete	247
10.30.5.1	parametersDeleteRequestIndication	247
10.30.5.2	parametersDeleteResponseConfirm (successful case)	248
10.30.5.3	parametersDeleteResponseConfirm (unsuccessful case)	248
10.30.6	parametersExecute	248
10.30.6.1	parametersExecuteRequestIndication	248
10.30.6.2	parametersExecuteResponseConfirm (successful case)	249
10.30.6.3	parametersExecuteResponseConfirm (unsuccessful case)	249
10.31	<mgmtCmd> resource and management procedures	250
10.31.1	<mgmtCmd> resource	250
10.31.2	mgmtCmdCreate	250
10.31.2.1	mgmtCmdCreateRequestIndication	250
10.31.2.2	mgmtCmdCreateResponseConfirm (successful case)	251
10.31.2.3	mgmtCmdCreateResponseConfirm (unsuccessful case)	251
10.31.3	mgmtCmdRetrieve	252
10.31.3.1	mgmtCmdRetrieveRequestIndication	252
10.31.3.2	mgmtCmdRetrieveResponseConfirm (successful case)	252
10.31.3.3	mgmtCmdRetrieveResponseConfirm (unsuccessful case)	253
10.31.4	mgmtCmdUpdate	253
10.31.4.1	mgmtCmdUpdateRequestIndication	253
10.31.4.2	mgmtCmdUpdateResponseConfirm (successful case)	254
10.31.4.3	mgmtCmdUpdateResponseConfirm (unsuccessful case)	254
10.31.5	mgmtCmdDelete	254
10.31.5.1	mgmtCmdDeleteRequestIndication	254
10.31.5.2	mgmtCmdDeleteResponseConfirm (successful case)	255
10.31.5.3	mgmtCmdDeleteResponseConfirm (unsuccessful case)	255
10.31.6	mgmtCmdExecute	256
10.31.6.1	mgmtCmdExecuteRequestIndication	256
10.31.6.2	mgmtCmdExecuteResponseConfirm (successful case)	257
10.31.6.3	mgmtCmdExecuteResponseConfirm (unsuccessful case)	257
10.32	execInstances resource and management procedures	257
10.32.1	execInstances resource	257
10.32.2	execInstancesCreate	257

10.32.3	execInstancesRetrieve.....	258
10.32.3.1	execInstancesRetrieveRequestIndication	258
10.32.3.2	execInstancesRetrieveResponseConfirm (successful case).....	258
10.32.3.3	execInstancesRetrieveResponseConfirm (unsuccessful case).....	259
10.32.4	execInstancesUpdate.....	259
10.32.5	execInstancesDelete.....	259
10.33	<execInstance> resource and management procedures	259
10.33.1	<execInstance> resource.....	259
10.33.2	execInstanceCreate	260
10.33.3	execInstanceRetrieve	260
10.33.3.1	execInstanceRetrieveRequestIndication.....	260
10.33.3.2	execInstanceRetrieveResponseConfirm (successful case)	261
10.33.3.3	execInstanceRetrieveResponseConfirm (unsuccessful case)	261
10.33.4	execInstanceUpdate	261
10.33.5	execInstanceDelete	261
10.33.5.1	execInstanceDeleteRequestIndication.....	261
10.33.5.2	execInstanceDeleteResponseConfirm (successful case)	262
10.33.5.3	execInstanceDeleteResponseConfirm (unsuccessful case)	262
10.33.6	execInstanceExecute	263
10.33.6.1	execInstanceExecuteRequestIndication	263
10.33.6.2	execInstanceExecuteResponseConfirm (successful case).....	264
10.33.6.3	execInstanceExecuteResponseConfirm (unsuccessful case).....	264
10.34	attachedDevices resource and management procedures	264
10.34.1	attachedDevices resource.....	264
10.34.2	attachedDevicesCreate.....	264
10.34.3	attachedDevicesRetrieve.....	265
10.34.3.1	attachedDevicesRetrieveRequestIndication	265
10.34.3.2	attachedDevicesRetrieveResponseConfirm (successful case).....	266
10.34.3.3	attachedDevicesRetrieveResponseConfirm (unsuccessful case).....	266
10.34.4	attachedDevicesUpdate	266
10.34.4.1	attachedDevicesUpdateRequestIndication	266
10.34.4.2	attachedDevicesUpdateResponseConfirm (successful case).....	267
10.34.4.3	attachedDevicesUpdateResponseConfirm (unsuccessful case).....	267
10.34.5	attachedDevicesDelete.....	267
10.35	attachedDevice resources and management procedures	268
10.35.1	attachedDevice resource	268
10.35.2	attachedDeviceCreate	268
10.35.2.1	attachedDeviceCreateRequestIndication.....	268
10.35.2.2	attachedDeviceCreateResponseConfirm (successful case)	269
10.35.2.3	attachedDeviceCreateResponseConfirm (unsuccessful case)	269
10.35.3	attachedDeviceRetrieve	270
10.35.3.1	attachedDeviceRetrieveRequestIndication.....	270
10.35.3.2	attachedDeviceRetrieveResponseConfirm (successful case)	270
10.35.3.3	attachedDeviceRetrieveResponseConfirm (unsuccessful case)	271
10.35.4	attachedDeviceUpdate	271
10.35.4.1	attachedDeviceUpdateRequestIndication.....	271
10.35.4.2	attachedDeviceUpdateResponseConfirm (successful case)	272
10.35.4.3	attachedDeviceUpdateResponseConfirm (unsuccessful case)	272
10.35.5	attachedDeviceDelete	272
10.35.5.1	attachedDeviceDeleteRequestIndication.....	272
10.35.5.2	attachedDeviceDeleteResponseConfirm (successful case)	273
10.35.5.3	attachedDeviceDeleteResponseConfirm (unsuccessful case)	273
10.36	notificationChannels resource and management procedures	274
10.36.1	notificationChannels resource.....	274
10.36.2	notificationChannelsCreate.....	274
10.36.3	notificationChannelsRetrieve.....	274
10.36.3.1	notificationChannelsRetrieveRequestIndication	274
10.36.3.2	notificationChannelsRetrieveResponseConfirm (successful case).....	275
10.36.3.3	notificationChannelsRetrieveResponseConfirm (unsuccessful case).....	275
10.36.4	notificationChannelsUpdate.....	275
10.36.5	notificationChannelsDelete.....	275
10.37	<notificationChannel> resource and management procedures	276