

SLOVENSKI STANDARD SIST EN 301 908-1 V7.1.1:2015

01-oktober-2015

Celična omrežja IMT - Harmonizirani EN, ki zajema bistvene zahteve člena 3.2 direktive R&TTE - 1. del: Uvod in splošne zahteve

IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 1: Introduction and common requirements

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten z. EN 301 908-1 V7.1.1

84347b0c1630/sist-en-301-908-1-v7-1-1-2015

ICS:

33.060.99	Druga oprema za radijske komunikacije	Other equipment for radiocommunications
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 301 908-1 V7.1.1:2015 en,fr,de

SIST EN 301 908-1 V7.1.1:2015

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 908-1 V7.1.1:2015 https://standards.iteh.ai/catalog/standards/sist/16124228-6ccf-4fd2-8587-84347b0c1630/sist-en-301-908-1-v7-1-1-2015 SIST EN 301 908-1 V7.1.1:2015

ETSI EN 301 908-1 V7.1.1 (2015-03)



IMT cellular networks; Harmonized EN covering the essential requirements of article 312 of the R&TTE Directive; Part 1: Introduction and common requirements

https://standards.iteh.ai/catalog/standards/sist/16124228-6ccf-4fd2-8587-84347b0c1630/sist-en-301-908-1-v7-1-1-2015

Reference

REN/MSG-TFES-011-01

Keywords

3G, 3GPP, 3GPP2, cdma2000, cellular, digital, E-UTRA, IMT, IMT-2000, IMT-Advanced, LTE, LTE-Advanced, MAN-Advanced, mobile, radio, regulation, UMTS, UTRA, WCDMA, WiMAX

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la

Teh Sous-Préfecture de Grasse (06) N° 7803/88/ IEW

(standards.iteh.ai)

SIST EN 301 908-1 V7.1.1:2015
https://standards.iteh.ai/catalog/standards/sist/16124228-6ccf-4fd2-8587-84347b0c16/mpgcrtant/potice

The present document can be downloaded from: http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015.
All rights reserved.

DECT[™], **PLUGTESTS**[™], **UMTS**[™] and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP**[™] and **LTE**[™] are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Proper	ty Rights	4
Foreword		4
Modal verbs termi	nology	5
Introduction		5
1 Scope		6
2 References.		6
	e references	
	ve references	
3 Definitions,	symbols and abbreviations	7
	ns	
•	tions	
	equirements specifications	
	nental profile	
	ance requirements	
	luction	
	ted emissions (UE)efinition	
	mits	
4.2.3 Radia	onformance II. a. h. S.T. A. N. D. A. R. D. D. R. T. V. III. V. III. V. Ited emissions (BS and repeater)	12 12
4.2.3.1 Radia 4.2.3.1 De	afinition (standards italy ai)	12
4.2.3.1 De 4.2.3.2 Li	efinition (standards.iteh.ai) mits	12 10
4.2.3.3 Co	onformance	12
4.2.4 Contro	ol and monitoring functions 7177 301 908-1 V7.1.12015	13
4.2.4.1 De	onformance old and monitoring functions (UE) 301 908-1 V7.1.1:2015 efinition typs://standards.iteh.ai/catalog/standards/sist/16124228-6ccf-4fd2-8587-	13
4.2.4.2 Li	mits 84347b0c1630/sist-en-301-908-1-v7-1-1-2015	13
	onformance	
5 Testing for	compliance with technical requirements	13
	nental conditions for testing	
	tion of the measurement results	
	radio test suites	
5.3.1 Radia	ted emissions (UE)	14
5.3.1.1 Te	est method	14
5.3.1.2 Te	est configurations	15
5.3.2 Radia	ted emissions (BS and repeater)	15
5.3.2.1 Te	est method	15
5.3.2.2 Te	est configurations	16
5.3.3 Contro	ol and monitoring functions (UE)	17
5.3.3.1 Te	est method	17
Annex A (normat	tive): HS Requirements and conformance Test specifications Table (HS-RTT)	18
Annex B (inform		
B.1 Receiver ser	nsitivity	
	ctioning of the equipment	
Annex C (inform		
Annex D:	Void	
Annex E (informa		
DISTORY		

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://ipr.etsi.org).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Mobile Standards Group (MSG).

The present document has been produced by ETSI in response to mandate M/284 issued from the European Commission under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.6].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.2].

The requirements relevant to Directive 1999/5/EC [i.2] are summarized in annex A.

The present document is part 1 of a multi-part deliverable covering the essential requirements under article 3.2 of Directive 1999/5/EC [i.2] (R&TTE Directive) for Base Stations (BS), Repeaters and User Equipment (UE) for IMT cellular networks, as identified below: (standards.iteh.ai)

Part 1:	"Introduction	and common re	equirements";
---------	---------------	---------------	---------------

- Part 2: "CDMA Direct Spread (UTRA FDD) User Equipment (UE)":
- Part 3: "CDMA Direct Spread (UTRA FDD) Base Stations (BS)"; 1-1-2015
- Part 4: "CDMA Multi-Carrier (cdma2000) User Equipment (UE)";
- Part 5: "CDMA Multi-Carrier (cdma2000) Base Stations (BS)";
- Part 6: "CDMA TDD (UTRA TDD) User Equipment (UE)";
- Part 7: "CDMA TDD (UTRA TDD) Base Stations (BS)";
- Part 8: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 9: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 10: "Harmonized EN for IMT-2000, FDMA/TDMA (DECT) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 11: "CDMA Direct Spread (UTRA FDD) (Repeaters)";
- Part 12: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (Repeaters) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 13: "Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)";
- Part 14: "Evolved Universal Terrestrial Radio Access (E-UTRA) Base Stations (BS)";
- Part 15: "Evolved Universal Terrestrial Radio Access (E-UTRA FDD) (Repeaters)";

5

Part 16:	"Harmonized EN for IMT-2000, Evolved CDMA Multi-Carrier Ultra Mobile Broadband (UMB) (UE)
	covering the essential requirements of article 3.2 of the R&TTE Directive":

- Part 17: "Harmonized EN for IMT-2000, Evolved CDMA Multi-Carrier Ultra Mobile Broadband (UMB) (BS) covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 18: "E-UTRA, UTRA and GSM/EDGE Multi-Standard Radio (MSR) Base Station (BS)";
- Part 19: "OFDMA TDD WMAN (Mobile WiMAX) TDD User Equipment (UE)";
- Part 20: "OFDMA TDD WMAN (Mobile WiMAX) TDD Base Station (BS)";
- Part 21: "OFDMA TDD WMAN (Mobile WiMAX) FDD User Equipment (UE)";
- Part 22: "OFDMA TDD WMAN (Mobile WiMAX) FDD Base Stations (BS)".

National transposition dates		
Date of adoption of this EN:	10 March 2015	
Date of latest announcement of this EN (doa):	30 June 2015	
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 December 2015	
Date of withdrawal of any conflicting National Standard (dow):	31 December 2016	

iTeh STANDARD PREVIEW

Modal verbs terminologyndards.iteh.ai)

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the ETSI Dratting Rules (Verbal forms for the expression of provisions).

84347b0c1630/sist-en-301-908-1-v7-1-1-2015

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.2]. The modular structure is shown in ETSI EG 201 399 [i.3].

1 Scope

The present document applies to user equipment, repeaters and base stations for IMT, falling within the scope of one of the other parts of ETSI EN 301 908 [i.11], except for IMT-2000 FDMA/TDMA (DECT). The present document also covers the corresponding ancillary equipment.

NOTE 1: ETSI EN 301 908-10 [i.10] contains in particular requirements for radiated spurious emissions and control and monitoring functions applicable to IMT-2000 FDMA/TDMA (DECT) equipment.

The present document includes technical requirements which are common to equipment falling within the scope of several of the other parts.

- NOTE 2: The other parts of ETSI EN 301 908 [i.11], which are listed in the foreword of the present document, specify technical requirements in respect of a particular type of IMT equipment.
- NOTE 3: Recommendations ITU-R M.1457-11 [i.7] and M.2012 [i.8] define the characteristics of the members of the IMT-2000 family and IMT-Advanced respectively by means of references to technical specifications developed by Standards Development organizations. The present document applies to equipment designed to meet any version of the terrestrial specifications referenced in Recommendations ITU-R M.1457-11 [i.7] and M.2012 [i.8].

The present document is intended to cover the provisions of Directive 1999/5/EC [i.2] (R&TTE Directive), article 3.2, which states that "... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference."

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [i.2] may apply to equipment within the scope of the present document.

NOTE 4: A list of such ENs is included on the web site http://www.newapproach.org.

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at http://docbox.etsi.org/Reference.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Recommendation ITU-R SM.329-12 (2012): "Unwanted emissions in the spurious domain".
- [2] ETSI EN 301 502 (V11.1.1) (07-2014): "Global System for Mobile communications (GSM); Harmonized EN for Base Station Equipment covering the essential requirements of article 3.2 of the R&TTE Directive".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations. Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio [i.2] equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive). ETSI EG 201 399: "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to [i.3] the production of Harmonized Standards for application under the R&TTE Directive". [i.4] Void. ETSI TR 100 028 (all parts) (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters [i.5](ERM); Uncertainties in the measurement of mobile radio equipment characteristics". [i.6] Directive 98/48/EC of the European Parliament and of the Council of 20 July 1998 amending Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations. Recommendation ITU-R M.1457-11 (2013): "Detailed specifications of the terrestrial radio [i.7] interfaces of International Mobile Telecommunications-2000 (IMT-2000)". [i.8] Recommendation ITU-R M.2012 (2012): "Detailed specifications of the terrestrial radio interfaces of International Mobile Telecommunications-Advanced (IMT-Advanced)". [i.9] Recommendation ITU-R SM.1539-1 (2002): "Variation of the boundary between the out-of-band and spurious domains required for the application of Recommendations ITU-R SM.1541 and ITU-R SM.329". (standards.iteh.ai) ETSI EN 301 908-10 (V4.1.1) (07-2009): "Electromagnetic compatibility and Radio spectrum [i.10] Matters (ERM); Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks: Part 10: Harmonized EN for IMT 2000; FDMA/TDMA (DECT) covering essential requirements of article 3,2 of the R&TTE Directive". [i.11] ETSI EN 301 908 (all parts): "IMT cellular networks; Harmonized EN covering the essential

3 Definitions, symbols and abbreviations

requirements of article 3.2 of the R&TTE Directive".

3.1 Definitions

For the purposes of the present document, the terms and definitions given in the R&TTE Directive [i.2] and the following apply:

ancillary equipment: equipment (apparatus), used in connection with a User Equipment (UE), Repeater or Base Station (BS) is considered as an ancillary equipment (apparatus) if:

- the equipment is intended for use in conjunction with a user equipment UE, repeater or BS to provide additional operational and/or control features to the radio equipment, (e.g. to extend control to another position or location); and
- the equipment cannot be used on a stand-alone basis to provide user functions independently of a UE, BS or combination of BS and repeater; and
- the UE, BS or combination of BS and repeater to which it is connected, is capable of providing some intended operation, such as transmitting and/or receiving without the ancillary equipment (i.e. it is not a sub-unit of the main equipment essential to the main equipment basic functions).

applicable part: part of the multi-part deliverable, of which the present document is the first part, for which the scope of that document includes the equipment to be tested

8

Base Station RF bandwidth: bandwidth in which a Base Station transmits and receives multiple carriers and/or RATs simultaneously

channel bandwidth: RF bandwidth supporting a single E-UTRA, Mobile WiMAX or UMB RF carrier with the transmission bandwidth configured in the uplink or downlink of a cell

NOTE: The channel bandwidth is measured in MHz and is used as a reference for transmitter and receiver RF requirements.

enclosure port: physical boundary of the apparatus through which electromagnetic fields may radiate or impinge

NOTE: In the case of integral antenna equipment, this port is inseparable from the antenna port.

environmental profile: range of environmental conditions under which equipment within the scope of the present document is required to comply with the provisions of the present document

idle mode: state of User Equipment (UE) when switched on but with no Radio Resource Control (RRC) connection

IMT-2000: mobile systems as defined in Recommendation ITU-R M.1457-11 [i.7]

NOTE: Recommendation ITU-R M.1457-11 [i.7] identifies the detailed specifications for the IMT-2000 radio interfaces.

IMT-Advanced: mobile systems as defined in Recommendation ITU-R M.2012 [i.8]

NOTE: Recommendation ITU-R M.2012 [i.8] identifies the detailed specifications for the IMT-Advanced radio interfaces.

Lower RF bandwidth edge: frequency of the lower edge of the Base Station RF bandwidth, used as a frequency reference point for transmitter and receiver requirements.

MSR Base Station: Base Station characterized by the ability of its receiver and transmitter to process two or more carriers in common active RF components simultaneously in a declared RF bandwidth, where at least one carrier is of a different RAT than the other carrier(s)

SIST EN 301 908-1 V7.1.12015

multi-band Base Station: Base Station characterized by the ability of its transmitter and/or receiver to process two or more carriers in common active RF components simultaneously, where at least one carrier is configured at a different non-overlapping operating band than the other carrier(s)

port: particular interface, of the specified equipment (apparatus), with the electromagnetic environment

NOTE: For example, any connection point on an equipment intended for connection of cables to or from that equipment is considered as a port (see figure 3.1-1).




Figure 3.1-1: Examples of ports




Figure 3.1-2: BS with single enclosure solution




Figure 3.1-3: BS with multiple enclosure solution

radio communications equipment: telecommunications equipment which includes one or more transmitters and/or receivers and/or parts thereof for use in a fixed, mobile or portable application

NOTE: It can be operated with ancillary equipment but if so, is not dependent on it for basic functionality.

radio digital unit: equipment which contains base band and functionality for controlling Radio unit

radio equipment: equipment which contains Radio digital unit and Radio unit

radio unit: equipment which contains transmitter and receiver

signal and control port: port which carries information or control signals, excluding antenna ports

telecommunication port: port which is intended to be connected to telecommunication networks (e.g. public switched telecommunication networks, integrated services digital networks), local area networks (e.g. Ethernet, token ring) and similar networks

traffic mode: state of User Equipment (UE) when switched on and with Radio Resource Control (RRC) connection established

Upper RF bandwidth edge: frequency of the upper edge of the Base Station RF bandwidth, used as a frequency reference point for transmitter and receiver requirements

WiMAX: trade marked name for the OFDMA TDD WMAN IMT technology

3.2 Symbols

For the purposes of the present document, the following symbols apply:

 $BW_{Channel} \qquad \quad Channel \ bandwidth$

F_{BW RF, high} Upper RF bandwidth edge

F_{BW RF, low} Lower RF bandwidth edge