

ETSI ES 203 259 V1.1.1 (2015-01)



**Integrated broadband cable  
telecommunication networks (CABLE);  
Converged Cable Access Platform;  
Operational Support System Interface**

PREVIEW  
it-euro  
https://standards.iteh.ai/catalog/standards/sist/975f0443-b9aa-4b96-8ef0-9b1110782015/et-203-259-v1.1.1-2015

---

**Reference**DES/CABLE-00010

---

**Keywords**access, broadband, cable, DOCSIS, IPCable,  
modem**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

---

The present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	23
Foreword.....	23
Modal verbs terminology.....	23
1 Scope .....	24
2 References .....	24
2.1 Normative references .....	24
2.2 Informative references.....	25
3 Definitions and abbreviations.....	27
3.1 Definitions.....	27
3.2 Abbreviations .....	29
4 CCAP Data Reference Architecture.....	31
5 Overview .....	32
5.1 FCAPS Network Management Model.....	32
5.1.1 Fault Management .....	32
5.1.2 Configuration Management .....	33
5.1.3 Accounting Management.....	34
5.1.4 Performance Management .....	35
5.1.5 Security Management .....	35
5.1.6 CCAP-OSSI Document Organization.....	35
6 Configuration Management.....	35
6.1 CCAP Configuration Theory of Operation.....	35
6.2 CCAP Configuration and Transport Protocol Requirements .....	36
6.2.1 Configuration Object Datastore .....	36
6.2.2 RF Interface Configurability and Licensing.....	36
6.2.3 DHCP Relay Agent Requirements.....	36
6.2.4 Dynamic Management of QAMs .....	37
6.2.4.1 Dynamic Assignment of SDV/VOD QAMs .....	37
6.2.5 Video Configuration Requirements .....	37
6.2.6 DOCSIS® Configuration Requirements.....	37
6.3 CCAP XML File-Based Configuration .....	37
6.3.1 CCAP XML Configuration File Theory of Operation.....	37
6.3.2 CCAP XML Configuration Files .....	38
6.3.3 XML Configuration File Checksum .....	39
6.3.4 XML Configuration File Validation .....	39
6.3.5 XML Configuration File Execution Command and NETCONF Operations .....	40
6.3.6 XML Configuration File Parsing and Error Logging .....	42
6.3.7 File Transfer Mechanisms .....	43
6.3.7.1 TLS for HTTPS.....	43
6.3.8 Exporting the Configuration Object Data Store.....	44
6.4 CCAP NETCONF-Based Configuration.....	45
6.4.1 NETCONF Theory of Operation .....	45
6.4.2 NETCONF Overview .....	46
6.4.3 NETCONF Requirements.....	46
6.5 UML Configuration Object Model.....	47
6.5.1 CCAP UML Configuration Object Model Overview .....	47
6.5.1.1 Default Values and Mandatory Configuration of Attributes in the Configuration Object Model.....	47
6.5.1.2 Enumeration Values in the Configuration Object Model.....	47
6.5.1.3 Use of Interface Names in Configuration.....	48
6.5.1.4 Unconstrained Strings in the Configuration Object Model.....	48
6.5.2 Vendor-Specific Extensions.....	48
6.5.3 CCAP Data Type Definitions .....	48
6.5.3.1 AdminState.....	49

6.5.3.2	AttributeMask .....	49
6.5.3.3	HePidValue .....	49
6.5.3.4	Host .....	49
6.5.3.5	IpAddress .....	50
6.5.3.6	InetAddressPrefixLength .....	50
6.5.3.7	InetIpPrefix .....	50
6.5.3.8	InetIpv4Prefix .....	50
6.5.3.9	InetIpv6Prefix .....	50
6.5.3.10	InetPortNum .....	50
6.5.3.11	InetHost .....	50
6.5.3.12	IPHostPrefix .....	50
6.5.3.13	Ipv4HostPrefix .....	51
6.5.3.14	Ipv6HostPrefix .....	51
6.5.3.15	TenthdB .....	51
6.5.3.16	UpDownTrapEnabled .....	51
6.5.4	CCAP Configuration Objects .....	52
6.5.4.1	Ccap Object .....	52
6.5.4.1.1	Ccap Object Attributes .....	52
6.5.4.2	Chassis .....	53
6.5.4.3	DocsCfg .....	53
6.5.4.4	VideoCfg .....	53
6.5.4.5	EponCfg .....	53
6.5.4.6	NetworkCfg .....	53
6.5.4.7	IfCfg .....	53
6.5.4.8	MgmtCfg .....	53
6.5.5	CCAP Chassis Objects .....	54
6.5.5.1	Ccap .....	54
6.5.5.2	Chassis .....	54
6.5.5.3	Decryptor .....	55
6.5.5.4	Slot .....	55
6.5.5.4.1	Slot Object Attributes .....	55
6.5.5.5	LineCard .....	55
6.5.5.5.1	LineCard Object Attributes .....	55
6.5.5.6	RfLineCard .....	56
6.5.5.7	EponLineCard .....	56
6.5.5.8	SreLineCard .....	56
6.5.5.9	Encryptor .....	56
6.5.5.10	Port .....	56
6.5.5.10.1	Port Object Attributes .....	57
6.5.5.11	DsRfPort .....	57
6.5.5.11.1	DsRfPort Object Attributes .....	57
6.5.5.12	DownChannel .....	58
6.5.5.12.1	DownChannel Object Attributes .....	58
6.5.5.12.2	DownChannel Configuration Constraints .....	59
6.5.5.12.3	Output Replication Requirements .....	59
6.5.5.13	DocsisDownChannel .....	60
6.5.5.13.1	DocsisDownChannel Object Attributes .....	61
6.5.5.14	VideoDownChannel .....	61
6.5.5.14.1	VideoDownChannel Object Attributes .....	61
6.5.5.15	DocsisPhyProfile .....	62
6.5.5.15.1	DocsisPhyProfile Object Attributes .....	62
6.5.5.16	VideoPhyProfile .....	62
6.5.5.16.1	VideoPhyProfile Object Attributes .....	62
6.5.5.17	DownChannelPhyParams .....	63
6.5.5.17.1	DownChannelPhyParams Object Attributes .....	63
6.5.5.18	FiberNodeCfg .....	63
6.5.5.18.1	FiberNodeCfg Object Attributes .....	64
6.5.5.19	UsRfPort .....	64
6.5.5.20	UpstreamPhysicalChannel .....	64
6.5.5.21	EnetPort .....	64
6.5.5.22	OneGigEthernet .....	65
6.5.5.22.1	OneGigEthernet Object Attributes .....	65

6.5.5.23	TenGigEthernet .....	65
6.5.5.24	FortyGigEthernet .....	66
6.5.5.25	OneHundredGigEthernet .....	66
6.5.5.26	PonPort .....	66
6.5.5.27	OneGigEpon .....	66
6.5.5.27.1	PonPort Object Attributes .....	67
6.5.5.28	TenGigEpon .....	67
6.5.5.28.1	TenGigEpon Object Attributes .....	68
6.5.6	CCAP Video Session Configuration Objects .....	69
6.5.6.1	Ccap .....	69
6.5.6.2	VideoCfg .....	69
6.5.6.3	GlobalInputTsCfg .....	70
6.5.6.3.1	GlobalInputTsCfg Object Attributes .....	70
6.5.6.4	GlobalOutputTsCfg .....	70
6.5.6.4.1	GlobalOutputTsCfg Object Attributes .....	70
6.5.6.5	UdpMap .....	71
6.5.6.5.1	UdpMap Object Attributes .....	71
6.5.6.6	StaticUdpMap .....	71
6.5.6.7	ReservedUdpMap .....	71
6.5.6.8	ReservedPidRange .....	72
6.5.6.8.1	ReservedPidRange Object Attributes .....	72
6.5.6.9	InputRegistration .....	72
6.5.6.9.1	InputRegistration Object Attributes .....	72
6.5.6.10	CasInfo .....	73
6.5.6.10.1	CasInfo Object Attributes .....	73
6.5.6.11	EncryptionData .....	74
6.5.6.11.1	EncryptionData Object Attributes .....	74
6.5.6.12	EncryptControl .....	75
6.5.6.12.1	EncryptControl Object Attributes .....	75
6.5.6.13	VideoInputTs .....	75
6.5.6.13.1	VideoInputTs Attributes .....	76
6.5.6.14	UnicastVideoInputTs .....	76
6.5.6.14.1	UnicastVideoInputTs Object Attributes .....	77
6.5.6.15	MulticastVideoInputTs .....	77
6.5.6.15.1	MulticastVideoInputTs Object Attributes .....	77
6.5.6.16	VideoOutputTs .....	78
6.5.6.16.1	VideoOutputTs Object Attributes .....	78
6.5.6.17	VideoDownChannel .....	78
6.5.6.18	DownChannel .....	78
6.5.6.19	ErmParams .....	79
6.5.6.19.1	ErmParams Object Attributes .....	79
6.5.6.20	EncryptionCapability .....	80
6.5.6.20.1	EncryptionCapability Object Attributes .....	80
6.5.6.21	ErmRegistration .....	80
6.5.6.21.1	ErmRegistration Object Attributes .....	81
6.5.6.22	VideoSession .....	83
6.5.6.22.1	VideoSession Object Attributes .....	83
6.5.6.23	ProgramSession .....	83
6.5.6.23.1	ProgramSession Object Attributes .....	84
6.5.6.24	MptsPassThruSession .....	84
6.5.6.25	PidSession .....	84
6.5.6.25.1	PidSession Object Attributes .....	85
6.5.6.26	Chassis .....	85
6.5.6.27	Decryptor .....	86
6.5.6.27.1	Decryptor Object Attributes .....	86
6.5.6.28	EcmdUsage .....	86
6.5.6.28.1	EcmdUsage Object Attributes .....	86
6.5.6.29	Ecmd .....	87
6.5.6.29.1	Ecmd Object Attributes .....	87
6.5.6.30	Ecm .....	87
6.5.6.30.1	Ecm Object Attributes .....	87
6.5.6.31	Slot .....	88

6.5.6.32	LineCard .....	88
6.5.6.33	RfLineCard.....	88
6.5.6.34	Encryptor.....	88
6.5.6.34.1	Encryptor Object Attributes.....	88
6.5.6.35	EcmgUsage .....	89
6.5.6.35.1	EcmgUsage Object Attributes .....	89
6.5.6.36	Ecmg .....	89
6.5.6.36.1	Ecmg Object Attributes .....	89
6.5.6.37	StaticUdpMapEncryption.....	90
6.5.6.37.1	StaticUdpMapEncryption Object Attributes.....	90
6.5.7	DOCSIS® Configuration Objects.....	90
6.5.7.1	DOCSIS® System Configuration .....	91
6.5.7.1.1	Ccap.....	91
6.5.7.1.2	DocsCfg.....	92
6.5.7.1.3	SecCfg.....	92
6.5.7.1.4	SubMgmtCfg .....	92
6.5.7.1.5	DocsQosCfg .....	92
6.5.7.1.6	GrpCfg.....	92
6.5.7.1.7	MacCfg.....	92
6.5.7.1.8	PcCfg.....	92
6.5.7.1.9	LoadBalanceCfg .....	92
6.5.7.1.10	DocsisGlobalCfg .....	93
6.5.7.1.11	McastAuthCfg .....	93
6.5.7.1.12	DocsIfCfg.....	93
6.5.7.1.13	DsgCfg.....	93
6.5.7.1.14	CMRemoteQuery .....	93
6.5.7.1.15	CmVendorOui .....	94
6.5.7.2	DOCSIS® Security Configuration .....	94
6.5.7.2.1	Ccap.....	95
6.5.7.2.2	DocsCfg.....	95
6.5.7.2.3	SecCfg.....	95
6.5.7.2.4	SavCfgList.....	96
6.5.7.2.5	SavRule .....	96
6.5.7.2.6	CmtsSavControl .....	96
6.5.7.2.7	CmtsServerCfg .....	96
6.5.7.2.8	CmtsEncrypt.....	97
6.5.7.2.9	CmtsCertificate.....	97
6.5.7.2.10	CmtsCertRevocationList .....	97
6.5.7.2.11	CmtsCmEaeExclusion.....	97
6.5.7.2.12	CmtsOnlineCertStatusProtocol.....	98
6.5.7.2.13	SysBpiCfg .....	98
6.5.7.3	DOCSIS® Subscriber Management Configuration .....	99
6.5.7.3.1	Ccap.....	99
6.5.7.3.2	DocsCfg.....	99
6.5.7.3.3	SubMgmtCfg .....	100
6.5.7.3.4	Base .....	100
6.5.7.3.5	FilterGrp .....	100
6.5.7.4	DOCSIS® QoS Configuration .....	101
6.5.7.4.1	DocsCfg.....	101
6.5.7.4.2	DocsQosCfg .....	102
6.5.7.4.3	ServiceClass .....	102
6.5.7.4.4	QosProfile.....	102
6.5.7.5	DOCSIS® Multicast QoS Configuration .....	103
6.5.7.5.1	Ccap.....	103
6.5.7.5.2	DocsCfg.....	103
6.5.7.5.3	GrpCfg.....	103
6.5.7.5.4	CmtsGrpCfg .....	104
6.5.7.5.5	Ssm.....	105
6.5.7.5.6	CmtsGrpEncryptCfg.....	105
6.5.7.5.7	CmtsGrpPhsCfg.....	105
6.5.7.5.8	CmtsGrpQosCfg.....	106
6.5.7.5.9	ServiceClass .....	106

6.5.7.5.10	DefGrpSvcClass .....	107
6.5.7.6	MAC Domain Configuration .....	107
6.5.7.6.1	Ccap.....	107
6.5.7.6.2	DocsCfg.....	108
6.5.7.6.3	MacCfg.....	108
6.5.7.6.4	MdCfg .....	108
6.5.7.6.5	MdBpiCfg.....	109
6.5.7.6.6	MacDomainCfg .....	109
6.5.7.6.7	EponMdCfg .....	110
6.5.7.6.8	IfCmtsMacCfg.....	110
6.5.7.6.9	DocsisDownChannel .....	110
6.5.7.6.10	DownChannel.....	110
6.5.7.6.11	DsBondingGrpCfg.....	110
6.5.7.6.12	UsBondingGrpCfg.....	111
6.5.7.6.13	UpstreamLogicalChannel .....	112
6.5.7.6.14	RccCfg.....	112
6.5.7.6.15	RxChCfg.....	112
6.5.7.6.16	RxModuleCfg.....	113
6.5.7.6.17	DenyCm.....	114
6.5.7.7	DOCSIS <sup>®</sup> Multicast Authorization Configuration .....	114
6.5.7.7.1	Ccap.....	115
6.5.7.7.2	DocsCfg.....	115
6.5.7.7.3	McastAuthCfg .....	115
6.5.7.7.4	Profiles.....	116
6.5.7.7.5	Ctrl.....	116
6.5.7.7.6	ProfileSessRule.....	116
6.5.7.7.7	Ssm .....	117
6.5.7.8	DOCSIS <sup>®</sup> Interface Configuration .....	118
6.5.7.8.1	DocsCfg.....	118
6.5.7.8.2	DocsIfCfg .....	119
6.5.7.8.3	ModulationProfile.....	119
6.5.7.8.4	IntervalUsageCode .....	119
6.5.7.8.5	UsRfPort.....	120
6.5.7.8.6	UpstreamPhysicalChannel.....	120
6.5.7.8.7	UpstreamLogicalChannel .....	121
6.5.7.8.8	ScdmaLogicalChannel.....	123
6.5.7.8.9	TdmaLogicalChannel.....	124
6.5.7.8.10	AtdmaLogicalChannel.....	124
6.5.7.8.11	TdmaAndAtdmaLogicalChannel.....	124
6.5.7.9	DSG Configuration .....	124
6.5.7.9.1	DocsCfg.....	126
6.5.7.9.2	DsgCfg.....	126
6.5.7.9.3	TimerCfg .....	126
6.5.7.9.4	DsgDownstream .....	127
6.5.7.9.5	DocsisDownChannel .....	127
6.5.7.9.6	DsgChannelList .....	127
6.5.7.9.7	DsgChannel .....	128
6.5.7.9.8	TunnelGroupToChannelList.....	128
6.5.7.9.9	TunnelGroupChannel .....	129
6.5.7.9.10	Classifier.....	129
6.5.7.9.11	TunnelCfg.....	131
6.5.7.9.12	ServiceClass .....	131
6.5.7.9.13	ClientIdCfgList.....	131
6.5.7.9.14	DsgClient.....	132
6.5.7.9.15	VendorParametersList .....	133
6.5.7.9.16	VendorParam.....	133
6.5.7.10	IPCablecom Configuration Objects .....	133
6.5.7.10.1	DocsCfg.....	134
6.5.7.10.2	PcCfg .....	134
6.5.7.10.3	IPCablecomConfig Object.....	135
6.5.7.10.4	PcEventCfg Object.....	136
6.5.7.11	Load Balance Configuration Objects .....	137

6.5.7.11.1	DocsCfg.....	137
6.5.7.11.2	LoadBalanceCfg.....	137
6.5.7.11.3	GeneralGrpCfg.....	138
6.5.7.11.4	FiberNodeListEntry.....	139
6.5.7.11.5	GeneralGrpDefaults.....	140
6.5.7.11.6	BasicRule.....	140
6.5.7.11.7	Policy.....	141
6.5.7.11.8	LoadBalanceRule.....	142
6.5.7.11.9	ResGrpCfg.....	142
6.5.7.11.10	RestrictCmCfg.....	144
6.5.8	CCAP Network Configuration Objects.....	145
6.5.8.1	Ccap.....	145
6.5.8.2	NetworkCfg.....	146
6.5.8.3	DnsResolver.....	146
6.5.8.3.1	DnsResolver Object Attributes.....	146
6.5.8.4	DnsServer.....	146
6.5.8.4.1	DnsServer Object Attributes.....	147
6.5.8.5	IntegratedServers.....	147
6.5.8.5.1	IntegratedServers Object Attributes.....	147
6.5.8.6	SshServer.....	148
6.5.8.6.1	SshServer Object Attributes.....	149
6.5.8.7	TelnetServer.....	149
6.5.8.7.1	TelnetServer Object Attributes.....	149
6.5.8.8	AuthenticationPolicy.....	150
6.5.8.8.1	AuthenticationPolicy Object Attributes.....	150
6.5.8.9	LocalAuth.....	150
6.5.8.9.1	LocalAuth Object Attributes.....	151
6.5.8.10	Authorizer.....	151
6.5.8.10.1	Authorizer Object Attributes.....	151
6.5.8.11	Radius.....	152
6.5.8.11.1	Radius Object Attributes.....	152
6.5.8.12	TacacsPlus.....	152
6.5.8.12.1	TacacsPlus Object Attributes.....	153
6.5.8.13	KeyChain.....	153
6.5.8.13.1	KeyChain Object Attributes.....	153
6.5.8.14	IpAcl.....	154
6.5.8.14.1	IpAcl Object Attributes.....	154
6.5.8.15	IpAclRule.....	154
6.5.8.15.1	IpAclRule Object Attributes.....	155
6.5.8.16	UserTerminal.....	158
6.5.8.16.1	UserTerminal Object Attributes.....	158
6.5.8.17	VirtualTerminal.....	158
6.5.8.17.1	VirtualTerminal Object Attributes.....	158
6.5.8.18	ConsoleTerminal.....	159
6.5.8.19	TerminalService.....	159
6.5.8.19.1	TerminalService Object Attributes.....	159
6.5.8.20	InputTransportControls.....	159
6.5.8.20.1	InputTransportControls Object Attributes.....	159
6.5.8.21	FailOver.....	160
6.5.8.21.1	FailOver Object Attributes.....	160
6.5.8.22	LocalTime.....	160
6.5.8.22.1	LocalTime Object Attributes.....	160
6.5.8.23	IpInterface.....	161
6.5.9	Interface Configuration Objects.....	161
6.5.9.1	Ccap.....	162
6.5.9.2	IfCfg.....	162
6.5.9.3	Loopback.....	163
6.5.9.4	VirtualInterface.....	163
6.5.9.5	IpInterface.....	163
6.5.9.5.1	IpInterface Object Attributes.....	163
6.5.9.6	PrimaryIpv4.....	164
6.5.9.6.1	PrimaryIpv4 Attributes.....	164



6.5.9.7	Ipv6 .....	164
6.5.9.7.1	Ipv6 Attributes .....	164
6.5.9.8	SecondaryIpv4 .....	164
6.5.9.8.1	SecondaryIpv4 Attributes .....	164
6.5.9.9	CableBundle .....	165
6.5.9.9.1	CableBundle Object Attributes .....	165
6.5.9.10	CableHelperCfg .....	165
6.5.9.10.1	CableHelperCfg Object Attributes .....	165
6.5.9.11	SecondaryGiAddr .....	166
6.5.9.11.1	SecondaryGiAddr Object Attributes .....	166
6.5.9.12	MacDomainCfg .....	166
6.5.9.13	EponMdCfg .....	166
6.5.9.14	MdCfg .....	166
6.5.9.15	EnetPort .....	166
6.5.9.16	OneGigEthernet .....	166
6.5.9.17	TenGigEthernet .....	167
6.5.9.18	FortyGigEthernet .....	167
6.5.9.19	OneHundredGigEthernet .....	167
6.5.9.20	Port .....	167
6.5.9.21	MgmdRouterInterface .....	167
6.5.9.21.1	MgmdRouterInterface Object Attributes .....	167
6.5.10	Management Configuration Objects .....	168
6.5.10.1	Ccap .....	168
6.5.10.2	MgmtCfg .....	168
6.5.10.3	FmCfg .....	169
6.5.10.4	SnmpCfg .....	169
6.5.10.5	IpdrCfg .....	169
6.5.10.6	Fault Management Configuration Objects .....	169
6.5.10.6.1	MgmtCfg .....	169
6.5.10.6.2	FmCfg .....	170
6.5.10.6.3	EventThrottleCfg .....	170
6.5.10.6.4	EventReportingCfg .....	170
6.5.10.6.5	CmtsEventCtrl .....	170
6.5.10.6.6	TrapEnable .....	170
6.5.10.6.7	DiagLogGlobalCfg .....	171
6.5.10.6.8	DiagLogTriggersCfg .....	171
6.5.10.6.9	SyslogServer .....	171
6.5.10.7	SNMP Agent Configuration Objects .....	172
6.5.10.7.1	MgmtCfg .....	172
6.5.10.7.2	SnmpCfg .....	173
6.5.10.7.3	AccessCfg .....	173
6.5.10.7.4	ViewCfg .....	174
6.5.10.7.5	NotifReceiverCfg .....	174
6.5.10.8	IPDR Configuration Objects .....	176
6.5.10.8.1	MgmtCfg .....	176
6.5.10.8.2	IpdrCfg .....	176
6.5.10.8.3	IpdrExporterCfg .....	176
6.5.10.8.4	StreamingSession .....	177
6.5.10.8.5	Template .....	178
6.5.10.8.6	Collector .....	179
6.5.11	CCAP EPON Configuration Objects .....	180
6.5.11.1	Ccap .....	180
6.5.11.2	EponCfg .....	180
6.5.11.3	OamCfg .....	180
6.5.11.4	LoopTimingCfg .....	181
6.5.11.5	MpcpCfg .....	181
6.5.11.6	EponMdCfg .....	181
6.5.11.7	DenyOnu .....	181
6.5.11.7.1	DenyOnu Object Attributes .....	181
6.5.11.8	MacDomainCfg .....	181
6.5.11.9	PonPort .....	181
6.5.11.10	Port .....	181

6.5.11.11	EponLineCard .....	181
6.6	Status Monitoring and Control Requirements .....	182
6.6.1	Status Monitoring and Control UML Object Models .....	182
6.6.1.1	Fault Management Control Objects .....	182
6.6.1.1.1	FmCtrl .....	182
6.6.1.1.2	EventLogCtrl .....	182
6.6.1.1.3	DiagLogGlobalCtrl .....	182
6.6.1.2	Performance Management Control Objects .....	183
7	Performance Management .....	184
7.1	Performance Management Requirements and Transport Protocols .....	184
7.1.1	SNMP and MIB Requirements .....	184
7.1.1.1	Protocol and Agent Requirements .....	184
7.1.1.2	MIBs .....	184
7.1.1.3	SCTE MIBs .....	184
7.1.1.4	CCAP MIB .....	185
7.1.1.5	Specific MIB Object Implementation Requirements .....	185
7.1.1.5.1	SNMPv2-MIB System Group Requirements .....	185
7.1.1.5.2	Interfaces Group MIB Requirements .....	185
7.1.1.5.3	Entity-MIB Requirements .....	195
7.2	Performance Management UML Object Models .....	195
7.2.1	State Data Objects .....	195
7.2.1.1	DOCS-IF3-MIB: CMTS Bonding .....	195
7.2.1.2	DOCS-IF3-MIB: RxCh Objects .....	197
7.2.1.3	DOCS-L2VPN-MIB State Objects .....	197
7.2.1.4	DOCS-LOADBAL3-MIB .....	198
7.2.1.5	DOCS-MCAST-AUTH-MIB .....	199
7.2.1.6	DOCS-QOS3-MIB: State Objects .....	200
7.2.1.7	DOCS-SEC-MIB .....	201
7.2.1.8	DOCS-SUBMGT3-MIB .....	202
7.2.1.9	CCAP Topology Objects .....	203
7.2.1.10	CCAP-MIB .....	204
7.2.1.10.1	CcapInterfaceIndexMap .....	205
7.2.1.10.2	EcmgStatus .....	206
7.2.1.10.3	EcmdStatus .....	206
7.2.1.10.4	CcapMpegInputProg .....	207
7.2.1.10.5	CcapMpegOutputProg .....	207
7.2.1.10.6	VideoSession .....	208
7.2.1.10.7	CcapDecryptSession .....	208
7.2.1.10.8	CcapMpegInputProgVideoSession .....	208
7.2.1.10.9	InputTS .....	209
7.2.1.11	SCTE-HMS-MPEG-MIB: State Objects .....	209
7.2.1.12	DOCS-DRF-MIB .....	211
7.2.2	Statistical Data Objects .....	211
7.2.2.1	DOCS-IF-MIB .....	211
7.2.2.2	DOCS-IF3-MIB .....	212
7.2.2.3	DOCS-L2VPN-MIB Statistics Objects .....	213
7.2.2.4	DOCS-MCAST-MIB .....	214
7.2.2.5	DOCS-QOS3-MIB: Statistical Objects .....	214
7.2.2.6	SCTE-HMS-MPEG-MIB: Statistics Objects .....	215
7.3	IPDR .....	217
7.3.1	IPDR Service Definitions .....	217
8	Accounting Management .....	217
8.1	SAMIS .....	217
9	Fault Management and Reporting Requirements .....	217
9.1	Fault Management Requirements and Transport Protocols .....	217
9.2	Event Reporting .....	217
9.2.1	Event Notification .....	217
9.2.1.1	Format of Events .....	218
9.2.1.1.1	Local Event Logging .....	218
9.2.1.1.2	SNMP Traps .....	218

9.2.1.1.3	Syslog .....	218
9.2.1.2	Standard Events for CCAP .....	218
9.2.2	Event Priorities and Vendor-Specific Events .....	219
9.2.3	NETCONF Notifications .....	219
9.3	Fault Management UML Object Model .....	220
9.3.1	Event Notification Objects .....	220
9.3.2	CCAP CM Diagnostic Log Objects .....	220
<b>Annex A (normative):</b>	<b>SNMP MIBs .....</b>	<b>222</b>
A.1	CCAP MIB .....	222
<b>Annex B (normative):</b>	<b>Extending the Configuration Data Model .....</b>	<b>229</b>
B.1	XML Schema Extension .....	229
B.1.1	Sample Vendor-Specific XSD Extensions .....	229
B.1.1.1	Extending a Standard Configuration Object .....	229
B.1.1.1.1	Sample Configuration File Using Extended Standard Configuration Objects .....	230
B.1.1.2	Extending by Adding a New Object Type .....	230
B.1.1.2.1	Sample Configuration File Using the New Vendor Extension Objects .....	231
B.2	YANG Configuration Model Extension .....	232
B.2.1	YANG Extension Principles .....	232
B.2.2	Creating Vendor Extensions .....	232
B.2.2.1	Specifying the Vendor-Proprietary Namespace in YANG .....	232
B.2.2.2	Extending a Container or List in YANG .....	232
B.2.3	Example Vendor-Proprietary Extensions in YANG Configuration Messages .....	234
B.2.3.1	Sample Vendor-Extension YANG Module .....	234
B.2.3.2	Sample Partial Configuration Message Using Vendor Extensions .....	235
<b>Annex C (normative):</b>	<b>Format and Content for Event, Syslog, and SNMP Notification .....</b>	<b>236</b>
C.1	Example SNMP Notification and Syslog Event Message .....	241
<b>Annex D (normative):</b>	<b>CCAP Data Type Definitions .....</b>	<b>242</b>
D.1	Overview .....	242
D.2	Primitive Data Types .....	242
D.3	Derived Data Types .....	242
<b>Annex E (normative):</b>	<b>YANG Module for Event Messaging .....</b>	<b>244</b>
<b>Annex F (normative):</b>	<b>Detailed MIB Requirements .....</b>	<b>246</b>
F.1	Conventions Used in this Annex .....	246
F.2	CCAP-MIB Object Details .....	246
F.3	HMS-MIB Object Details .....	247
<b>Annex G (normative):</b>	<b>YANG Configuration Module .....</b>	<b>251</b>
<b>Annex H (informative):</b>	<b>Sample CCAP XML Configuration .....</b>	<b>373</b>
H.1	CCAP XML Configuration File .....	373
H.2	CCAP Partial Configuration .....	408
H.3	Sample NETCONF Message Exchanges .....	409
H.3.1	Changes Made to running-config without Locks or Timeouts .....	409
H.3.2	Changes Made to candidate-config with a Lock .....	410
<b>Annex I (informative):</b>	<b>Use Cases .....</b>	<b>413</b>
I.1	Identifying Replicated QAMs .....	413

<b>Annex J (informative):</b>	<b>Vendor Schema Version in the CCAP XSD .....</b>	<b>414</b>
<b>Annex K (informative):</b>	<b>Converting YANG to XSD .....</b>	<b>415</b>
K.1	Using PYANG to Generate an XSD from the CCAP YANG Modules .....	415
K.2	Creating In-Line Data Types in the CCAP.XSD.....	415
<b>Annex L (informative):</b>	<b>Bibliography .....</b>	<b>417</b>
History .....		418

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/975f0443-b9aa-4b96-8ef0-9b111078e0fc/etsi-es-203-259-v1.1.1-2015-01>

## List of figures

Figure 4.1: CCAP Interface Reference Architecture .....	32
Figure 5.1: Fault Management Use Cases .....	33
Figure 5.2: Configuration Management Use Cases .....	34
Figure 6.1: CCAP XML File-Based Configuration Use Case .....	38
Figure 6.2: CCAP NETCONF-Based Configuration Use Case .....	45
Figure 6.3: CCAP Configuration Objects .....	52
Figure 6.4: CCAP Chassis Objects .....	54
Figure 6.5: CCAP Video Session Configuration Objects .....	69
Figure 6.6: DOCSIS <sup>®</sup> Configuration Objects .....	91
Figure 6.7: DOCSIS <sup>®</sup> Security Configuration Objects .....	95
Figure 6.8: DOCSIS <sup>®</sup> Subscriber Management Configuration Objects .....	99
Figure 6.9: DOCSIS <sup>®</sup> QoS Configuration Objects .....	101
Figure 6.10: DOCSIS <sup>®</sup> Multicast QoS Configuration Objects .....	103
Figure 6.11: MAC Domain Configuration Objects .....	107
Figure 6.12: DOCSIS <sup>®</sup> Multicast Authorization Configuration Objects .....	115
Figure 6.13: DOCSIS <sup>®</sup> Interface Configuration Objects .....	118
Figure 6.14: DSG Configuration Objects .....	125
Figure 6.15: IPCablecom Configuration Objects .....	134
Figure 6.16: Load Balance Configuration Objects .....	137
Figure 6.17: CCAP Network Configuration Objects .....	145
Figure 6.18: Interface Configuration Objects .....	162
Figure 6.19: Management Configuration Objects .....	168
Figure 6.20: Fault Management Configuration Objects .....	169
Figure 6.21: SNMP Agent Configuration Objects .....	172
Figure 6.22: IPDR Configuration Objects .....	176
Figure 6.23: EPON Configuration Objects .....	180
Figure 6.24: Fault Management Control Objects .....	182
Figure 6.25: Performance Management Control Objects .....	183
Figure 7.1: ifStack Table for CCAP RF Interfaces .....	186
Figure 7.2: DOCS-IF3-MIB: CMTS Bonding Performance Management Objects .....	196
Figure 7.3: DOCS-IF3-MIB: RxCh Performance Management Objects .....	197
Figure 7.4: DOCS-L2VPN-MIB: State Objects .....	198
Figure 7.5: DOCS-IF3-MIB: RxCh Performance Management Objects .....	199