INTERNATIONAL STANDARD

ISO 22669

Second edition 2007-02-15

Space data and information transfer systems — Space link extension (SLE) — Return-all-frames service

Systèmes de transfert des données et informations spatiales — Extension de liaisons spatiales (SLE) — Service de retour par tout réseau

iTeh STANDARD PREVIEW (standards.iteh.ai)



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 22669:2007 https://standards.iteh.ai/catalog/standards/sist/99e17c4e-87ef-436d-821b-94dfb529d09e/iso-22669-2007

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

This second edition cancels and replaces the first edition (ISO 22669:2003), which has been technically revised.

ISO 22669 was prepared by the Consultative Committee for Space Data Systems (CCSDS) (as CCSDS 911.1-B-2, November 2004) and was adopted (without modifications except those stated in Clause 2 of this International Standard) by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 13, *Space data and information transfer systems*.

iTeh STANDARD PREVIEW (standards.iteh.ai)

Space data and information transfer systems — Space link extension (SLE) — Return-all-frames service

Scope

This International Standard defines the space link extension (SLE) return-all-frames (RAF) service in conformance with ISO 15396:1998. The RAF service is an SLE transfer service that delivers to a mission user all telemetry frames from one space link physical channel.

This International Standard defines, in an abstract manner, the RAF service in terms of

- the operations necessary to provide the service;
- the parameter data associated with each operation;
- the behaviors that result from the invocation of each operation; and
- HEN STANDAKD PREVIEW the relationship between, and the valid sequence of, the operations and resulting behaviors.

It does not specify

ISO 22669:2007

(standards.iteh.ai)

- individual implementations or products; og/standards/sist/99e17c4e-87ef-436d-821b-
- 94dfb529d09e/iso-22669-2007 — the implementation of entities or interfaces within real systems;
- the methods or technologies required to acquire telemetry frames from signals received from a spacecraft:
- the methods or technologies required to provide a suitable environment for communications; or
- the management activities required to schedule, configure, and control the RAF service.

The scope and field of application are furthermore detailed in subclause 1.3 of the enclosed CCSDS publication.

Requirements

Requirements are the technical recommendations made in the following publication (reproduced on the following pages), which is adopted as an International Standard:

CCSDS 911.1-B-2, November 2004, Space link extension — Return all frames service specification.

For the purposes of international standardization, the modifications outlined below shall apply to the specific clauses and paragraphs of publication CCSDS 911.1-B-2.

Pages i to v

This part is information which is relevant to the CCSDS publication only.

ISO 22669:2007(E)

Page 1-13

Add the following information to the reference indicated:

- [1] Document CCSDS 910.4-B-1, May 1996, is equivalent to ISO 15396:1998
- [2] Document CCSDS 131.0-B-1, September 2003, is equivalent to ISO 22641:2005.
- [3] Document CCSDS 132.0-B-1, September 2003, is equivalent to ISO 22645:2005.
- [4] Document CCSDS 732.0-B-1, September 2003, is equivalent to ISO 22666:2005.
- [5] Document CCSDS 301.0-B-3, January 2002, is equivalent to ISO 11104:2003.
- [7] ISO/IEC 8824:1998 has been cancelled and replaced by ISO/IEC 8824:2002, *Information technology Abstract Syntax Notation One (ASN.1)*.

Page E-1

Add the following information to the reference indicated:

[E4] Document CCSDS 102.0-B-5, November 2000, is equivalent to ISO 13419:2003.

3 Revision of publication CCSDS 911.1-B-2RD PREVIEW

It has been agreed with the Consultative Committee for Space Data Systems that Subcommittee ISO/TC 20/SC 13 will be consulted in the event of any revision or amendment of publication CCSDS 911.1-B-2. To this end, NASA will act as a liaison body between CCSDS and ISO.

3

Consultative Committee for Space Data Systems

RECOMMENDATION FOR SPACE DATA SYSTEM STANDARDS

SPACE LINK EXTENSION— RETURN ALL FRAMES SERVICE SPECIFICATION


ISO 22669:2007

https://standards.iteh.ai/catalog/standards/sist/99e17c4e-87ef-436d-821b-94dfb529d09e/iso-22669-2007

CCSDS 911.1-B-2

Blue Book

November 2004



© ISO 2007 – All rights reserved

iTeh STANDARD PREVIEW (blank page) (standards.iteh.ai)

AUTHORITY

Issue: Blue Book, Issue 2
Date: November 2004
Location: Toulouse, France

This document has been approved for publication by the Management Council of the Consultative Committee for Space Data Systems (CCSDS) and represents the consensus technical agreement of the participating CCSDS Member Agencies. The procedure for review and authorization of CCSDS Recommendations is detailed in the *Procedures Manual for the Consultative Committee for Space Data Systems*, and the record of Agency participation in the authorization of this document can be obtained from the CCSDS Secretariat at the address below.

This Recommendation is published and maintained by REVIEW

CCSDS Secretariat (standards.iteh.ai)

Office of Space Communication (Code M-3)

National Aeronautics and Space Administration

Washington;/DGd20546,aUSAog/standards/sist/99e17c4e-87ef-436d-821b-94dfb529d09e/iso-22669-2007

STATEMENT OF INTENT

The Consultative Committee for Space Data Systems (CCSDS) is an organization officially established by the management of member space Agencies. The Committee meets periodically to address data systems problems that are common to all participants, and to formulate sound technical solutions to these problems. Inasmuch as participation in the CCSDS is completely voluntary, the results of Committee actions are termed **Recommendations** and are not considered binding on any Agency.

This **Recommendation** is issued by, and represents the consensus of, the CCSDS Plenary body. Agency endorsement of this **Recommendation** is entirely voluntary. Endorsement, however, indicates the following understandings:

- o Whenever an Agency establishes a CCSDS-related **standard**, this **standard** will be in accord with the relevant **Recommendation**. Establishing such a **standard** does not preclude other provisions which an Agency may develop.
- o Whenever an Agency establishes a CCSDS-related standard, the Agency will provide other CCSDS member Agencies with the following information:
 - -- The standard itselfstandards.iteh.ai)
 - -- The anticipated date of initial operational capability.
 - https://standards.iteh.ai/catalog/standards/sist/99e17c4e-87ef-436d-821b-
 - -- The anticipated duration of operational service.
- o Specific service arrangements shall be made via memoranda of agreement. Neither this **Recommendation** nor any ensuing **standard** is a substitute for a memorandum of agreement.

No later than five years from its date of issuance, this **Recommendation** will be reviewed by the CCSDS to determine whether it should: (1) remain in effect without change; (2) be changed to reflect the impact of new technologies, new requirements, or new directions; or, (3) be retired or canceled.

In those instances when a new version of a **Recommendation** is issued, existing CCSDS-related Agency standards and implementations are not negated or deemed to be non-CCSDS compatible. It is the responsibility of each Agency to determine when such standards or implementations are to be modified. Each Agency is, however, strongly encouraged to direct planning for its new standards and implementations towards the later version of the Recommendation.

FOREWORD

This document is a technical **Recommendation** for use in developing ground systems for space missions and has been prepared by the **Consultative Committee for Space Data Systems** (CCSDS). The Space Link Extension Return All Frames Service described herein is intended for missions that are cross-supported between Agencies of the CCSDS.

This **Recommendation** specifies a data service that extends certain of the space-to-ground communications services previously defined by CCSDS (references [2], [3], and [4]) within the framework established by the CCSDS Space Link Extension Reference Model (reference [1]). It allows implementing organizations within each Agency to proceed with the development of compatible, derived Standards for the ground systems that are within their cognizance. Derived Agency Standards may implement only a subset of the optional features allowed by the **Recommendation** and may incorporate features not addressed by the **Recommendation**.

Through the process of normal evolution, it is expected that expansion, deletion or modification to this document may occur. This **Recommendation** is therefore subject to CCSDS document management and change control procedures, as defined in the *Procedures Manual for the Consultative Committee for Space Data Systems*. Current versions of CCSDS documents are maintained at the CCSDS Web site:

http://www.ccsds.org/

Questions relating to the contents of status of this document should be addressed to the CCSDS Secretariat at the address indicated on page i. 2007

At time of publication, the active Member and Observer Agencies of the CCSDS were:

Member Agencies

- Agenzia Spaziale Italiana (ASI)/Italy.
- British National Space Centre (BNSC)/United Kingdom.
- Canadian Space Agency (CSA)/Canada.
- Centre National d'Etudes Spatiales (CNES)/France.
- Deutsches Zentrum für Luft- und Raumfahrt e.V. (DLR)/Germany.
- European Space Agency (ESA)/Europe.
- Instituto Nacional de Pesquisas Espaciais (INPE)/Brazil.
- Japan Aerospace Exploration Agency (JAXA)/Japan.
- National Aeronautics and Space Administration (NASA)/USA.
- Russian Federal Space Agency (FSA)/Russian Federation.

Observer Agencies

- Austrian Space Agency (ASA)/Austria.
- Central Research Institute of Machine Building (TsNIIMash)/Russian Federation.
- Centro Tecnico Aeroespacial (CTA)/Brazil.
- Chinese Academy of Space Technology (CAST)/China.
- Commonwealth Scientific and Industrial Research Organization (CSIRO)/Australia.
- Communications Research Laboratory (CRL)/Japan.
- Danish Space Research Institute (DSRI)/Denmark.
- Danish Space Research Institute (DSRI)/Denmark.
 European Organization for the Exploitation of Meteorological Satellites (EUMETSAT)/Europe.
- European Telecommunications Satellite Organization (EUTELSAT)/Europe.
- Federal Service of Scientific, Technical & Cultural Affairs (FSST&CA)/Belgium.
- Hellenic National Space Committee (HNSC)/Greece.
- Indian Space Research Organization (ISRO)/India.
- Institute of Space Research (IKI)/Russian Federation.
- KFKI Research Institute for Particle & Nuclear Physics (KFKI)/Hungary.
- MIKOMTEK: CSIR (CSIR)/Republic of South Africa.
- Korea Aerospace Research Institute (KARI)/Korea.
- Ministry of Communications (MOC)/Israel.
- National Institute of Information and Communications Technology (NICT)/Japan.
- National Oceanic & Atmospheric Administration (NOAA)/USA.
- National Space Program Office (NSPO)/Taipei.
- Space and Upper Atmosphere Research Commission (SUPARCO)/Pakistan.
- Swedish Space Corporation (SSC)/Sweden.
- United States Geological Survey (USGS)/USA.

DOCUMENT CONTROL

Document	Title	Date	Status
CCSDS 911.1-B-1	Space Link Extension— Return All Frames Service Specification	April 2002	Original Issue
CCSDS 911.1-B-2	Space Link Extension— Return All Frames Service Specification	November 2004	Issue 2, Blue Book

iTeh STANDARD PREVIEW (standards.iteh.ai)

CONTENTS

Se	ection		<u>Page</u>
1	INT	RODUCTION	1-1
	1.1	PURPOSE OF THIS RECOMMENDATION	1-1
	1.2	SCOPE	1-1
	1.3	APPLICABILITY	1-1
	1.4	RATIONALE	1-2
	1.5	DOCUMENT STRUCTURE	1-2
	1.6	DEFINITIONS, NOMENCLATURE, AND CONVENTIONS	1-4
	1.7	REFERENCES	1-13
2	DES	CRIPTION OF THE RETURN ALL FRAMES SERVICE	2-14
	2.1	OVERVIEW	2-14
	2.2	SPACE LINK EXTENSION REFERENCE MODEL	
	2.3	SERVICE MANAGEMENT	2-16
	2.4	ARCHITECTURE MODEL—FUNCTIONAL VIEW	2-17
	2.5	ARCHITECTURE MODEL—FUNCTIONAL VIEW ARCHITECTURE MODEL—CROSS SUPPORT VIEW	2-20
	2.6		
	2.7	FUNCTIONAL DESCRIPTION OPERATIONAL SCENARIO	2-30
	2.8	SECURITY ASPECTS OF THE SLE RAF TRANSFER SERVICE	2-31
3	RAF	https://standards.iteh.ai/catalog/standards/sist/99e17c4e-87ef-436d-821b- SERVICE OPERATIONS 29d09e/isu-22069-2007	3-1
	3.1	GENERAL CONSIDERATIONS	3-1
	3.2	RAF-BIND.	
	3.3	RAF-UNBIND	
	3.4	RAF-START	
	3.5	RAF-STOP	3-29
	3.6	RAF-TRANSFER-DATA	3-31
	3.7	RAF-SYNC-NOTIFY	3-35
	3.8	RAF-SCHEDULE-STATUS-REPORT	3-38
	3.9	RAF-STATUS-REPORT	3-42
	3.10	RAF-GET-PARAMETER	3-45
	3.11	RAF-PEER-ABORT	3-49
4	RAF	PROTOCOL	4-1
	4.1	GENERIC PROTOCOL CHARACTERISTICS	4-1
	4 2	RAF SERVICE PROVIDER BEHAVIOR	4-4

CONTENTS (CONTINUED)

Section	<u>Page</u>
ANNEX A Data Type Definitions	A-1
ANNEX B Index to Definitions.	B-1
ANNEX C Acronyms	C-1
ANNEX D Conformance Matrix	D-1
ANNEX E Informative References	E-1
<u>Figure</u>	
1-1 SLE Services Documentation	1-4
2-1 Return Space Link Processing SLE-FG	
2-2 RAF Service Production and Provision.	
2-3 Example of the Management and Provision of RAF Service	
2-4 Simplified RAF Service Provider State Transition Diagram	
2-5 Communications Realization of RAF Service	
2-6 Buffers and Delivery Modes A. N.D. A.R.D. P.R.T. V. I.E. W.	
(standards.iteh.ai)	
ISO 22669:2007 2-1 RAF Operations/standards.iteh.ai/catalog/standards/sist/99e17e4e-87ef-436d-821b	2-22
3-1 Setting of RAF Service Configuration Parameters 2007.	
3-2 RAF-BIND Parameters	
3-3 RAF-UNBIND Parameters	3-21
3-4 RAF-START Parameters	3-25
3-5 RAF-STOP Parameters	3-29
3-6 RAF-TRANSFER-DATA Parameters	3-31
3-7 RAF-SYNC-NOTIFY Parameters	3-35
3-8 RAF-SCHEDULE-STATUS-REPORT Parameters	3-39
3-9 RAF-STATUS-REPORT Parameters	3-42
3-10 RAF-GET-PARAMETER Parameters	3-45
3-11 RAF Parameters	
3-12 RAF-PEER-ABORT Parameters	3-49
4-1 Provider Behavior	
4-2 Event Description References	
4-3 Predicate Descriptions	
4-4 Boolean Flags	
4-5 Compound Action Definitions	
D-1 Conformance Matrix for RAF Service (Operations)	
D-2 Conformance Matrix for RAF Service (Other Requirements)	D-2

CCSDS 911.1-B-2 Page vii November 2004