

SLOVENSKI STANDARD
SIST ISO 5008:2015/Cor 1:2015

01-april-2015

Nadomešča:
SIST ISO 5008:1995

Kmetijski kolesni traktorji in poljski stroji - Merjenje tresljajev celega telesa voznika

Agricultural wheeled tractors and field machinery -- Measurement of whole-body vibration of the operator

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Tracteurs et matériels agricoles à roues -- Mesurage des vibrations transmises globalement au conducteur

[SIST ISO 5008:2015/Cor 1:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/bbbea331-45e5-4473-9e8d-b3aa9dca763f/sist-iso-5008-2015-cor-1-2015>

Ta slovenski standard je istoveten z: ISO 5008:2002/Cor 1:2005

ICS:

| | | |
|-----------|---------------------------------------|--|
| 13.160 | Vpliv vibracij in udarcev na ljudi | Vibration and shock with respect to human beings |
| 65.060.01 | Kmetijski stroji in oprema na splošno | Agricultural machines and equipment in general |

SIST ISO 5008:2015/Cor 1:2015

en,fr

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 5008:2015/Cor 1:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/bbbea331-45e5-4473-9e8d-b3aa9dca763f/sist-iso-5008-2015-cor-1-2015>



INTERNATIONAL STANDARD ISO 5008:2002
TECHNICAL CORRIGENDUM 1

Published 2005-11-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Agricultural wheeled tractors and field machinery — Measurement of whole-body vibration of the operator

TECHNICAL CORRIGENDUM 1

Tracteurs et matériels agricoles à roues — Mesurage des vibrations globales du corps du conducteur

RECTIFICATIF TECHNIQUE 1

iTeh STANDARD PREVIEW

Technical Corrigendum 1 to ISO 5008:2002 was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 2, *Common tests*.

[SIST ISO 5008:2015/Cor 1:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/bbbea331-45e5-4473-9e8d-b3aa9dca763f/sist-iso-5008-2015-cor-1-2015>

Pages 8, 9 and 10, Table 1, header to the third column from the left

Replace the dimension “m” for the variable “R” with “mm”.

Page 10, Table 1, and page 12, Table 2

Add the following row at the end of each table:

| | |
|----------|-------------------------|
| <i>D</i> | distance from start |
| <i>L</i> | ordinate of left strip |
| <i>R</i> | ordinate of right strip |