INTERNATIONAL STANDARD



First edition 2008-11-15

Polygonal taper interface with flange contact surface —

Part 1: Dimensions and designation of shanks

Interfaces à cône polygonal avec face d'appui **iTeh STPartie 1: Dimensions et désignation des queues (standards.iteh.ai)**

<u>ISO 26623-1:2008</u> https://standards.iteh.ai/catalog/standards/sist/d1deaf0f-09b3-4bad-91a0-92bf76cd3d4e/iso-26623-1-2008



Reference number ISO 26623-1:2008(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 26623-1:2008</u> https://standards.iteh.ai/catalog/standards/sist/d1deaf0f-09b3-4bad-91a0-92bf76cd3d4e/iso-26623-1-2008



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

ISO 26623-1 was prepared by Technical Committee ISO/TC 29, Small tools.

ISO 26623 consists of the following parts, under the general title *Polygonal taper interface with flange contact surface*:

— Part 1: Dimensions and designation of shanks RD PREVIEW

— Part 2: Dimensions and designation of receivers iten.ai)

<u>ISO 26623-1:2008</u> https://standards.iteh.ai/catalog/standards/sist/d1deaf0f-09b3-4bad-91a0-92bf76cd3d4e/iso-26623-1-2008

Introduction

The International Organization for Standardization (ISO) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the modular taper with ball track system.

ISO takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured ISO that he/she is willing to waive the exercise of this patent right throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO. Information may be obtained from:

ISO Central Secretariat International Organization for Standardization (ISO) 1, chemin de la Voie-Creuse, Case postale 56 CH-1211 Geneva 20, Switzerland

Attention is drawn to the possibility that some of the elements in this document may be the subject of patent rights other than that identified above. ISO shall not be held responsible for identifying any or all such patent rights.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 26623-1:2008 https://standards.iteh.ai/catalog/standards/sist/d1deaf0f-09b3-4bad-91a0-92bf76cd3d4e/iso-26623-1-2008

Polygonal taper interface with flange contact surface —

Part 1: **Dimensions and designation of shanks**

1 Scope

This part of ISO 26623 specifies the dimensions for polygonal taper interface with flange contact surface: polygon-shanks for automatic and manual tool exchange to be applied on machine tools (e.g. turning machines, drilling machines, milling machines and turn/milling centres, as well as grinding machines). A range of shank sizes is specified.

These shanks incorporate a grooved flange to enable automatic tool exchange. The clamping can be realized by a circular groove using clamping segments or internal screw threads using centre-bolts.

The torque is transmitted by form lock (polygon). ARD PREVIEW

(standards.iteh.ai)

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 965-2, ISO general purpose metric screw threads — Tolerances — Part 2: Limits of sizes for general purpose external and internal screw threads — Medium quality

ISO 2768-1, General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications

3 Dimensions

3.1 General

Tolerancing of linear and angular dimensions not specified shall be of tolerance class "m" in accordance with ISO 2768-1. Tolerances for threads where the tolerance is not stated shall be in accordance with ISO 965-2.

3.2 Polygon-shank

The dimensions of polygon-shanks are shown in Figures 1 and 2 and given in Table 1.



Figure 1 (continued)



Figure 1 (continued)



^c Gauge ball.

а

b

- d ~ 0,4 $\times\,45^\circ or$ R 0,5.
- e Thread soft.
- ^f Data chip hole, optional.
- g ~ 0,3 \times 45° or R 0,3
- ^h Gauge pin.

- ⁿ Form of profile from actual ground curve $=^{+0}_{+0.007}$ (sectioned areas).
- ^o Theoretical polygon curve.
- ^p Actual ground curve.
- ^q Polygon curve according to Figure 2.
- ^r Section A-A with data chip hole, optional.

Figure 1 — Polygon-shank

