



**Integrated broadband cable  
telecommunication networks (CABLE);  
Fourth Generation Transmission Systems for  
Interactive Cable Television Services - IP Cable Modems;  
Part 3: MAC and Upper Layer Protocols Interface;  
DOCSIS® 3.1**

TECHNICAL SPECIFICATION  
PREVIEW  
<https://standards.etsi.org/standards-search/0c856fda-1399-40df-9171-3e0d19550017/etsi-ts-103-311-3-v1.1.1->

---

**Reference**

DTS/CABLE-00017-3

---

**Keywords**access, broadband, cable, DOCSIS, IPcable,  
modem, multimedia**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	28
Foreword.....	28
Modal verbs terminology.....	28
1 Scope .....	29
2 References .....	29
2.1 Normative references .....	29
2.2 Informative references.....	32
3 Definitions, symbols and abbreviations .....	34
3.1 Definitions.....	34
3.2 Symbols.....	45
3.3 Abbreviations .....	45
4 Requirements and Conventions.....	52
4.1 Requirements.....	52
4.2 Conventions.....	52
5 Overview and Theory of Operations .....	52
5.1 MULPI Key Features .....	52
5.2 Technical Overview .....	55
5.2.0 MAC Layer Features .....	55
5.2.1 CMTS and CM Models.....	55
5.2.1.1 CMTS Model .....	55
5.2.1.1.0 Overview .....	55
5.2.1.1.1 CMTS Types .....	56
5.2.1.1.2 CMTS Internal Forwarding Model .....	57
5.2.1.1.3 CMTS MAC Domain .....	58
5.2.1.2 CM Model.....	59
5.2.2 Downstream Convergence Layer.....	59
5.2.2.1 Control Channel .....	59
5.2.2.1.1 PLC.....	59
5.2.2.1.2 NCP .....	59
5.2.2.2 Profiles .....	60
5.2.2.2.1 Multiple Downstream Profile Support in OFDM Channels .....	60
5.2.3 OFDMA Upstream .....	60
5.2.4 QoS .....	61
5.2.4.0 Overview.....	61
5.2.4.1 Individual and Group Service Flows.....	62
5.2.4.2 Hierarchical QoS.....	62
5.2.4.3 AQM .....	63
5.2.4.4 Channel Bonding.....	63
5.2.4.4.1 Downstream Channel Bonding.....	63
5.2.4.4.2 Upstream Channel Bonding.....	64
5.2.4.5 Upstream Time and Frequency Multiplexing .....	66
5.2.4.6 Autonomous Load Balancing .....	67
5.2.5 Multicast Operation .....	68
5.2.6 Network and Higher Layer Protocols .....	68
5.2.7 CM and CPE Provisioning and Management .....	69
5.2.7.1 Initialization, Provisioning and Management of CMs .....	69
5.2.7.2 Initialization, Provisioning and Management of CPEs .....	70
5.2.8 Enhanced Support for Timing Protocol .....	70
5.2.9 Energy Management.....	70
5.2.10 Relationship to the Physical HFC Plant Topology .....	71
5.2.10.1 RF Topology Configuration.....	71
5.2.10.2 Frequency Assignment.....	72
5.2.11 Cable Modem Service Group (CM-SG) .....	73
5.2.11.0 Overview.....	73

5.2.11.1	MAC Domain Channel Assignment.....	74
5.2.11.2	Multiple MAC Domains per Fibre Node .....	75
5.2.11.3	MAC Domain Downstream and Upstream Service Groups.....	76
5.2.11.4	Channel Bonding Topology Considerations .....	77
5.2.12	CMTS Downstream Service Model Example.....	77
6	Media Access Control Specification .....	79
6.1	Introduction .....	79
6.1.1	Overview .....	79
6.1.2	Definitions .....	79
6.1.2.1	MAC-Sublayer Domain .....	79
6.1.2.2	MAC Service Access Point.....	79
6.1.2.3	Service Flows .....	79
6.1.2.4	Upstream Intervals, Minislots and 6,25 microsecond Increments.....	80
6.1.2.4.0	Upstream Transmission Timeline.....	80
6.1.2.4.1	TDMA Mode .....	80
6.1.2.4.2	S-CDMA Mode .....	80
6.1.2.4.3	OFDMA Mode .....	81
6.1.2.5	MAC Frame .....	81
6.1.2.6	Logical Upstream Channels .....	81
6.1.2.6.0	Logical Upstream Types.....	81
6.1.2.6.1	Type 3 Logical Upstreams.....	82
6.1.2.6.2	Type 4 Logical Upstreams.....	82
6.1.2.6.3	Type 5 Logical Upstreams.....	83
6.1.3	Future Use.....	83
6.2	MAC Frame Formats.....	83
6.2.1	Generic MAC Frames.....	83
6.2.1.0	Generic MAC Frame Format .....	83
6.2.1.1	PMD Overhead .....	84
6.2.1.2	Ordering of Bits and Octets.....	84
6.2.1.2.1	Bit Ordering.....	84
6.2.1.2.2	Octet Ordering .....	84
6.2.1.2.3	Textual Conventions.....	84
6.2.1.2.4	Representing Negative Numbers.....	84
6.2.1.2.5	Type-Length-Value Fields.....	84
6.2.1.3	MAC Header Format.....	85
6.2.1.4	Data PDU .....	86
6.2.2	Packet-Based MAC Frames.....	86
6.2.2.1	Packet PDU and Isolation Packet PDU.....	86
6.2.3	MAC Frames with FC_TYPE 0x01.....	87
6.2.4	MAC-Specific Headers.....	87
6.2.4.0	Overview.....	87
6.2.4.1	Timing Header .....	88
6.2.4.2	MAC Management Header .....	88
6.2.4.3	Request Frame.....	89
6.2.4.4	Fragmentation Header.....	90
6.2.4.5	Queue-depth Based Request Frame .....	91
6.2.4.6	Concatenation Header .....	91
6.2.5	Extended MAC Frame Length.....	92
6.2.6	Extended MAC Headers .....	93
6.2.6.0	Overview and General Requirements.....	93
6.2.6.1	Piggyback Requests .....	94
6.2.6.2	Request Extended Header .....	94
6.2.6.3	Fragmentation Extended Header.....	94
6.2.6.4	Service Flow Extended Header .....	95
6.2.6.4.0	Overview .....	95
6.2.6.4.1	Payload Header Suppression Header.....	95
6.2.6.4.2	Unsolicited Grant Synchronization Header.....	95
6.2.6.5	BP_UP2 Extended Header .....	95
6.2.6.6	Downstream Service Extended Header.....	96
6.2.6.7	DPV Extended Header .....	97
6.2.6.8	Ordering of Extended Headers in Upstream DOCSIS .....	97

6.3	Segment Header Format .....	98
6.4	MAC Management Messages.....	98
6.4.1	MAC Management Message Header .....	98
6.4.2	Time Synchronization (SYNC).....	102
6.4.3	Upstream Channel Descriptor (UCD).....	103
6.4.3.0	UCD Message Format, Parameters and Attributes.....	103
6.4.3.1	Example of UCD Encoded TLV Data.....	114
6.4.3.2	Example of UCD Encoding of Channel Parameters for OFDMA Channels.....	115
6.4.3.3	Subcarrier to Minislot Mapping for OFDMA Channels .....	117
6.4.3.4	Required Burst Attributes on OFDMA Channels .....	117
6.4.4	Upstream Bandwidth Allocation Map (MAP) .....	118
6.4.4.0	MAP Types, Message Format and Information Elements .....	118
6.4.4.1	Upstream Quiet Probe Measurement .....	124
6.4.5	Ranging Request Messages .....	125
6.4.5.0	Types of Ranging Request Messages.....	125
6.4.5.1	Ranging Request (RNG-REQ).....	127
6.4.5.2	Initial Ranging Request (INIT-RNG-REQ) .....	128
6.4.5.3	Bonded Initial Ranging Request (B-INIT-RNG-REQ).....	128
6.4.5.4	OFDMA Initial Ranging Request (O-INIT-RNG-REQ).....	129
6.4.6	Ranging Response (RNG-RSP) .....	129
6.4.6.0	RNG-RSP Message Format .....	129
6.4.6.1	RNG-RSP Encodings.....	131
6.4.6.2	Example of TLV Data.....	133
6.4.6.3	Transmit Equalization Encodings for S-CDMA and TDMA Channels.....	134
6.4.6.4	Transmit Equalization Encodings for OFDMA Channels.....	135
6.4.6.5	RNG-RSP Channel Overrides.....	135
6.4.6.6	Upstream Channel Adjustments.....	135
6.4.6.7	T4 Timeout Multiplier.....	136
6.4.6.8	Commanded Power .....	136
6.4.7	Registration Request Messages.....	137
6.4.7.0	Types of Registration Request Messages.....	137
6.4.7.1	Registration Request (REG-REQ) .....	138
6.4.7.2	Multipart Registration Request (REG-REQ-MP) .....	138
6.4.8	Registration Response Messages .....	139
6.4.8.0	Types and Formatting of Registration Response Messages .....	139
6.4.8.1	Registration Response (REG-RSP).....	140
6.4.8.2	Multipart Registration Response (REG-RSP-MP).....	141
6.4.8.3	Encodings.....	142
6.4.8.3.0	General .....	142
6.4.8.3.1	Modem Capabilities.....	142
6.4.8.3.2	DOCSIS 1.0 Service Class Data.....	143
6.4.9	Registration Acknowledge (REG-ACK) .....	143
6.4.10	Upstream Channel Change Request (UCC-REQ).....	145
6.4.11	Upstream Channel Change Response (UCC-RSP).....	145
6.4.12	Dynamic Service Addition - Request (DSA-REQ).....	145
6.4.12.0	DSA-REQ Message Format .....	145
6.4.12.1	CM-Initiated Dynamic Service Addition .....	146
6.4.12.2	CMTS-Initiated Dynamic Service Addition.....	146
6.4.13	Dynamic Service Addition - Response (DSA-RSP) .....	146
6.4.13.0	DSA-RSP Message Format.....	146
6.4.13.1	CM-Initiated Dynamic Service Addition .....	148
6.4.13.2	CMTS-Initiated Dynamic Service Addition.....	148
6.4.14	Dynamic Service Addition - Acknowledge (DSA-ACK) .....	148
6.4.15	Dynamic Service Change - Request (DSC-REQ).....	149
6.4.16	Dynamic Service Change - Response (DSC-RSP) .....	150
6.4.17	Dynamic Service Change - Acknowledge (DSC-ACK) .....	152
6.4.18	Dynamic Service Deletion - Request (DSD-REQ) .....	152
6.4.19	Dynamic Service Deletion - Response (DSD-RSP).....	153
6.4.20	Dynamic Channel Change - Request (DCC-REQ) .....	154
6.4.20.0	DCC-REQ Message Format.....	154
6.4.20.1	Encodings.....	155
6.4.20.1.0	General .....	155

6.4.20.1.1	Upstream Channel ID .....	155
6.4.20.1.2	Downstream Parameters .....	155
6.4.20.1.3	Initialization Technique .....	157
6.4.20.1.4	UCD Substitution .....	157
6.4.20.1.5	Security Association Identifier (SAID) Substitution .....	158
6.4.20.1.6	Service Flow Substitutions .....	158
6.4.20.1.7	CMTS MAC Address .....	159
6.4.21	Dynamic Channel Change - Response (DCC-RSP).....	159
6.4.21.0	DCC-RSP Message Format.....	159
6.4.21.1	Encodings.....	160
6.4.21.1.0	General .....	160
6.4.21.1.1	CM Jump Time.....	160
6.4.22	Dynamic Channel Change - Acknowledge (DCC-ACK) .....	161
6.4.23	Device Class Identification Request (DCI-REQ) .....	161
6.4.24	Device Class Identification Response (DCI-RSP).....	161
6.4.25	Upstream Transmitter Disable (UP-DIS).....	161
6.4.26	Test Request (TST-REQ).....	162
6.4.27	Downstream Channel Descriptor (DCD).....	162
6.4.28	MAC Domain Descriptor (MDD).....	162
6.4.28.0	MDD Message Format.....	162
6.4.28.1	MDD TLV Encodings.....	163
6.4.28.1.0	General .....	163
6.4.28.1.1	Downstream Active Channel List TLV .....	163
6.4.28.1.2	MAC Domain Downstream Service Group (MD-DS-SG) TLV .....	165
6.4.28.1.3	Downstream Ambiguity Resolution Frequency List TLV .....	165
6.4.28.1.4	Receive Channel Profile Reporting Control TLV .....	166
6.4.28.1.5	IP Initialization Parameters TLV .....	166
6.4.28.1.6	Early Authentication and Encryption (EAE) Enable/Disable TLV .....	167
6.4.28.1.7	Upstream Active Channel List TLV .....	167
6.4.28.1.8	Upstream Ambiguity Resolution Channel List TLV .....	168
6.4.28.1.9	Upstream Frequency Range TLV .....	168
6.4.28.1.10	Symbol Clock Locking Indicator .....	169
6.4.28.1.11	CM-STATUS Event Control .....	169
6.4.28.1.12	Upstream Transmit Power Reporting .....	169
6.4.28.1.13	DSG DA-to-DSID Association Entry.....	170
6.4.28.1.14	CM-STATUS Event Enable for Non-Channel-Specific Events .....	170
6.4.28.1.15	Extended Upstream Transmit Power Support .....	171
6.4.28.1.16	CMTS DOCSIS Version .....	171
6.4.28.1.17	CM Periodic Maintenance Timeout Indicator .....	171
6.4.28.1.18	DLS Broadcast and Multicast Delivery Method TLV .....	172
6.4.28.1.19	CM-STATUS Event Enable for DOCSIS 3.1 Specific Events.....	172
6.4.29	Dynamic Bonding Change Request (DBC-REQ) .....	173
6.4.30	Dynamic Bonding Change Response (DBC-RSP) .....	174
6.4.31	Dynamic Bonding Change Acknowledge (DBC-ACK) .....	175
6.4.32	DOCSIS Path Verify Request (DPV-REQ).....	176
6.4.33	DOCSIS Path Verify Response (DPV-RSP) .....	177
6.4.34	Status Report (CM-STATUS).....	177
6.4.34.0	CM-STATUS Message Format.....	177
6.4.34.1	CM-STATUS TLV Encodings.....	179
6.4.35	CM Control Request (CM-CTRL-REQ).....	179
6.4.35.0	CM-CTRL-REQ Message Format .....	179
6.4.35.1	CM-CTRL-REQ TLV Encodings .....	180
6.4.36	CM Control Response (CM-CTRL-RSP).....	180
6.4.37	Energy Management Request (EM-REQ) .....	181
6.4.38	Energy Management Response (EM-RSP).....	182
6.4.38.0	EM-RSP Message Format.....	182
6.4.38.1	EM-RSP TLV-Encodings .....	183
6.4.38.1.1	Hold-Off Timer .....	183
6.4.39	Status Report Acknowledge (CM-STATUS-ACK).....	183
6.4.40	OFDM Channel Descriptor (OCD).....	183
6.4.41	Downstream Profile Descriptor (DPD).....	185
6.4.41.0	DPD Message Format and TLV Encoding.....	185

6.4.41.1	Subcarrier Assignment .....	188
6.4.41.1.0	Overview .....	188
6.4.41.1.1	Default and Specific Values .....	188
6.4.41.1.2	Subcarrier Assignment Vector .....	189
6.4.41.1.3	Example Subcarrier Assignment .....	189
6.4.42	OFDM Downstream Spectrum Request Message (ODS-REQ) .....	189
6.4.43	OFDM Downstream Spectrum Response (ODS-RSP) .....	190
6.4.43.0	ODS-RSP Message Format .....	190
6.4.43.1	ODS-RSP TLV Encodings .....	190
6.4.44	OFDM Downstream Profile Test Request (OPT-REQ) .....	191
6.4.44.0	OPT-REQ Message Format .....	191
6.4.44.1	OPT-REQ TLV Encodings .....	191
6.4.45	OFDM Downstream Profile Test Response (OPT-RSP) .....	193
6.4.45.0	OPT-RSP Message Format .....	193
6.4.45.1	OPT-RSP TLV Encodings .....	194
6.4.46	OFDM Downstream Profile Test Acknowledge (OPT-ACK) .....	196
6.4.47	DOCSIS Time Protocol - Request (DTP-REQ) .....	196
6.4.47.0	DTP-REQ Message Format .....	196
6.4.47.1	CMTS is DTP Master .....	197
6.4.47.2	CM is DTP Master .....	197
6.4.48	DOCSIS Time Protocol - Response (DTP-RSP) .....	197
6.4.48.0	DTP-RSP Message Format .....	197
6.4.48.1	CMTS is DTP Master .....	197
6.4.48.2	CM is DTP Master .....	197
6.4.49	DOCSIS Time Protocol - Info (DTP-INFO) .....	198
6.4.49.0	DTP-INFO Message Format .....	198
6.4.49.1	CMTS is DTP Master .....	198
6.4.49.2	CM is DTP Master .....	198
6.4.50	DOCSIS Time Protocol - Acknowledge (DTP-ACK) .....	198
6.4.50.0	DTP-ACK Message Format .....	198
6.4.50.1	CMTS is DTP Master .....	198
6.4.50.2	CM is DTP Master .....	199
6.5	PHY Link Channel .....	199
6.5.0	Overview .....	199
6.5.1	PLC Structure .....	199
6.5.2	Timestamp Message Block .....	200
6.5.3	Energy Management Message Block .....	201
6.5.4	Message Channel Message Block .....	202
6.5.5	Trigger Message Block .....	203
6.5.5.0	Requirements for Trigger Message Block .....	203
6.5.5.1	Application of Trigger Message Block .....	205
6.5.6	Future Use Message Blocks .....	206
7	Media Access Control Protocol Operation .....	207
7.1	Timing and Synchronization .....	207
7.1.0	Overview .....	207
7.1.1	Global Timing Reference .....	207
7.1.2	CM Synchronization .....	207
7.1.3	Ranging .....	207
7.1.3.0	Purpose of Ranging .....	207
7.1.3.1	Broadcast Initial Ranging .....	208
7.1.3.1.0	General .....	208
7.1.3.1.1	Broadcast Initial Ranging on SC-QAM Upstreams .....	208
7.1.3.1.2	Broadcast Initial Ranging on OFDMA Upstreams .....	208
7.1.3.2	Unicast Initial Ranging .....	208
7.1.3.2.1	Unicast Initial Ranging on SC-QAM Upstreams .....	208
7.1.3.2.2	Unicast Initial Ranging on OFDMA Upstreams .....	209
7.1.4	Timing Units and Relationships .....	209
7.1.4.0	Timing Units .....	209
7.1.4.1	TDMA Timing Units and Relationships .....	209
7.1.4.1.1	Minislot Capacity .....	209
7.1.4.1.2	Minislot Numbering .....	210

7.1.4.2	S-CDMA Timing Units and Relationships .....	210
7.1.4.2.1	Minislot Capacity .....	210
7.1.4.2.2	Minislot Numbering .....	210
7.1.4.3	OFDMA Timing Units and Relationships.....	211
7.1.4.3.1	Minislot Capacity .....	211
7.1.4.3.2	Minislot Numbering .....	211
7.1.5	Extended Timestamp .....	211
7.1.6	Timestamp Rules for Systems with both Primary Capable OFDM Channels and Primary Capable SC-QAM Channels .....	212
7.2	Upstream Data Transmission .....	212
7.2.1	Upstream Bandwidth Allocation.....	212
7.2.1.0	Overview.....	212
7.2.1.1	The Allocation MAP MAC Management Message .....	213
7.2.1.2	Information Elements.....	213
7.2.1.2.0	Types of Information Elements .....	213
7.2.1.2.1	The Request IE .....	214
7.2.1.2.2	The Request_2 IE .....	214
7.2.1.2.3	The Initial Maintenance IE .....	214
7.2.1.2.4	The Station Maintenance IE .....	215
7.2.1.2.5	Short and Long Data Grant IEs (also known as Data Profiles IUC5 and IUC6) .....	215
7.2.1.2.6	Data Acknowledge IE.....	215
7.2.1.2.7	Expansion IE .....	215
7.2.1.2.8	Null IE .....	216
7.2.1.2.9	Advanced PHY Short and Long Data Grant IEs (also known as Data Profiles IUC9 and IUC10).....	216
7.2.1.2.10	Advanced PHY Unsolicited Grant IE (also known as Data Profile IUC11).....	216
7.2.1.2.11	Data Profiles IUC12 and IUC13 IEs .....	216
7.2.1.2.12	Probe IE.....	216
7.2.1.3	Requesting with Multiple Transmit Channel Mode Disabled .....	216
7.2.1.4	Requesting with Multiple Transmit Channel Mode Enabled .....	217
7.2.1.4.0	Types of Request Mechanisms with MTC Enabled .....	217
7.2.1.4.1	Request Mechanisms for Segment Header OFF Service Flows .....	218
7.2.1.4.2	Request Mechanisms for Segment Header ON Service Flows.....	218
7.2.1.5	Information Element Feature Usage Summary .....	222
7.2.1.6	Map Transmission and Timing .....	223
7.2.1.7	Protocol Example .....	224
7.2.1.8	MAP Generation Examples - Two Logical Upstreams .....	225
7.2.1.8.1	S-CDMA and TDMA Logical Channel Combination .....	225
7.2.1.8.2	OFDMA and TDMA Logical Channel Combination .....	226
7.2.1.9	MAP Generation for Initial Ranging Regions on OFDMA Upstream Channels .....	227
7.2.2	Upstream Transmission and Contention Resolution.....	228
7.2.2.1	Contention Resolution Overview Mechanisms .....	228
7.2.2.1.0	Overview .....	228
7.2.2.1.1	Contention Resolution with Multiple Transmit Channel Mode Disabled .....	228
7.2.2.1.2	Contention Resolution with Multiple Transmit Channel Mode Enabled.....	229
7.2.2.2	Transmit Opportunities .....	231
7.2.2.3	CM Bandwidth Utilization.....	233
7.2.3	Upstream Service Flow Scheduling Services .....	233
7.2.3.0	Overview.....	233
7.2.3.1	Unsolicited Grant Service .....	234
7.2.3.2	Real-Time Polling Service .....	235
7.2.3.3	Unsolicited Grant Service with Activity Detection.....	235
7.2.3.4	Non-Real-Time Polling Service .....	236
7.2.3.5	Best Effort Service .....	236
7.2.3.6	Other Services .....	236
7.2.3.6.1	Committed Information Rate (CIR).....	236
7.2.3.7	Parameter Applicability for Upstream Service Scheduling.....	236
7.2.3.8	CM Transmit Behaviour .....	237
7.2.4	Continuous Concatenation and Fragmentation .....	237
7.2.5	Pre-3.0 DOCSIS Concatenation and Fragmentation.....	238
7.3	Upstream - Downstream Channel Association within a MAC Domain .....	238
7.3.1	Primary Downstream Channels and Backup Primary Downstream Channels.....	238



7.3.1.0	Primary Downstream Channel .....	238
7.3.1.1	Backup Primary Downstream Channels.....	240
7.3.2	MAP and UCD Messages .....	240
7.3.3	Multiple MAC Domains .....	240
7.4	DSID Definition .....	241
7.5	Quality of Service.....	242
7.5.1	Concepts .....	242
7.5.1.1	Service Flows .....	242
7.5.1.2	Classifiers.....	244
7.5.1.2.0	General .....	244
7.5.1.2.1	Upstream and Downstream QoS Classifiers.....	244
7.5.1.2.2	Upstream Drop Classifiers.....	245
7.5.2	Object Model .....	246
7.5.3	Service Classes .....	247
7.5.4	Authorization .....	248
7.5.5	States of Service Flows.....	249
7.5.5.0	General .....	249
7.5.5.1	Deferred Service Flows.....	249
7.5.5.1.0	States of Deferred Service Flows .....	249
7.5.5.1.1	Provisioned Service Flows .....	249
7.5.5.1.2	Authorized Service Flows .....	249
7.5.5.2	Admitted Service Flows .....	250
7.5.5.3	Active Service Flows .....	250
7.5.6	Service Flows and Classifiers .....	251
7.5.6.0	Basic Model of Classification .....	251
7.5.6.1	Policy-Based Classification and Service Classes.....	251
7.5.7	General Operation.....	252
7.5.7.0	Service Flow Rejection .....	252
7.5.7.1	Static Operation.....	252
7.5.7.2	Dynamic Service Flow Creation - CM Initiated.....	253
7.5.7.3	Dynamic Service Flow Creation - CMTS Initiated.....	253
7.5.7.4	Dynamic Service Flow Modification and Deletion.....	254
7.5.8	QoS Support for Joined IP Multicast Traffic .....	254
7.5.8.0	Overview.....	254
7.5.8.1	IP Multicast QoS Operation .....	254
7.5.8.2	Group Configuration and Group QoS Configuration Tables .....	256
7.5.8.3	Instantiating Group Classifier Rules and Group Service Flows .....	257
7.5.8.4	Default Group Service Flows.....	264
7.5.8.5	Service Class QoS Parameter Changes .....	264
7.5.8.6	Group QoS Configuration Changes .....	265
7.5.9	Other Multicast and Broadcast Traffic.....	265
7.5.10	Hierarchical QoS .....	266
7.5.10.0	General .....	266
7.5.10.1	CMTS and CM Roles.....	266
7.5.10.2	Aggregate Service Flow .....	266
7.5.10.2.0	Concept of Aggregate Service Flow.....	266
7.5.10.2.1	Relationship between Service Flow and ASF.....	266
7.5.10.2.2	ASF QoS Profile.....	267
7.5.10.3	Interface Aggregate Traffic Class .....	268
7.5.10.3.0	Concept of Interface Aggregate Traffic Class .....	268
7.5.10.3.1	IATC Profiles .....	268
7.5.10.3.2	Mapping of Service Flows to IATCs.....	269
7.6	Packet Queuing .....	269
7.6.1	Downstream Traffic Priority.....	269
7.6.1.0	General .....	269
7.6.1.1	Traffic Priority Ordering and Mapping to CM Output Queues.....	269
7.6.2	Active Queue Management.....	269
7.6.2.0	Overview.....	269
7.6.2.1	CM AQM Requirements .....	270
7.6.2.2	CMTS AQM Requirements .....	270
7.7	Data Link Encryption Support.....	271
7.7.0	General.....	271

7.7.1	MAC Messages.....	271
7.7.2	Framing.....	271
7.7.3	Multiple Transmit Channel Mode Operation and Packet Encryption.....	271
7.8	Downstream Profiles.....	271
7.8.0	Concept of Downstream Profiles.....	271
7.8.1	CM and CMTS Profile Support.....	272
7.8.2	Changes to the Profiles.....	272
7.8.3	Service Flow to Profile Mapping.....	272
7.9	CM Downstream MER Reporting Protocol.....	273
7.9.0	Overview.....	273
7.9.1	Calculations.....	273
7.9.2	Message Flow.....	273
8	Channel Bonding.....	274
8.0	Overview.....	274
8.1	Upstream and Downstream Common Aspects.....	274
8.1.1	Service Flow Assignment.....	274
8.1.2	CMTS Bonding and Topology Requirements.....	278
8.2	Downstream Channel Bonding.....	279
8.2.1	Multiple Downstream Channel Overview.....	279
8.2.2	CMTS Downstream Bonding Operation.....	280
8.2.3	Sequenced Downstream Packets.....	280
8.2.3.0	General.....	280
8.2.3.1	Downstream Sequencing.....	281
8.2.3.2	Skew Requirements.....	283
8.2.3.3	Resequencing DSID Signalling.....	285
8.2.4	Cable Modem Physical Receive Channel Configuration.....	286
8.2.4.0	Cable Modem Receiver Capabilities.....	286
8.2.4.1	Receive Channels.....	286
8.2.4.2	Receive Modules.....	287
8.2.4.2.0	Receive Module Definition.....	287
8.2.4.2.1	Receive Module Interconnection.....	288
8.2.4.3	Receive Channel Profile.....	289
8.2.4.3.0	Receive Channel Profile Definition.....	289
8.2.4.3.1	Standard Receive Channel Profiles.....	290
8.2.4.4	RCP DOCSIS 3.0 Backwards Compatibility.....	291
8.2.4.5	Receive Channel Configuration.....	291
8.2.4.5.0	General Requirements.....	291
8.2.4.5.1	Static Receive Module Assignments.....	293
8.2.5	QoS for Downstream Channel Bonding.....	293
8.3	Upstream Channel Bonding.....	293
8.3.0	Relation to Multiple Transmit Channel Mode.....	293
8.3.1	Granting Bandwidth.....	293
8.3.2	Upstream Transmissions with Upstream Channel Bonding.....	294
8.3.2.0	General.....	294
8.3.2.1	Segment Header ON Operation.....	294
8.3.2.2	Segment Header OFF Operation.....	294
8.3.3	Dynamic Range Window.....	295
8.3.3.0	Overview.....	295
8.3.3.1	Channels Added During Registration.....	295
8.3.3.2	Channels Added by a DBC-REQ.....	296
8.3.3.3	Channels Deleted by a DBC-REQ.....	296
8.3.3.4	UCD Changes Burst Profiles Resulting in New Value for $P_{hi}$ .....	296
8.4	Partial Service.....	297
9	Data Forwarding.....	297
9.1	General Forwarding Requirements.....	297
9.1.0	Overview.....	297
9.1.1	CMTS Forwarding Rules.....	299
9.1.1.1	General CMTS Forwarding.....	299
9.1.1.2	DSID Labelling.....	300
9.1.2	CM Address Acquisition, Filtering and Forwarding Rules.....	300

9.1.2.0	General CM Forwarding .....	300
9.1.2.1	MAC Address Acquisition.....	301
9.1.2.2	CM Filtering Rules.....	301
9.1.2.3	CM Forwarding Rules.....	302
9.1.2.3.0	General Behaviour.....	302
9.1.2.3.1	CM Pre-Operational Forwarding Behaviour .....	302
9.1.2.3.2	CM Operational Forwarding Behaviour .....	302
9.2	Multicast Forwarding .....	304
9.2.0	Multicast Forwarding Architecture.....	304
9.2.1	Introduction Multicast Forwarding.....	304
9.2.2	Downstream Multicast Forwarding .....	305
9.2.2.0	Downstream Multicast Forwarding Requirements.....	305
9.2.2.1	Examples of Downstream Multicast Forwarding using DSIDs .....	306
9.2.2.2	Labelling Multicast Packets with DSIDs .....	308
9.2.2.2.0	General .....	308
9.2.2.2.1	Mixed CM Environment.....	309
9.2.2.2.2	Pre-Registration DSID.....	309
9.2.2.2.3	Upstream Multicast Traffic from a Multicast Client .....	309
9.2.2.3	Communicating DSIDs and Group Forwarding Attributes to a CM.....	309
9.2.2.4	DSID based Filtering and Forwarding by a Cable Modem .....	310
9.2.2.5	Individually Directed Multicast .....	311
9.2.3	Downstream Multicast Traffic Encryption .....	311
9.2.3.1	Multicast Encryption Overview .....	311
9.2.3.2	Dynamic Multicast Encryption .....	312
9.2.3.3	DSIDs and SAIDs .....	312
9.2.3.4	Pre-Registration Multicast Encryption.....	312
9.2.4	Static Multicast Session Encodings .....	313
9.2.5	IGMP and MLD Support .....	313
9.2.5.1	Motivation Behind Taking CM out of IGMP Control Plane.....	313
9.2.5.2	IP Multicast Service Model Support .....	313
9.2.5.3	IGMP and MLD Membership Handling.....	314
9.2.5.4	IGMPv2/MLDv1 Leave Processing.....	315
9.2.5.5	IGMP and MLD Version and Query Support .....	315
9.2.5.6	Separation of Query Domains.....	315
9.2.6	Encrypted Multicast Downstream Forwarding Example.....	316
9.2.7	IP Multicast Join Authorization .....	319
9.2.7.0	Overview.....	319
9.2.7.1	Maximum Multicast Sessions .....	320
9.2.7.2	Session Rules .....	320
9.2.7.2.0	Concept of Session Rules .....	320
9.2.7.2.1	IP Multicast Profiles .....	321
9.2.7.2.2	Static IP Multicast Join Authorization Rules.....	321
9.2.7.3	CM Configuration File .....	321
9.2.7.3.0	Overview .....	321
9.2.7.3.1	IP Multicast Profile Name Subtype .....	321
9.2.7.3.2	Static IP Multicast Session Rule Subtype.....	321
9.2.7.4	Matching Session Rules .....	322
9.2.7.5	IP Multicast Profile Changes.....	322
9.2.8	Multicast in a DOCSIS 3.1 OFDM Channel with Multiple Downstream Profiles .....	322
10	Cable Modem - CMTS Interaction.....	323
10.1	CMTS Initialization.....	323
10.2	Cable Modem Initialization and Reinitialization.....	323
10.2.0	Initialization Overview .....	323
10.2.1	Scan for Downstream Channel .....	325
10.2.1.0	Overall Process .....	325
10.2.1.1	Gather Downstream Channel Parameters from PLC.....	326
10.2.1.2	Remove All Frequencies Covered by this Channel from the PLC List.....	327
10.2.2	Continue Downstream Scanning.....	327
10.2.3	Service Group Discovery and Initial Ranging .....	327
10.2.3.0	Overall Process .....	327
10.2.3.1	Read MAC Domain Descriptor (MDD).....	330

10.2.3.2	Determination of MD-DS-SG .....	332
10.2.3.3	Determination of MD-US-SG .....	333
10.2.3.3.0	Overall Process .....	333
10.2.3.3.1	Ranging Holdoff .....	335
10.2.3.3.2	Bonded Initial Ranging .....	336
10.2.3.3.3	Continue US Ambiguity Initial Ranging .....	339
10.2.3.4	Ranging and Automatic Adjustments .....	340
10.2.3.4.0	Message Sequence and State Machine .....	340
10.2.3.4.1	Adjust Transmit Parameters .....	344
10.2.3.5	CMTS Determination of Cable Modem Service Group and Initial Ranging .....	344
10.2.4	Authentication .....	347
10.2.5	Establish IP Connectivity .....	348
10.2.5.0	Modes for Establishing IP Connectivity .....	348
10.2.5.1	Establish IPv4 Network Connectivity .....	355
10.2.5.1.0	Message Flow .....	355
10.2.5.1.1	DHCPv4 Fields Used by the CM .....	356
10.2.5.1.2	Use of T1 and T2 Timers .....	357
10.2.5.1.3	CMTS Requirements .....	358
10.2.5.2	Establish IPv6 Network Connectivity .....	358
10.2.5.2.0	Message Flow .....	358
10.2.5.2.1	Obtain Link-Local Address .....	359
10.2.5.2.2	Obtain Default Routers .....	359
10.2.5.2.3	Obtain IPv6 Management Address and Other Configuration Parameters .....	359
10.2.5.2.4	IP Provisioning Mode Override .....	361
10.2.5.2.5	Use of T1 and T2 Timers .....	362
10.2.5.2.6	CMTS Requirements .....	363
10.2.5.2.7	Prefix Stability at the CMTS .....	363
10.2.5.3	Alternate Provisioning Mode (APM) Operation .....	364
10.2.5.4	Dual-stack Provisioning Mode (DPM) .....	364
10.2.5.5	Establish Time of Day .....	365
10.2.5.6	Transfer Operational Parameters .....	365
10.2.5.7	Configuration File Processing .....	366
10.2.5.8	Post-registration Failures to Renew IP Addresses .....	367
10.2.6	Registration with the CMTS .....	367
10.2.6.1	Cable Modem Requirements .....	367
10.2.6.2	CMTS Requirements .....	375
10.2.6.3	CMTS Requirements for Pre-DOCSIS 3.0 CMs .....	379
10.2.6.3.0	Registration Process .....	379
10.2.6.3.1	Channel Assignment During Registration .....	381
10.2.7	Baseline Privacy Initialization .....	383
10.2.8	Service IDs During CM Initialization .....	383
10.3	Periodic Maintenance .....	384
10.4	OFDM Profile Usability Testing Process .....	387
10.4.0	Objective .....	387
10.4.1	Downstream Profile Usability Testing Process .....	387
10.4.2	Upstream OFDMA Data Profile Assignment and Testing .....	391
10.4.2.1	Assignment of OFDMA Upstream Data Profile (OUDP) IUCs .....	391
10.4.2.2	Upstream Profile Testing .....	391
10.4.2.3	Upstream Probes and RxMER Measurements .....	391
10.4.2.4	Upstream Data Profile Testing Bursts .....	391
10.5	Fault Detection and Recovery .....	392
10.5.0	Fault Detection and Recovery Mechanisms .....	392
10.5.1	CM Downstream Channel Lost Lock Handling .....	393
10.5.1.0	Lost Lock Handling Mechanism .....	393
10.5.1.1	Primary Downstream Channel Interruption .....	395
10.5.1.2	Primary Downstream Channel Redundancy .....	396
10.5.2	MAC Layer Error-Handling .....	397
10.5.2.0	Types of MAC Layer Errors .....	397
10.5.2.1	Error Recovery During Pre-3.0 DOCSIS Fragmentation .....	398
10.5.2.2	Error Recovery During Segmentation with Segment Headers On .....	398
10.5.3	Partial Channel Mode of OFDM Downstream Channel .....	398
10.5.4	CM Status Report .....	399

10.5.4.0	Overview .....	399
10.5.4.1	CM Requirements .....	400
10.5.4.1.0	General .....	400
10.5.4.1.1	CM-STATUS State Diagram.....	402
10.5.4.1.2	Event Codes.....	404
10.5.4.2	CMTS Requirements.....	410
10.6	DOCSIS Path Verification .....	410
10.6.1	DPV Overview.....	410
10.6.2	DPV Reference Points .....	410
10.6.3	DPV Math.....	412
10.6.4	DPV Per Path Operation.....	412
10.6.5	DPV Per Packet Operation .....	413
10.7	DOCSIS Time Protocol.....	413
10.7.1	DTP Overview .....	413
10.7.2	DOCSIS and PTP Clock Types .....	415
10.7.3	True Ranging Offset .....	415
10.7.4	DTP Math .....	415
10.7.5	DTP Example.....	418
10.7.6	DTP Signalling .....	419
10.7.7	DTP Configuration .....	419
10.7.8	DTP System Level Performance.....	420
11	Dynamic Operations.....	422
11.1	Upstream Channel Descriptor Changes.....	422
11.2	Dynamic Service Flow Changes .....	423
11.2.0	Overview .....	423
11.2.1	Dynamic Service Flow State Transitions.....	424
11.2.2	Dynamic Service Addition.....	432
11.2.2.1	CM Initiated Dynamic Service Addition.....	432
11.2.2.2	CMTS Initiated Dynamic Service Addition.....	433
11.2.2.3	Dynamic Service Addition State Transition Diagrams .....	434
11.2.3	Dynamic Service Change.....	442
11.2.3.0	General .....	442
11.2.3.1	CM-Initiated Dynamic Service Change .....	443
11.2.3.2	CMTS-Initiated Dynamic Service Change.....	443
11.2.3.3	Dynamic Service Change State Transition Diagrams .....	444
11.2.4	Dynamic Service Deletion .....	452
11.2.4.0	General .....	452
11.2.4.1	CM Initiated Dynamic Service Deletion .....	452
11.2.4.2	CMTS Initiated Dynamic Service Deletion .....	452
11.2.4.3	Dynamic Service Deletion State Transition Diagrams.....	453
11.3	Pre-3.0 DOCSIS Upstream Channel Changes.....	457
11.4	Dynamic Downstream and/or Upstream Channel Changes .....	457
11.4.1	DCC General Operation.....	457
11.4.1.0	Overview .....	457
11.4.1.1	Derivation of T15 Timer .....	459
11.4.1.2	Initialization Technique for DCC.....	460
11.4.1.2.0	Overview .....	460
11.4.1.2.1	Initialization Technique Zero (0).....	460
11.4.1.2.2	Initialization Technique One (1).....	460
11.4.1.2.3	Initialization Technique Two (2).....	460
11.4.1.2.4	Initialization Technique Three (3).....	461
11.4.1.2.5	Initialization Technique Four (4).....	461
11.4.2	DCC Exception Conditions .....	461
11.4.3	DCC State Transition Diagrams .....	462
11.5	Dynamic Bonding Change (DBC).....	467
11.5.1	DBC General Operation.....	467
11.5.1.0	Overview .....	467
11.5.1.1	Changes to the Receive Channel Set.....	467
11.5.1.2	Changes to a DSID.....	468
11.5.1.2.0	Overview .....	468
11.5.1.2.1	Changes to Resequencing Encodings .....	469