

ETSI TS 102 361-4 v1.7.1 (2015-07)



Electromagnetic compatibility and Radio spectrum Matters (ERM); Digital Mobile Radio (DMR) Systems; Part 4: DMR trunking protocol

ITECHNICAL PREVIEW
<https://standards.iteh.ai/standard/etsi-ts-102-361-4-v1.7.1-b396-489d-8171-abea4c4e>

Reference

RTS/ERM-TGDMR-321

Keywords

data, digital, MS, radio, signalling, trunking

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	14
Foreword.....	14
Modal verbs terminology.....	14
1 Scope	15
2 References	15
2.1 Normative references	15
2.2 Informative references.....	16
3 Definitions, symbols and abbreviations	16
3.1 Definitions.....	16
3.2 Symbols.....	20
3.3 Abbreviations	20
4 Overview	22
4.0 Overview introduction.....	22
4.1 Protocol architecture.....	23
4.1.0 Protocol architecture - Introduction	23
4.1.1 Air Interface Physical Layer (layer 1).....	24
4.1.2 Air Interface Data Link Layer (layer 2)	25
4.1.3 Air Interface Call Control Layer (layer 3)	25
4.2 Services and Facilities	26
4.3 Device Addresses	27
4.3.1 MS Addresses	27
4.3.2 Services and Gateway Addresses.....	27
4.4 Conventional/Trunked Systems.....	27
4.5 MS Location.....	27
4.6 Tier III Services.....	28
4.6.0 Tier III Services - Introduction	28
4.6.1 MS initiating calls.....	28
4.6.2 MS receiving calls	28
4.6.2.0 MS receiving calls - Introduction.....	28
4.6.2.1 MS receiving individual calls.....	29
4.6.2.1.0 MS receiving individual calls - Introduction	29
4.6.2.1.1 Off Air Call Set-Up (OACSU)	29
4.6.2.1.2 Full Off Air Call Set-Up (FOACSU).....	29
4.6.2.2 MS receiving calls to talkgroups.....	29
4.6.2.3 MS receiving calls to All_MS	29
4.7 Physical Link Organization.....	29
4.7.0 Physical Link Organization - Introduction.....	29
4.7.1 Radio Frequency Allocation	29
4.7.2 Colour Code (CC).....	30
4.8 DMR TDMA burst and channel structure	30
4.9 TS Structure.....	31
4.9.0 Introduction to the TS Structure	31
4.9.1 An individual voice call example	31
4.9.1.1 Individual Call using OACSU.....	31
4.9.1.2 Individual Call using FOACSU	33
4.9.2 A talkgroup call example	34
4.10 Network architecture	35
4.10.0 Network architecture - Introduction.....	35
4.10.1 Network functions	35
4.10.1.0 Network functions - Introduction.....	35
4.10.1.1 Establishing service.....	35
4.10.1.2 Network Identifier.....	35
4.10.2 MS Location by Registration.....	35
4.11 Trunking methods.....	36
4.11.0 Trunking methods - Introduction	36

4.11.1	Message trunking.....	36
4.11.2	Transmission trunking	36
4.11.3	Quasi-Transmission trunking.....	36
5	Trunking Control Channel Formats	36
5.0	Trunking Control Channel Formats - Introduction.....	36
5.1	The use of the CACH	37
5.1.0	System Identity Code Structure	37
5.1.1	C_SYS_Parms and P_SYS_Parms - System Identity Code Subset.....	37
5.1.2	C_SYS_Parms - Reg.....	37
5.1.3	C_SYS_Parms - Common_Slot_Counter	37
5.2	Tier III signalling.....	38
5.3	Modes of control channel	38
5.3.0	Control channel modes - Introduction	38
5.3.1	Dedicated TSCC	38
5.3.2	Non-Dedicated TSCC	39
5.3.3	Operation in shared spectrum	39
5.4	CSBK/MBC/UDT Block Structure	39
5.4.0	CSBK/MBC/UDT Block Structure - Introduction.....	39
5.4.1	CSBK/MBC/UDT PDUs on the TSCC outbound channel	39
5.4.2	CSBK/MBC/UDT PDUs on the TSCC inbound channel	41
5.4.3	CSBK/MBC PDUs on the Payload Channel Outbound channel	41
5.4.4	CSBK PDUs on the Payload Channel Inbound channel	42
6	Trunking Procedures	43
6.1	Basic Structure	43
6.1.1	Channel Structure	43
6.1.1.1	Fully Regulated Structure	43
6.1.1.2	Shared Channel Unregulated Structure.....	43
6.1.2	Physical Channel Addressing	43
6.1.3	Sub-Division of the MS population.....	44
6.2	Random Access Procedures	45
6.2.0	Random Access Procedures - Introduction.....	45
6.2.1	The Random Access Principle	45
6.2.1.0	Randon Access Principle - Introduction.....	45
6.2.1.1	Random Access Control.....	45
6.2.1.1.0	Random Access Control - Introduction	45
6.2.1.1.1	Sub dividing the MS population	46
6.2.1.1.2	Checking the Service-Function	46
6.2.1.1.3	Withdrawing slots from Random-Access	47
6.2.1.1.4	TSCC responses to Random Access attempts	48
6.2.1.1.5	Noting the response delay.....	48
6.2.1.1.6	Random Backoff.....	48
6.2.1.1.7	Retry decision and time-outs	50
6.2.1.1.8	Random Access (non-emergency) SDL for a MS as defined in clause 6.2	51
6.2.1.1.9	Random Access (emergency) SDL for a MS as defined in clause 6.2	54
6.2.1.2	Action after receiving an acknowledgement	56
6.2.1.3	MS Arriving on a Control Channel	57
6.3	Control Channel Acquisition and Retention.....	57
6.3.0	Control Channel Acquisition and Retention - Introduction	57
6.3.1	MS Parameter Volatility	58
6.3.2	Control Channel Acquisition Procedures.....	58
6.3.2.0	Control Channel Acquisition Procedures - Introduction	58
6.3.2.1	Entry into TSCC Acquisition Procedures	59
6.3.2.2	Identifying a Candidate Control Channel.....	59
6.3.2.2.0	Identifying a Candidate Control Channel - Introduction	59
6.3.2.2.1	Checking the System Identity Code	60
6.3.2.2.2	TSCC Authorization Procedure.....	62
6.3.2.2.3	Checking the SYS_AREA information element	63
6.3.2.3	Confirmation - Monitoring the TSCC outbound channel signal quality	64
6.3.2.4	Reading the Colour Code	64
6.3.3	MS Leaving a Control Channel	65

6.3.3.1	Reasons for Leaving a Control Channel when active but idle	65
6.3.3.2	Leaving a Control Channel Whilst Waiting for Signalling	65
6.4	Registration, Power Save, and Authentication Procedures.....	65
6.4.0	Registration, Power Save, and Auth Procedures - Introduction.....	65
6.4.1	Registration.....	66
6.4.1.1	Introduction.....	66
6.4.1.2	The Principle	67
6.4.2	MS Parameter Volatility	68
6.4.3	Action on confirmation of a TSCC.....	68
6.4.4	Registration Procedures	68
6.4.4.0	Registration Procedures - Introduction.....	68
6.4.4.1	Registration by Random Access	69
6.4.4.1.0	Registration by Random Access - Introduction	69
6.4.4.1.1	Intermediate Acknowledgement.....	70
6.4.4.1.2	Registration accepted.....	70
6.4.4.1.3	Registration Refused	70
6.4.4.1.4	Registration Denied	70
6.4.4.1.5	Challenge and Response Authentication	70
6.4.4.1.6	Registration Attempt Times Out.....	71
6.4.4.1.7	Registration Demand Received During Random Access Registration	71
6.4.4.1.8	No answer response Received after the maximum number of random access attempts	71
6.4.4.1.9	Registration Action on Switch-on or equivalent.....	71
6.4.4.1.10	Registration scenario MSC	72
6.4.4.1.11	Registration with MS authentication	73
6.4.4.1.12	Acceptance of user initiated service requests	74
6.4.4.1.13	Talkgroup Subscription and Talkgroup Attachment.....	74
6.4.5	Mass re-registration	77
6.4.5.0	Mass re-registration - Introduction.....	77
6.4.5.1	Procedure for MS on receipt of Mass Re-registration Broadcast	77
6.4.6	De-registration	78
6.4.7	Power Save	79
6.4.7.1	Overview.....	79
6.4.7.2	Power Save Procedures	79
6.4.7.2.1	Basic Power Save Procedures.....	79
6.4.8	Authentication Procedures	81
6.4.8.0	Authentication Procedures - Introduction	81
6.4.8.1	Key Management	81
6.4.8.2	Authentication Procedures for the TSCC to authenticate a MS	81
6.4.8.3	Authentication Procedures for the MS	82
6.4.9	MS Stun/Revive	82
6.4.9.0	MS Stun/Revive - Introduction	82
6.4.9.1	MS Stun/Revive without authentication.....	83
6.4.9.1.0	MS Stun/Revive without authentication - Introduction	83
6.4.9.1.1	Stun / Revive procedures for the TSCC	83
6.4.9.1.2	Stun / Revive procedures for the MS.....	83
6.4.9.2	MS Stun/Revive with authentication.....	84
6.4.9.2.0	MS Stun/Revive with authentication - Introduction	84
6.4.9.2.1	Stun / Revive procedures with authentication for the TSCC	84
6.4.9.2.2	Stun / Revive procedures with authentication for the MS	85
6.4.10	MS Kill	85
6.4.10.0	MS Kill - Introduction.....	85
6.4.10.1	Kill procedures with authentication for the TSCC	86
6.4.10.2	Kill procedures with authentication for the MS	87
6.4.11	IP Connection Advice	88
6.4.11.0	IP Connection Advice - Introduction	88
6.4.11.1	IP Connection Advice procedures for the MS.....	88
6.4.11.1.0	IP Connection Advice procedures for the MS - Introduction	88
6.4.11.1.1	Registration Attempt Times Out.....	89
6.4.11.1.2	No answer response received after the maximum number of random access attempts	89
6.4.11.1.3	MS response to C_AHOY inviting the MS to send an IP address.....	89
6.4.11.1.4	Final acknowledgment to IP connection advice received by the calling MS	89
6.4.11.2	IP Connection Advice procedures for the TSCC	89

6.4.12	Unsolicited MS Radio Check.....	90
6.4.13	Supplementary_User Data Service	91
6.4.13.0	Supplementary_User Data Service - Introduction.....	91
6.4.13.1	Supplementary data Inbound Phase	91
6.4.13.2	Supplementary Data Outbound Phase.....	92
6.4.14	MS Power Control and PTT De-key.....	94
6.4.14.0	MS Power Control and PTT De-key - Introduction.....	94
6.4.14.1	Reverse Channel	95
6.4.14.2	Procedures for Power Control.....	95
6.4.14.3	Procedures for PTT De-key.....	95
6.4.15	Transmit Interrupt	95
6.4.15.1	TSCC Initiated Interrupt	95
6.4.15.2	Payload Interrupt.....	96
6.4.15.2.0	Payload Interrupt - Introduction	96
6.4.15.2.1	TSCC and TS Procedures for the Transmit Interrupt	97
6.4.15.2.2	MS Procedures for the Interrupting MS	97
6.4.15.2.3	MS Procedures for the MS being interrupted	97
6.5	Unified Data Transport Mechanism	98
6.5.0	Unified Data Transport Mechanism - Introduction.....	98
6.5.1	Format of the appended data.....	101
6.5.1.0	Format of the appended data - Introduction	101
6.5.1.1	UDT Block Structure	101
6.5.1.2	UDT Content for Services Carried on the Outbound channel.....	102
6.5.1.3	UDT Mechanism for the Inbound channel.....	103
6.6	Call procedures.....	104
6.6.0	Call procedures - Introduction	104
6.6.1	Procedures common to Voice calls and Packet Data Calls	106
6.6.1.1	MS Availability Checks	106
6.6.1.1.1	Availability of calling MS	106
6.6.1.1.2	Availability of called party as part of a call.....	106
6.6.1.1.3	General MS radio check	106
6.6.1.2	Call Cancellation.....	106
6.6.1.2.0	Call Cancellation - Introduction	106
6.6.1.2.1	Cancelling a OACSU Call.....	106
6.6.1.2.2	Cancelling a FOACSU Call.....	106
6.6.1.3	Acknowledgements sent to calling MS	107
6.6.1.4	Called Party Answering Mechanism.....	107
6.6.1.4.0	Called Party Answering Mechanism - Introduction	107
6.6.1.4.1	TSCC response to the Call Answer Random Access.....	108
6.6.1.4.2	Call Party Answer behaviour for the MS.....	109
6.6.1.5	Maintenance of call progress waiting timers.....	109
6.6.1.5.1	Call waiting timer for the calling MS	109
6.6.1.5.2	Call waiting timer for the called MS	109
6.6.1.6	Payload Channel Assignment to a Payload Channel.....	111
6.6.1.6.1	Payload Channel Assignment	111
6.6.1.6.2	Timing requirements for the allocation of a Payload Channel and PDUs that may be sent	111
6.6.1.7	Calls to ALLMSID, ALLMSIDL and ALLMSIDZ.....	113
6.6.2	Voice Call Procedures	113
6.6.2.0	Voice Call Procedures - Introduction	113
6.6.2.1	Voice Call Procedures for the TSCC	114
6.6.2.1.0	Voice Call Procedures for the TSCC - Introduction	114
6.6.2.1.1	TSCC Response to single-part voice call set-up.....	114
6.6.2.1.2	TSCC Response to multi-part voice call set-up	115
6.6.2.1.3	Acknowledgements sent by the TSCC to the calling MS (voice).....	115
6.6.2.1.4	Voice Radio Check.....	116
6.6.2.1.5	Availability Check for Voice Calls connected through Gateways	116
6.6.2.2	Voice Call Procedures for MS	117
6.6.2.2.0	Voice Call Procedures for MS - Introduction	117
6.6.2.2.1	Initiating a single-part voice call service	117
6.6.2.2.2	Response to the single-part voice service request.....	118
6.6.2.2.3	Response to the multi-part voice service request.....	118
6.6.2.2.4	Acknowledgements received by the calling MS (voice)	118

6.6.2.2.5	Availability Check to the called party (voice)	119
6.6.2.2.6	Payload Channel Allocation	120
6.6.2.2.7	Calling MS in single part voice call setup SDL	120
6.6.2.2.8	Call set-up MSC that also transfers supplementary_user data	123
6.6.2.3	Procedures for the Voice Payload Channel	123
6.6.2.3.0	Procedures for the Voice Payload Channel - Introduction	123
6.6.2.3.1	TS Procedures for the Voice Payload Channel	124
6.6.2.3.2	MS Procedures for the Voice Payload Channel	128
6.6.3	Packet Data Call Procedures	129
6.6.3.0	Packet Data Call Procedures - Introduction	129
6.6.3.1	Packet Data Call Procedures for the TSCC	130
6.6.3.1.0	Packet Data Call Procedures for the TSCC - Introduction	130
6.6.3.1.1	TSCC Response to single-part packet data call set-up	130
6.6.3.1.2	TSCC Response to multi-part packet data call setup	131
6.6.3.1.3	Acknowledgements sent on the TSCC to the calling MS (packet)	131
6.6.3.1.4	Radio Check for packet data	131
6.6.3.1.5	Availability Check for Packet Calls connected through Gateways	132
6.6.3.2	Packet Data Call Procedures for MS	132
6.6.3.2.0	Packet Data Call Procedures for MS - Introduction	132
6.6.3.2.1	Initiating a single-part packet data call service	133
6.6.3.2.2	Response to the single-part packet data service request	133
6.6.3.2.3	Response to the multi-part packet data service request	133
6.6.3.2.4	Acknowledgements received by the calling MS (packet data)	134
6.6.3.2.5	Availability Check to the called MS (packet data)	134
6.6.3.2.6	Payload Channel Allocation	134
6.6.3.3	Procedures for the Packet Data Payload Channel	135
6.6.3.3.0	Procedures for the Packet Data Payload Channel - Introduction	135
6.6.3.3.1	TS Procedures for the Packet Data Payload Channel	135
6.6.3.3.2	MS Procedures for the Packet Data Payload Channel	137
6.6.3.4	Application Data Over IP Bearer Service	139
6.6.3.4.0	Application Data Over IP Bearer Service - Introduction	139
6.6.3.4.1	Text Messaging	139
6.6.3.4.2	Location	139
6.6.4	Short Data Message Procedure	139
6.6.4.0	Short Data Message Procedure - Introduction	139
6.6.4.1	Short Data Procedures for the TSCC	141
6.6.4.1.0	Short Data Procedures for the TSCC - Introduction	141
6.6.4.1.1	TSCC Response to a call to an individual MS or talkgroup	141
6.6.4.1.2	TSCC Response to a call to an extended_address destination	142
6.6.4.1.3	Availability Check to the called MS (UDT short data)	143
6.6.4.1.4	Final acknowledgement to the calling party	143
6.6.4.2	Short Data Message procedures for MS	143
6.6.4.3	Initiating a Short Data Message service	144
6.6.4.4	Response to a random access UDT short data message call service	144
6.6.4.5	Acknowledgements received by the calling MS	145
6.6.4.6	Timeout waiting for further signalling	145
6.6.4.7	MS receiving a UDT short data message	145
6.6.4.8	Short Data Message procedure MSC	146
6.6.5	Short Data Polling Service	147
6.6.5.0	Short Data Polling Service - Introduction	147
6.6.5.1	Short Data Polling Procedures for the TSCC	148
6.6.5.1.0	Short Data Polling Procedures for the TSCC - Introduction	148
6.6.5.1.1	TSCC Response to a poll request from an MS	148
6.6.5.1.2	Availability Check to the called MS (UDT short data poll)	149
6.6.5.1.3	Delivery of the polled data to the calling party	149
6.6.5.1.4	Final acknowledgement by the calling party to the TSCC	149
6.6.5.1.5	Short Data Polling procedures from a TSCC gateway	149
6.6.5.2	Short Data Polling Message procedures for MS	149
6.6.5.3	Initiating a Short Data Polling service	150
6.6.5.4	Response to a random access UDT short data polling message	150
6.6.5.5	Final Acknowledgement transmitted by the calling MS	150
6.6.5.6	Timeout waiting for further signalling	150

6.6.5.7	MS receiving a C_AHOY poll for a short polling message	150
6.6.6	Status Call Service	151
6.6.6.0	Status Call Service - Introduction	151
6.6.6.1	Status Service Delivery Procedure	151
6.6.6.1.0	Status Service Delivery Procedure - Introduction	151
6.6.6.1.1	Status Service Delivery Procedures for the TSCC	152
6.6.6.1.2	Status Service Delivery Procedures for MS	154
6.6.6.2	Status Polling Service Procedure	156
6.6.6.2.0	Status Polling Service Procedure - Introduction	156
6.6.6.2.1	Status Service Polling Procedures for the TSCC	157
6.6.6.2.2	Status Polling Service Procedures for MS	158
6.6.6.3	Defined Status Values for Status Call Service	160
6.6.6.3.1	Emergency Alarm.....	160
6.6.7	Call Diversion	160
6.6.7.1	Call Diversion Service	160
6.6.7.1.0	Call Diversion Service - Introduction.....	160
6.6.7.1.1	TSCC Procedures for the Call Diversion Service.....	161
6.6.7.1.2	MS Procedures for the Call Diversion Service.....	163
6.6.7.2	Diverting Calls	165
6.6.8	Dynamic Group Numbering Assignment Service.....	167
6.6.8.0	Dynamic Group Numbering Assignment Service - Introduction.....	167
6.6.8.1	Rules for the allocation of Dynamic Group Addresses	168
6.6.8.1.0	Allocation Rules - Introduction	168
6.6.8.1.1	DGNA_Address Mode	168
6.6.8.1.2	DGNA_Alias Mode	169
6.6.8.2	Dynamic Regroup Assignment Procedures for the TSCC	170
6.6.8.2.0	Dynamic Regroup Assignment Procedures for the TSCC - Introduction.....	170
6.6.8.2.1	TSCC Response to a call to an individual MS or talkgroup	170
6.6.8.2.2	UDT Outbound phase.....	170
6.6.8.2.3	Final acknowledgement to the calling party	171
6.6.8.3	Dynamic Regroup Assignment procedures for MS.....	171
6.6.8.3.0	DGNA Procedures for MS - Introduction.....	171
6.6.8.3.1	Initiating a Dynamic Group Numbering service.....	172
6.6.8.3.2	Response to a random access UDT Dynamic Group Numbering service	172
6.6.8.3.3	MS Response to the TSCC AHOY for the UDT Inbound.....	172
6.6.8.3.4	Acknowledgements received by the calling MS.....	173
6.6.8.3.5	Timeout waiting for further signalling	174
6.6.8.3.6	MS receiving a UDT Dynamic Group Numbering PDU.....	174
6.6.9	Full-Duplex MS to MS Voice Call Procedures.....	174
6.6.9.0	Full-Duplex MS to MS Voice Call Procedures - Introduction	174
6.6.9.1	Full-Duplex MS to MS Voice Call Procedures for the TSCC	174
6.6.9.1.0	Full-Duplex MS to MS Voice Call Procedures for the TSCC - Introduction	174
6.6.9.1.1	TSCC Response to single-part voice call set-up.....	174
6.6.9.1.2	TSCC Response to multi-part voice call set-up.....	175
6.6.9.1.3	Acknowledgements sent by the TSCC to the calling MS (voice).....	175
6.6.9.1.4	Voice Radio Check.....	175
6.6.9.2	Full-Duplex MS to MS Voice Call Procedures for MS.....	175
6.6.9.2.0	Full-Duplex MS to MS Voice Call Procedures for MS - Introduction	175
6.6.9.2.1	Initiating a single-part voice call service	176
6.6.9.2.2	Response to the single-part voice service request.....	176
6.6.9.2.3	Response to the multi-part voice service request.....	176
6.6.9.2.4	Acknowledgements received by the calling MS (voice)	177
6.6.9.2.5	Availability Check to the called party (voice)	177
6.6.9.2.6	Payload Channel Allocation	178
6.6.9.2.7	Calling MS in single part voice call setup SDL.....	178
6.6.9.2.8	Call set-up MSC that also transfers supplementary_user data.....	178
6.6.9.3	Timing requirements for the allocation of a Payload Channel	178
6.6.9.4	Procedures for the Voice Payload Channel	178
6.6.9.4.0	Procedures for the Voice Payload Channel - Introduction	178
6.6.9.4.1	TS Procedures for the Voice Payload Channel.....	178
6.6.9.4.2	MS Procedures for the Voice Payload Channel.....	179
6.6.10	Full-Duplex MS to MS Packet Data Call Procedures	179

6.6.10.0	Full-Duplex MS to MS Packet Data Call Procedures - Introduction	179
6.6.10.1	Full-Duplex MS to MS Packet Data Call Procedures for the TSCC	179
6.6.10.1.0	Full-Duplex MS to MS Packet Data Call Procedures for the TSCC - Introduction	179
6.6.10.1.1	TSCC Response to single-part packet call set-up	179
6.6.10.1.2	TSCC Response to multi-part packet call setup	179
6.6.10.1.3	Acknowledgements sent on the TSCC to the calling MS (packet)	179
6.6.10.1.4	Radio Check for packet data	179
6.6.10.2	Full-Duplex MS to MS Packet Data Call Procedures for MS	180
6.6.10.2.0	Full-Duplex MS to MS Packet Data Call Procedures for MS - Introduction	180
6.6.10.2.1	Initiating a single-part packet data call service	180
6.6.10.2.2	Response to the single-part packet service request	181
6.6.10.2.3	Response to the multi-part packet data service request	181
6.6.10.2.4	Acknowledgements received by the calling MS (packet data)	181
6.6.10.2.5	Availability Check to the called MS (packet data)	181
6.6.10.2.6	Payload Channel Allocation	182
6.6.10.3	Procedures for the Packet Data Payload Channel	182
6.6.10.3.0	Procedures for the Packet Data Payload Channel - Introduction	182
6.6.10.3.1	TS Procedures for the Packet Data Payload Channel	182
6.6.10.3.2	MS Procedures for the Packet Data Payload Channel	182
6.6.11	Full-Duplex MS to MS Packet Data Call Procedures	182
6.6.11.0	Full-Duplex MS to MS Packet Data Call Procedures - Introduction	182
6.4.11.1	Full-Duplex MS to MS Packet Data Call Procedures for the TSCC	183
6.4.11.1.0	Full-Duplex MS to MS Packet Data Call Procedures for the TSCC - Introduction	183
6.6.11.1.1	TSCC Response to single-part packet call set-up	183
6.6.11.1.2	TSCC Response to multi-part packet call setup	183
6.6.11.1.3	Acknowledgements sent on the TSCC to the calling MS (packet)	183
6.6.11.1.4	Radio Check for packet data	183
6.6.11.2	Full-Duplex MS to MS Packet Data Call Procedures for MS	184
6.6.11.2.0	Full-Duplex MS to MS Packet Data Call Procedures for MS - Introduction	184
6.6.11.2.1	Initiating a single-part packet data call service	184
6.6.11.2.2	Response to the single-part packet service request	184
6.6.11.2.3	Response to the multi-part packet data service request	185
6.6.11.2.4	Acknowledgements received by the calling MS (packet data)	185
6.6.11.2.5	Availability Check to the called MS (packet data)	185
6.6.11.2.6	Payload Channel Allocation	186
6.6.11.3	Procedures for the Packet Data Payload Channel	186
6.6.11.3.0	Procedures for the Packet Data Payload Channel - Introduction	186
6.6.11.3.1	TS Procedures for the Packet Data Payload Channel	186
6.6.11.3.2	MS Procedures for the Packet Data Payload Channel	186
6.7	System Management Procedures	186
6.7.1	Network System Announcements	186
6.7.1.0	Network System Announcements - Introduction	186
6.7.1.1	Announce/Withdraw TSCC	187
6.7.1.2	Specify Call Timer parameters	187
6.7.1.3	Vote now advice	187
6.7.1.4	Announce Local Time	188
6.7.1.5	Mass Registration	188
6.7.1.6	Announce a logical physical channel relationship	189
6.7.1.7	Adjacent Site Information	189
7	PDU description	189
7.0	PDU description - Introduction	189
7.1	Layer 3 PDUs	189
7.1.0	Layer 3 PDUs - Introduction	189
7.1.1	Control Signalling Block (CSBK/MBC/UDT) PDUs	190
7.1.1.0	Control Signalling Block (CSBK/MBC/UDT) PDUs - Introduction	190
7.1.1.1	TSCC Outbound channel CSBK/MBC/UDT	194
7.1.1.1.1	Channel Grant CSBK/MBC PDU	194
7.1.1.1.2	Channel Grant Absolute Parameters (CG_AP) appended MBC PDU	204
7.1.1.1.3	Move TSCC (C_MOVE) CSBK/MBC PDU	204
7.1.1.1.4	Aloha (C_ALOHA) CSBK PDU	206
7.1.1.1.5	Announcements (C_BCAST) CSBK/MBC PDU	207

7.1.1.1.6	Ahoy (AHOY) CSBK PDU.....	208
7.1.1.1.7	Acknowledgement C_ACKD) TSCC Response CSBK PDU	209
7.1.1.1.8	Unified Data Transport Outbound Header (C_UDTHD) UDT PDU	210
7.1.1.2	TSCC Inbound channel CSBKS/UDTs transmitted by MS.....	212
7.1.1.2.1	Random Access Request (C_RAND) PDU	212
7.1.1.2.2	C_Ackvitation (C_ACKVIT) CSBK PDU	212
7.1.1.2.3	C_Acknowledge (C_ACKU) MS Response CSBK PDU	213
7.1.1.2.4	Unified Data Transport Inbound channel Header (C_UDTHU) UDT PDU.....	214
7.1.1.3	Outbound channel CSBKS transmitted on a Payload Channel by a TS	216
7.1.1.3.1	Channel Grant (P_GRANT) CSBK/MBC PDU.....	216
7.1.1.3.2	Clear (P_CLEAR) CSBK PDU	217
7.1.1.3.3	Protect (P_PROTECT) CSBK PDU.....	218
7.1.1.3.4	Ahoy (P_AHOY) CSBK PDU	218
7.1.1.3.5	P_Acknowledgement response	219
7.1.1.4	Inbound channel CSBKS transmitted on a Payload Channel by MS(s).....	219
7.1.1.4.1	Random Access Request PDU	219
7.1.1.4.2	P_ACK Acknowledgements.....	219
7.1.1.4.3	P_MAINT Maintenance PDUs.....	220
7.1.2	Short Link Control PDUs	220
7.1.2.1	Control Channel System Parameters.....	220
7.1.2.2	Payload Channel System Parameters	221
7.2	Layer 3 information element coding	221
7.2.0	Layer 3 information element coding - Introduction.....	221
7.2.1	Mask	222
7.2.2	Service Function	222
7.2.3	NRand_Wait	222
7.2.4	Reg	223
7.2.5	Backoff	223
7.2.6	System Identity Code.....	223
7.2.7	Response_Info	223
7.2.8	Reason	224
7.2.8.0	Reason - Introduction.....	224
7.2.8.1	Acknowledgements C_ACK	224
7.2.8.2	Acknowledgements C_NACK	225
7.2.9	Digits	230
7.2.10	Active_Connection	230
7.2.11	Packet Mode	230
7.2.12	Service_Kind	230
7.2.12.0	Service_Kind - Introduction.....	230
7.2.12.1	Service_Kind_Flag.....	231
7.2.12.2	UDT_Option_Flag	232
7.2.13	Service_Options.....	232
7.2.13.0	Service_Options - Introduction	232
7.2.13.1	Service_Options for a Voice Service Request.....	232
7.2.13.2	Service_Options for a Packet Data Service Request	233
7.2.13.3	Service_Options for a Call Diversion Service Request.....	233
7.2.13.4	Service_Options for a Registration Service Request.....	234
7.2.13.5	Service_Options for an Include Call Service Request	234
7.2.13.6	Service_Options for a Status Transport Request.....	234
7.2.13.7	Service_Options for the Short Data Service.....	235
7.2.13.8	Service Options for the Supplementary Data Service	235
7.2.13.9	Service Options for a Short Data Polling Request	235
7.2.14	Service_Options_Mirror	236
7.2.14.0	Service_Options_Mirror - Introduction.....	236
7.2.14.1	Service_Options_Mirror for MS Authentication.....	236
7.2.14.2	Service_Options_Mirror for MS Stun/Revive.....	236
7.2.14.3	Service_Options_Mirror for MS Kill	236
7.2.15	Proxy Flag.....	237
7.2.16	POL_FMT.....	237
7.2.17	Appended_Block	237
7.2.18	Opcode.....	238
7.2.19	Announcement type	238

7.2.19.0	Announcement type - Introduction	238
7.2.19.1	Announce/Withdraw TSCC (Ann-WD_TSCC)	239
7.2.19.2	Specify Call Timer Parameters (CallTimer_Parms).....	239
7.2.19.3	Vote Now Advice (Vote_Now).....	239
7.2.19.3.0	Vote Now - Introduction.....	239
7.2.19.3.1	Vote Now Absolute Parameters (VN_AP) appended MBC PDU	240
7.2.19.4	Broadcast Local Time (Local_Time)	240
7.2.19.4.0	Broadcast Local Time - Introduction.....	240
7.2.19.4.1	Broadcast Local Time - Month (B_MONTH).....	241
7.2.19.4.2	Broadcast Local Time - Day of Week (DAYSOF_WEEK)	241
7.2.19.5	Broadcast Mass Registration (MassReg)	241
7.2.19.5.0	Broadcast Mass Registration - Introduction	241
7.2.19.5.1	Reg_Window.....	242
7.2.19.6	Broadcast Adjacent Site information	242
7.2.19.7	CdefParms absolute frequency relationship	242
7.2.20	Individual/Group (IG).....	243
7.2.21	Protect_Kind.....	243
7.2.22	Maint_Kind.....	243
7.2.23	Response expected (A)	243
7.2.24	Format.....	244
7.2.25	Service Access Point (SAP).....	244
7.2.26	Pad Nibble (PN).....	245
7.2.27	UDT Format.....	245
7.2.28	Offset	245
7.2.29	Protect Flag (PF).....	245
7.2.30	Privacy	246
7.2.31	STATUS	246
7.2.32	Version.....	246
7.2.33	Target Address Contents.....	246
7.2.34	Payload Channel Type	247
7.2.35	Site Time Slot Synchronization.....	247
7.2.36	One Key format flag (OK).....	247

Annex A (normative): Timers, constants levels and addresses **248**

A.0	Timers, constants levels and addresses - Introduction	248
A.1	Layer 3 timers.....	248
A.2	Layer 3 constants.....	250
A.3	Layer 3 levels	250
A.4	Tier III Gateways/Identifiers	251

Annex B (normative): Opcode Reference Lists **252**

B.1	CSBK/MBC/UDT Opcode List.....	252
B.2	Short Link Control Opcode List.....	253
B.3	Appended Data Information Elements	253
B.3.0	Appended Data Information Elements - Introduction	253
B.3.1	Appended Data Binary Format.....	253
B.3.2	Appended Data Addressing Format	255
B.3.3	Appended Data BCD Format	256
B.3.4	Appended Data ISO 7 bit character set Format	258
B.3.5	Appended Data ISO 8 bit Character Format.....	260
B.3.6	Appended Data NMEA (IEC 61162-1) format	262
B.3.6.0	Appended Data NMEA - Introduction.....	262
B.3.6.1	Short NMEA (IEC 61162-1) format	262
B.3.6.2	Long NMEA (IEC 61162-1) format specified	263
B.3.6.3	Long NMEA (IEC 61162-1) format unspecified	263
B.3.7	UDT DMR IP format	264
B.3.8	Appended Data Unicode 16 bit UTF-16BE Character Format.....	265

B.3.9	Appended Data Mixed Format	266
Annex C (informative):	Physical Channel Plan	269
C.1	Transmission and Reception	269
C.1.1	RF carriers	269
C.1.1.1	Nominal carriers frequencies	269
C.1.1.2	Fixed Channel Plan	269
C.1.1.3	Flexible Channel Plan	271
C.1.1.4	Determination of Transmitter and Receiver frequency from CdefParms	271
Annex D (informative):	Control Channel Hunting Procedures	272
D.1	Control Channel Hunting Procedures.....	272
D.1.0	Introduction	272
D.1.1	Resuming a TSCC hunt channel.....	274
D.1.2	Commanded TSCC hunt channel	274
D.1.2.1	Conditions to enter a Commanded TSCC hunt.....	274
D.1.2.2	Nominated Channel for the Single Channel Hunt.....	274
D.1.2.3	Short Hunt Sequence	275
D.1.2.3.0	Short Hunt Sequence - Introduction	275
D.1.2.3.1	Conditions to enter a Short Channel Hunt.....	275
D.1.2.4	Comprehensive Hunt Sequence	275
D.1.2.4.0	Comprehensive Hunt Sequence - Introduction	275
D.1.2.4.1	Conditions to enter a Comprehensive Channel Hunt	275
D.1.2.5	Receiver Sensitivity During Control Channel Acquisition	276
Annex E (informative):	Fleet numbering and dialling plan	277
E.1	Introduction	277
E.2	Subscriber mapping.....	278
E.2.0	Subscriber mapping - Introduction	278
E.2.1	User Interface - Air Interface	278
E.3	Numbering Plan.....	279
E.3.0	Numbering Plan - Introduction.....	279
E.3.1	Definition of User Number and Address	280
E.3.1.0	User Number - Introduction	280
E.3.1.1	Definition of Air Interface User Address	280
E.3.1.2	Relationship between NAI and Air Interface MS Address	281
E.3.1.3	Individual Number	281
E.3.1.3.1	Short Subscriber Identity (SSI)	281
E.3.1.3.2	Fleet Individual Identity	281
E.3.1.3.3	Algorithm to convert an Individual Number to an AI Address	281
E.3.1.4	Group Number	282
E.3.1.4.1	Group Identity	282
E.3.1.4.2	Fleet Group Identity	282
E.3.1.4.3	Algorithm to convert a Group Number to an AI Address	282
E.3.2	Dispatcher.....	282
E.3.3	Short Dispatcher Dialling	283
E.3.4	All Call Dialled Strings	283
E.3.4.0	All Call Dialled Strings Introduction	283
E.3.4.1	Dialled Strings for Local All Calls	283
E.3.4.2	Dialled Strings used to address all MS in a subset of the system's radio sites as a talkgroup	283
E.3.4.3	Dialled Strings used to address all MS in the System as a talkgroup	284
E.3.5	Call Modifiers	284
E.3.6	Dialled Function Strings.....	285
E.3.7	Calls to Line Connected Destinations	285
E.3.7.1	Calls to the PABX and PSTN	285
E.3.7.1.0	Calls to the PABX and PSTN - Introduction	285
E.3.7.1.1	Calls to the PSTN.....	285
E.3.7.1.2	Calls to the PABX	286

Annex F (informative):	Use of MSC and SDL diagrams.....	287
F.1	Introduction	287
F.2	Principle	287
F.3	Notation.....	287
Annex G (informative):	Bibliography.....	288
History		289

iteh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/d30c2862-b396-489d-8171-abea4c4e613d/etsi-ts-102-361-4-v1.7.1-2015-07>