



**Satellite Earth Stations and Systems (SES);
Harmonised Standard for Satellite Earth Stations (MES) for
MSS operating in the 2 GHz frequency band;
Part 1: Complementary Ground
Component (CGC) for wideband systems
covering the essential requirements
of article 3.2 of the Directive 2014/53/EU**

STANDARDS PREVIEW
https://standards.itsai.int/standards/15557cf-43c0-42f5-8e7c-4347ad0b0977/etsi-en-302-574-1-v2-1-0-06

Reference

REN/SES-00369

Keywords

broadband, IMT, mobile, satellite

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	9
Foreword.....	9
Modal verbs terminology.....	9
Introduction	10
1 Scope	11
2 References	12
2.1 Normative references	12
2.2 Informative references.....	13
3 Definitions, symbols and abbreviations	13
3.1 Definitions	13
3.2 Symbols.....	14
3.3 Abbreviations	15
4 Technical requirements specifications for conventional CGC	16
4.1 Environmental profile.....	16
4.2 Conformance requirements	16
4.2.1 Introduction.....	16
4.2.2 Spectrum emission mask	16
4.2.2.1 Definition	16
4.2.2.2 Limits	17
4.2.2.3 Conformance.....	18
4.2.3 Adjacent channel leakage power ratio (ACLR).....	18
4.2.3.1 Definition	18
4.2.3.2 Limits	18
4.2.3.3 Conformance.....	19
4.2.4 Transmitter spurious emissions.....	19
4.2.4.1 Definition	19
4.2.4.2 Limits	19
4.2.4.2.1 Spurious emissions	19
4.2.4.2.2 Coexistence with other systems in the same geographical area.....	20
4.2.4.2.3 Protection of UTRA FDD in adjacent frequency band.....	20
4.2.4.2.4 Protection of UTRA -TDD.....	20
4.2.4.2.5 Protection of UTRA BS.....	20
4.2.4.2.6 Protection of the CGC receiver of own or different CGC	21
4.2.4.3 Conformance.....	21
4.2.5 CGC maximum output power.....	21
4.2.5.1 Definition	21
4.2.5.2 Limit.....	21
4.2.5.3 Conformance.....	21
4.2.6 Transmit inter modulation	21
4.2.6.1 Definition	21
4.2.6.2 Limit.....	22
4.2.6.3 Conformance.....	22
4.2.7 Receiver spurious emissions	22
4.2.7.1 Definition	22
4.2.7.2 Limits	22
4.2.7.3 Conformance.....	22
4.2.8 Blocking characteristics	22
4.2.8.1 Definition	22
4.2.8.2 Limit.....	22
4.2.8.3 Conformance.....	23
4.2.9 Receiver inter-modulation characteristics.....	23
4.2.9.1 Definition	23
4.2.9.2 Limit.....	23
4.2.9.3 Conformance.....	24

4.2.10	Receiver adjacent selectivity.....	24
4.2.10.1	Definition	24
4.2.10.2	Limit.....	24
4.2.10.3	Conformance.....	25
5	Testing for compliance with technical requirements for conventional CGC	25
5.1	Environmental and other conditions for testing.....	25
5.2	Interpretation of the measurement results	26
5.3	Radio test suites.....	27
5.3.1	Spectrum emission mask	27
5.3.1.1	Initial conditions	27
5.3.1.2	Procedures.....	28
5.3.2	Adjacent Channel leakage Power Ratio (ACLR).....	28
5.3.2.1	Initial conditions	28
5.3.2.2	Procedure	28
5.3.3	Transmitter spurious emissions.....	28
5.3.3.1	Initial conditions	28
5.3.3.2	Procedure	29
5.3.4	CGC maximum output power.....	29
5.3.4.1	Initial conditions	29
5.3.4.2	Procedure	29
5.3.5	Transmit intermodulation	29
5.3.5.1	Initial conditions	29
5.3.5.2	Procedures.....	29
5.3.6	Receiver spurious emissions	30
5.3.6.1	Initial conditions	30
5.3.6.2	Procedure	30
5.3.7	Blocking characteristics.....	30
5.3.7.1	Initial conditions	30
5.3.7.2	Procedure	31
5.3.8	Receiver intermodulation characteristics.....	31
5.3.8.1	Initial conditions	31
5.3.8.2	Procedures.....	31
5.3.9	Receiver Adjacent Channel Selectivity (ACS).....	31
5.3.9.1	Initial conditions	31
5.3.9.2	Procedure	32
6	Technical requirements specifications for Aeronautical CGC	32
6.1	Environmental profile.....	32
6.2	Conformance requirements	32
6.2.1	Introduction.....	32
6.2.2	Spectrum emission mask	33
6.2.2.1	Definition	33
6.2.2.2	Limits	33
6.2.2.3	Conformance.....	33
6.2.3	Adjacent channel leakage power ratio (ACLR).....	33
6.2.3.1	Definition	33
6.2.3.2	Limits	33
6.2.3.3	Conformance.....	34
6.2.4	Transmitter spurious emissions.....	34
6.2.4.1	Definition	34
6.2.4.2	Limits	34
6.2.4.2.1	CGC Spurious emissions	34
6.2.4.2.2	Coexistence with other systems.....	34
6.2.4.2.3	Protection of BS receiver.....	35
6.2.4.3	Conformance.....	35
6.2.5	Aeronautical CGC maximum output power	36
6.2.5.1	Definition	36
6.2.5.2	Limit.....	36
6.2.5.3	Conformance.....	36
6.2.6	Transmit intermodulation	36
6.2.6.1	Definition	36

6.2.6.2	Limit.....	36
6.2.6.3	Conformance.....	37
6.2.7	Receiver spurious emissions.....	37
6.2.7.1	Definition.....	37
6.2.7.2	Limits.....	37
6.2.7.3	Conformance.....	37
6.2.8	Blocking characteristics.....	37
6.2.8.1	Definition.....	37
6.2.8.2	Limit.....	37
6.2.8.3	Conformance.....	38
6.2.9	Receiver intermodulation characteristics.....	38
6.2.9.1	Definition.....	38
6.2.9.2	Limit.....	38
6.2.9.3	Conformance.....	39
6.2.10	Receiver adjacent Channel selectivity and narrow-band blocking.....	39
6.2.10.1	Definition.....	39
6.2.10.2	Limit.....	39
6.2.10.3	Conformance.....	40
7	Testing for compliance with technical requirements for Aeronautical CGC.....	40
7.1	Environmental and other conditions for testing.....	40
7.2	Interpretation of the measurement results.....	41
7.3	Radio test suites.....	42
7.3.1	Spectrum emission mask.....	42
7.3.1.1	Initial conditions.....	42
7.3.1.2	Procedures.....	43
7.3.2	Adjacent Channel leakage Power Ratio (ACLR).....	43
7.3.2.0	General.....	43
7.3.2.1	Initial conditions.....	43
7.3.2.2	Procedure.....	43
7.3.3	Transmitter spurious emissions.....	43
7.3.3.1	Initial conditions.....	43
7.3.3.2	Procedure.....	44
7.3.4	Aeronautical CGC maximum output power.....	44
7.3.4.1	Initial conditions.....	44
7.3.4.2	Procedure.....	44
7.3.5	Transmit intermodulation.....	44
7.3.5.1	Initial conditions.....	44
7.3.5.2	Procedures.....	45
7.3.6	Receiver spurious emissions.....	45
7.3.6.1	Initial conditions.....	45
7.3.6.2	Procedure.....	45
7.3.7	Blocking characteristics.....	46
7.3.7.1	Initial conditions.....	46
7.3.7.2	Procedure.....	46
7.3.8	Receiver intermodulation characteristics.....	46
7.3.8.1	Initial conditions.....	46
7.3.8.2	Procedures.....	47
7.3.9	Receiver Adjacent Channel Selectivity (ACS).....	47
7.3.9.1	Initial conditions.....	47
7.3.9.2	Procedure for Adjacent Channel Selectivity.....	47
7.3.9.3	Procedure for narrow-band blocking.....	47
8	Technical requirements specifications for conventional CGC E-UTRA.....	48
8.1	Environmental profile.....	48
8.2	Conformance requirements.....	48
8.2.1	Introduction.....	48
8.2.2	Operating band unwanted emissions.....	49
8.2.2.0	General.....	49
8.2.2.1	Definition.....	49
8.2.2.2	Limits.....	50
8.2.2.2.0	General.....	50

8.2.2.2.1	Limits for Wide Area CGC	50
8.2.2.2.2	Limits for Local Area CGC	50
8.2.2.3	Conformance.....	50
8.2.3	Adjacent Channel Leakage power Ratio (ACLR)	51
8.2.3.1	Definition	51
8.2.3.2	Limits	51
8.2.3.3	Conformance.....	51
8.2.4	Transmitter spurious emissions.....	51
8.2.4.0	General	51
8.2.4.1	Definition	52
8.2.4.2	Limits	52
8.2.4.2.1	Spurious emissions	52
8.2.4.2.2	Co-existence with other systems	52
8.2.4.2.3	Protection of BS receiver.....	53
8.2.4.3	Conformance.....	53
8.2.5	CGC BS maximum output power	53
8.2.5.0	General	53
8.2.5.1	Definition	53
8.2.5.2	Limit.....	54
8.2.5.3	Conformance.....	54
8.2.6	Transmitter intermodulation	54
8.2.6.0	General	54
8.2.6.1	Definition	54
8.2.6.2	Limit.....	54
8.2.6.3	Conformance.....	55
8.2.7	Receiver spurious emissions	55
8.2.7.0	General	55
8.2.7.1	Definition	55
8.2.7.2	Limit.....	55
8.2.7.3	Conformance.....	55
8.2.8	Blocking characteristics	56
8.2.8.0	General	56
8.2.8.1	Definition	56
8.2.8.2	Limit.....	56
8.2.8.3	Conformance.....	57
8.2.9	Receiver intermodulation characteristics	57
8.2.9.0	General	57
8.2.9.1	Definition	57
8.2.9.2	Limit.....	57
8.2.9.3	Conformance.....	58
8.2.10	Adjacent Channel Selectivity (ACS) and narrow-band blocking	58
8.2.10.0	General	58
8.2.10.1	Definition	59
8.2.10.2	Limit.....	59
8.2.10.3	Conformance.....	60
9	Testing for compliance with technical requirements for conventional CGC E-UTRA.....	60
9.1	Environmental conditions for testing	60
9.2	Interpretation of the measurement results	61
9.3	Radio test suites.....	62
9.3.0	General.....	62
9.3.1	Operating band unwanted emissions	62
9.3.1.0	General	62
9.3.1.1	Initial conditions	62
9.3.1.2	Procedure	62
9.3.2	Adjacent Channel Leakage power Ratio (ACLR)	63
9.3.2.1	Initial conditions	63
9.3.2.2	Procedure	63
9.3.3	Transmitter spurious emissions.....	63
9.3.3.0	General	63
9.3.3.1	Initial conditions	63
9.3.3.2	Procedure	63

9.3.4	CGC maximum output power	64
9.3.4.0	General	64
9.3.4.1	Initial conditions	64
9.3.4.2	Procedure	64
9.3.5	Transmitter intermodulation	64
9.3.5.0	General	64
9.3.5.1	Initial conditions	64
9.3.5.2	Procedures	64
9.3.6	Receiver spurious emissions	65
9.3.6.0	General	65
9.3.6.1	Initial conditions	65
9.3.6.2	Procedure	65
9.3.7	Blocking characteristics	66
9.3.7.0	General	66
9.3.7.1	Initial conditions	66
9.3.7.2	Procedure	66
9.3.8	Receiver intermodulation characteristics	67
9.3.8.0	General	67
9.3.8.1	Initial conditions	67
9.3.8.2	Procedures	67
9.3.9	Adjacent Channel Selectivity (ACS) and narrow-band blocking	67
9.3.9.0	General	67
9.3.9.1	Initial conditions	67
9.3.9.2	Procedure for Adjacent Channel Selectivity	67
9.3.9.3	Procedure for narrow-band blocking	68
Annex A (normative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	69
Annex B (normative):	Complementary Ground Component configurations	71
B.1	Receiver diversity	71
B.2	Duplexers	71
B.3	Splitters	71
B.4	Power supply options	72
B.5	Ancillary RF amplifiers	72
B.6	CGC using antenna arrays	73
B.6.0	General	73
B.6.1	Receiver tests	73
B.6.2	Transmitter tests	73
B.7	Transmit diversity	74
B.8	CGC with integrated Iuant CGC modem	74
B.9	Combining of CGCs	74
Annex C (informative):	Environmental profile specification	75
C.0	General	75
C.1	Tests environment	75
C.1.1	Measurement of test environments	75
C.1.2	Normal test Environment	75
C.1.3	Extreme test environment	76
C.1.4	Extreme temperature	76
C.1.5	Vibration	76
C.1.6	Power supply	76
C.1.7	Definition of Additive White Gaussian Noise (AWGN) Interferer	77
Annex D (informative):	Measurement system set-up	78

D.0	General	78
D.1	Transmitter	78
D.1.1	Maximum output power	78
D.1.2	Out of band emission.....	78
D.1.3	Transmit intermodulation	79
D.2	Receiver.....	79
D.2.1	Adjacent Channel Selectivity (ACS).....	79
D.2.2	Blocking characteristics	80
D.2.3	Intermodulation characteristics	80
D.2.4	Receiver spurious emission	81
Annex E (informative):	Bibliography.....	82
History		83

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/15b57ef-43c0-42f5-8e7c-439e7d008c07/etsi-en-302-574-1-v2.1.1-2016-06>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This draft Harmonised European Standard (EN) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.9] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [13].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

The present document is part 1 of a multi-part deliverable covering the Harmonised Standard for satellite earth stations for MSS operating in the 1 980 MHz to 2 010 MHz (earth-to-space) and 2 170 MHz to 2 200 MHz (space-to-earth) frequency bands, as identified below:

- Part 1:** "Complementary Ground Component (CGC) for wideband systems covering the essential requirements of article 3.2 of the Directive 2014/53/EU";
- Part 2: "User Equipment (UE) for wideband systems covering the essential requirements of article 3.2 of the Directive 2014/53/EU";
- Part 3: "User Equipment (UE) for narrowband systems covering the essential requirements of article 3.2 of the Directive 2014/53/EU".

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio equipment within the scope of the RE Directive [13]. The modular structure is shown in ETSI EG 201 399 [i.3].

The technical requirements in the present document are adapted from the requirements in ETSI EN 301 908-1 [3], ETSI EN 301 908-3 [4] and ETSI EN 301 908-14 [10]. The adaptations include a variable channel bandwidth and frequency band changes to the MSS band.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/15b57cf-43c0-42f5-8e7c-439e7d008c07/etsi-en-302-574-1-v2.1.1-2016-06>

1 Scope

The present document applies to Complementary Ground Components (CGC) operating as part of a satellite network.

The present document covers two types of CGC:

- Conventional CGC:
 - Clauses 4 and 5 according to ETSI EN 301 908-18 [16] for W-CDMA
 - Clauses 8 and 9 according to ETSI EN 301 908-14 [10] for E-UTRA
- Aeronautical CGC

These Complementary Ground Components (CGC) transmit only to the User Equipment/ Aeronautical Terminal or transmit and receive to/from the User Equipment/ Aeronautical Terminal in the frequency bands allocated to the Mobile Satellite Service (MSS) on a primary basis as defined in table 1.

NOTE 1: The CGC may include various types of interfaces, to terrestrial and/or satellite networks, but their specifications are out of the scope of the present document.

The present document applies to Complementary Ground Component (CGC) radio equipment type deployed in Mobile Satellite Services systems which have the following characteristics:

- These CGCs may have both transmit and receive capabilities and are part of a hybrid Satellite/terrestrial network.
- These CGCs operate with an assigned channel signal bandwidth (CBW) of 1 MHz or greater.
- The conventional CGCs may be local coverage, medium coverage or wide coverage ground components.
- The aeronautical CGCs may transmit/receive toward/from terminal mounted on aircraft (Aeronautical Terminal).
- These CGCs may be an element in a multi-mode base station. It may consist of a number of modules with associated connections, or may be a self-contained single unit.

If the CGC is an element in a multi-mode base station, unless otherwise stated in the present document, its requirements apply only to the CGC element of the terminal operating in the Mobile Satellite Service (MSS) frequency bands given in table 1.

The present document applies to the following terminal equipment types:

- 1) Complementary Ground Components for Wideband Satellite Systems.

This radio equipment type is capable of operating in all or any part of the frequency bands given in table 1.

Table 1: Mobile Satellite Service Complementary Ground Component frequency bands

Operating band	Direction of transmission	CGC frequency bands
I	Transmit	2 170 MHz to 2 200 MHz
	Receive	1 980 MHz to 2 010 MHz

The present document only applies to the radio interface between the conventional CGC and the User Equipment or between aeronautical CGC and Aeronautical Terminal.

The present document is intended to cover the provisions of Directive 2014/53/EU [13] (RE Directive) article 3.2 which states, which states that "*Radio equipment shall be so constructed that it both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference*".

NOTE 2: In addition to the unwanted emission limits defined in clauses 4.2.2 and 5.2.2 of the present document, additional operational constraints may be required to prevent harmful interference into services operating in the neighbouring bands outside the operational band defined in table 1.

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the Directive 2014/53/EU [13] may apply to equipment within the scope of the present document.

NOTE 3: A list of such ENs is included on the web site <http://www.newapproach.org>.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Void.
- [2] ETSI TS 125 141 (V11.8.0) (04-2014): "Universal Mobile Telecommunications System (UMTS); Base Station (BS) conformance testing (FDD) (3GPP TS 25.141 version 11.8.0 Release 11)".
- [3] ETSI EN 301 908-1 (V6.2.1) (04-2013): "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 1: Introduction and common requirements".
- [4] ETSI EN 301 908-3 (V6.2.1) (10-2013): "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 3: CDMA Direct Spread (UTRA FDD) Base Stations (BS)".
- [5] Recommendation ITU-R SM 329-12 (09-2012): "Unwanted emissions in the spurious domain".
- [6] Recommendation ITU-T O.153 (10-1992): "Basic parameters for the measurement of error performance at bit rates below the primary rate".
- [7] IEC 60068-2-1 (2007): "Environmental testing - Part 2-1: Tests - Test A: Cold".
- [8] IEC 60068-2-2 (2007): "Environmental testing - Part 2-2: Tests - Test B: Dry heat".
- [9] IEC 60068-2-6 (2007): "Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)".
- [10] ETSI EN 301 908 -14 (V6.2.1) (10-2013): "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 14: Evolved Universal Terrestrial Radio Access (E-UTRA) Base Stations (BS)".
- [11] ETSI TS 136 141 (V11.9.0) (07-2014): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) conformance testing (3GPP TS 36.141 version 11.9.0 Release 11)".
- [12] ETSI TS 125 104 (V11.9.0) (07-2014): "Universal Mobile Telecommunications System (UMTS); Base Station (BS) radio transmission and reception (FDD) (3GPP TS 25.104 version 11.9.0 Release 11)".
- [13] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC (RE Directive).
- [14] Void.

- [15] ETSI TS 136 104 (V10.10.0) (04-2013): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) radio transmission and reception (3GPP TS 36.104 version 10.10.0 Release 10)".
- [16] ETSI EN 301 908-18 (V6.2.1) (11-2012): "IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 18: E-UTRA, UTRA and GSM/EDGE Multi-Standard Radio (MSR) Base Station (BS)".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI TR 100 028 (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [i.2] Void.
- [i.3] ETSI EG 201 399: "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of Harmonized Standards for application under the Radio & Telecommunication Terminal Equipment Directive 1999/5/EC (R&TTE) and a first guide on the impact of the Radio Equipment Directive 2014/53/EU (RED) on Harmonized Standards".
- [i.4] ETSI TR 102 215: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Recommended approach, and possible limits for measurement uncertainty for the measurement of radiated electromagnetic fields above 1 GHz".
- [i.5] Void.
- [i.6] Void.
- [i.7] IEC 60721-3-3 (2002): "Classification of environmental conditions - Part 3-3: Classification of groups of environmental parameters and their severities - Stationary use at weatherprotected locations".
- [i.8] IEC 60721-3-4 (1995): "Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 4: Stationary use at non-weather protected locations".
- [i.9] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in the Directive 2014/53/EU [13] and the following apply:

ancillary equipment: equipment (apparatus) used in connection with a CGC, which is considered as ancillary equipment (apparatus) if:

- the equipment is intended for use in conjunction with an CGC to provide additional operational and/or control features to the radio equipment, (e.g. to extend control to another position or location);