

---

---

**Textile machinery and accessories —  
Reeds —**

Part 3:  
**Dimensions and designation of metal  
reeds with double-spring baulk**

**iTeh STANDARD PREVIEW** —  
*Matériel pour l'industrie textile — Peignes —*

**(standards.iteh.ai)**  
*Partie 3: Dimensions et désignation des peignes métalliques à ligature  
double*

ISO 366-3:2009

<https://standards.iteh.ai/catalog/standards/sist/1e85ee06-c7c6-416d-b319-8cee95cb4fad/iso-366-3-2009>



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO 366-3:2009](#)

<https://standards.iteh.ai/catalog/standards/sist/1e85ee06-c7c6-416d-b319-8cee95cb4fad/iso-366-3-2009>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Page

Foreword.....	iv
1 <b>Scope</b> .....	1
2 <b>Dimensions</b> .....	1
3 <b>Designation</b> .....	1

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 366-3:2009](https://standards.iteh.ai/catalog/standards/sist/1e85ee06-c7c6-416d-b319-8cee95cb4fad/iso-366-3-2009)

<https://standards.iteh.ai/catalog/standards/sist/1e85ee06-c7c6-416d-b319-8cee95cb4fad/iso-366-3-2009>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 366-3 was prepared by Technical Committee ISO/TC 72, *Textile machinery and accessories*, Subcommittee SC 3, *Machinery for fabric manufacturing including preparatory machinery and accessories*.

This second edition cancels and replaces the first edition (ISO 366-3:1988), which has been technically revised.

ISO 366 consists of the following parts, under the general title *Textile machinery and accessories — Reeds*:

- Part 1: Pitch bound reeds — *Dimensions*
- Part 2: *Dimensions and designation of metal reeds with plate baulk*
- Part 3: *Dimensions and designation of metal reeds with double-spring baulk*
- Part 4: *Dimensions and designation of plastic-bound metal reeds*
- Part 5: *Dimensions and designation of profile capsules*

# Textile machinery and accessories — Reeds —

## Part 3: Dimensions and designation of metal reeds with double-spring baulk

### 1 Scope

This part of ISO 366 specifies the dimensions and designation of metal reeds with double-spring baulk for weaving machines.

### 2 Dimensions

The dimensions of metal reeds with double-spring baulk shown in Figure 1 and given in Table 1, and the tolerance of perpendicularity of dents according to Figure 2, shall be met.


### 3 Designation

The designation of metal reeds with double-spring baulk shall include the following information in the order given:

- a) "Metal reed with double-spring baulk";
- b) reference to this part of ISO 366, i.e. ISO 366-3;
- c) inner height of the reed,  $e$ , in millimetres;
- d) overall height of the reed,  $h_1$ , in millimetres;
- e) thickness of the reed baulk,  $d$ , in millimetres;
- f) width of the dents of the reed,  $b$ , in millimetres;
- g) type of steel used for the dents of the reed, i.e. plain or stainless.

**EXAMPLE** A metal reed with double-spring baulk of total height  $h_1 = 150$  mm, of thickness of reed baulk  $d = 8$  mm, and having dents of width  $b = 4$  mm, made of stainless steel, is designated as follows:

**Metal reed with double-spring baulk ISO 366-3 - 150 × 8 × 4 stainless steel**



iTeh STANDARD PREVIEW  
(standards.iteh.ai)

**Key**

- $B$  overall width of reed
- $B_N$  usable width
- $b$  width of dents of reed
- $d$  thickness of reed baulk (approximate value, depends on the thickness or diameter of the wire)
- $e$  inner height of reed
- $h_1$  total height of reed
- $f$  width of end piece

ISO 366-3:2009

<https://standards.iteh.ai/catalog/standards/sist/1e85ee06-c7c6-416d-b319-8ccc95cb49d1/iso-366-3-2009>


**Figure 1 — Metal reed with double-spring baulk**

**Table 1 — Dimensions of metal reeds with double-spring baulk**

Dimensions in millimetres

Total height of reed $h_1$	Width of dents of reed $b$			
	3	4	(5)	6
	Thickness of reed baulk $d$			
	6,5	8	(9)	10
110				
120				
130				
140				
150				
160				

NOTE The grey table elements show the dimensions recommended for metal reed with plate baulk.



iTeh STANDARD PREVIEW  
(standards.iteh.ai)

**Key**

- $e$  inner height of reed  
 $h_1$  total height of reed  
 $s$  thickness of dents  
 $t$  distance of dents

ISO 366-3:2009

<https://standards.iteh.ai/catalog/standards/sist/1e85ee06-c7c6-416d-b319-8cee95cb4fad/iso-366-3-2009>

**Figure 2 — Tolerance of perpendicularity of dents in relation to base of reed**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO 366-3:2009](https://standards.iteh.ai/catalog/standards/sist/1e85ee06-c7c6-416d-b319-8cee95cb4fad/iso-366-3-2009)

<https://standards.iteh.ai/catalog/standards/sist/1e85ee06-c7c6-416d-b319-8cee95cb4fad/iso-366-3-2009>

---

---

**ICS 59.120.30**

Price based on 3 pages