# INTERNATIONAL STANDARD



First edition 2009-03-15

## Graphic technology — Exchange format for colour and process control data using XML or ASCII text

Technologie graphique — Format d'échange pour les données de couleur et de contrôle de procédé en utilisant du texte XML ou ASCII

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 28178:2009 https://standards.iteh.ai/catalog/standards/sist/78ecb416-4b2b-4808-ab95-80db8e7a92c8/iso-28178-2009



Reference number ISO 28178:2009(E)

#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 28178:2009</u> https://standards.iteh.ai/catalog/standards/sist/78ecb416-4b2b-4808-ab95-80db8e7a92c8/iso-28178-2009



#### COPYRIGHT PROTECTED DOCUMENT

#### © ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

## Contents

Page

Forewo	ord	iv
Introdu	uction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4 4.1	Requirements General description of a conforming file	2 2
4.2 4.3	Tags and keywords Data tables	3 11
Annex	A (informative) Advantages of an XML data reporting format	16
Annex	B (informative) Tag and keyword examples	18
Annex	C (informative) Sample files	22
Annex	D (informative) Example of use of user-defined keywords	26
Annex	E (informative) Corresponding tags and keywords used in database AMPAC	28
Bibliog	graphy	36

ISO 28178:2009 https://standards.iteh.ai/catalog/standards/sist/78ecb416-4b2b-4808-ab95-80db8e7a92c8/iso-28178-2009

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 28178 was prepared by Technical Committee ISO/TC 130, *Graphic technology*, and is based on ANSI CGATS 17:2005.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 28178:2009</u> https://standards.iteh.ai/catalog/standards/sist/78ecb416-4b2b-4808-ab95-80db8e7a92c8/iso-28178-2009

## Introduction

A number of International Standards used by the graphic technology community require the reporting of measured and/or computed data. Several of these standards, e.g. the ISO 12642 series and ISO 13655, contain suggested formats for the data to be exchanged. These have used the ASCII keyword-value pair approach and have been widely used by some industry segments. However, there has never been a consolidated definition of the various formats.

This International Standard is intended to support all existing and future graphic arts standards that require the exchange of measured, computed, or process control data and the associated metadata necessary for its proper interpretation. It is specifically not intended for graphic arts content data, which are covered by ISO 15930 and ISO 12639.

In reviewing the needs of such a format the following requirements were identified:

- applications based on the existing ASCII formats not be made obsolete;
- data need to be in a form that is both human-readable (once the digital file has been displayed using standard editors, or file readers) and machine-readable;
- data need to be readable by automated programs to extract the necessary information;
- data files need to be extensible by end users in such a way as to allow additional information to be included without breaking automated readers of the file;

ISO 28178:2009

- the format needs to allow multiple language representation of data.

The file formats chosen to accomplish this task are a combination of XML and extensions of the existing ASCII keyword-value file format, coupled with the necessary tools to allow appropriate conversions to and from XML from ASCII keyword-value files. However, either the XML file format or the ASCII keyword-value file format can be used independently. Annex E shows the AMPAC (see ISO/TR 16044) coding for each of the ASCII keywords.

These formats make use of predefined XML tags and ASCII keywords. Values are associated with the tags and keywords and remain in effect until another instance of the tag or keyword. Provision is made to allow the use of data tables and to separately define the format within data tables. Multiple occurrences of such data tables within a single file are also permitted. User-defined tags and keywords are also allowed.

See Annex A for a discussion of the advantages of an XML data reporting format and references to a demonstration suite.

A demonstration suite based on this International Standard has been made available for use as part of a testing and development program. It is available from NPES The Association for Suppliers of Printing, Publishing and Converting Technologies, at <u>http://www.npes.org/standards/tools.html</u>. See A.5 for more information.

Subsequent to the final approval of this International Standard, ISO/TC 130 decided that additional verification of the XML implementation was desirable and an editing committee was formed to address this issue. The editing committee reported that the vendor of a commercial XML data exchange application had success in mapping both the ASCII and XML portions of this International Standard into their application. This was felt to provide a verification of the XML implementation proposed in this International Standard.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 28178:2009 https://standards.iteh.ai/catalog/standards/sist/78ecb416-4b2b-4808-ab95-80db8e7a92c8/iso-28178-2009

# Graphic technology — Exchange format for colour and process control data using XML or ASCII text

#### 1 Scope

This International Standard defines an exchange format for colour and process control data (and the associated metadata necessary for its proper interpretation) in electronic form using either XML or ASCII formatted data files. It maintains human readability of the data as well as enabling machine readability. It includes a series of predefined tags and keywords, and provides extensibility through provision for the dynamic definition of additional tags and keywords as necessary. It is focused primarily on spectral measurement data, colorimetric data, and densitometric data.

This International Standard is intended to be used in conjunction with other standards that will define the required data, and tags or keywords for specific data exchange applications.

## 2 Normative references STANDARD PREVIEW

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies 28178-2009

ISO/IEC 646, Information technology 80 / 150 / 7-bit coded character set for information interchange

*Extensible Markup Language (XML) 1.0 (2nd ed.)*, World Wide Web Consortium (W3C), W3C Recommendation 6 October 2000. Available at <u>http://www.w3.org</u>

XSL Transformations (XSLT) Version 1.0, World Wide Web Consortium (W3C), W3C Recommendation 16 November 1999. Available at http://www.w3.org

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

#### data format identifier

predefined set of characters, without intervening spaces, forming a unique word that is used to identify the presence of a defined item of data in a subsequent data table

#### 3.2

#### keyword

predefined set of characters, without intervening spaces, forming a unique word that is used to identify the presence of a defined item of information

#### 3.3

#### schema

XML document that, following the rules established by the World Wide Web Consortium, defines the structure of a class of XML documents

3.4

#### value

information immediately following a keyword that represents the data content or "value" associated with that keyword

#### 4 Requirements

#### 4.1 General description of a conforming file

#### 4.1.1 XML format

This file format is an XML format that complies with Extensible Markup Language (XML) 1.0. The format makes use of predefined tags that identify information commonly used to describe graphic arts samples. In addition, users of this format are allowed to define tags to tailor the format to their specific needs according to the rules of XML namespace.

The data file is divided into two sections. The preamble is the first section. This section provides general information and describes the conditions under which data was collected. The preamble tag is iso28178.preamble. Tags used in the preamble are listed in 4.2.

The data section is the second section, which is further divided into two parts. The first part of the data section provides the information that describes the type and location of the table contents; the second section contains the data values.

## iTeh STANDARD PREVIEW

The schema associated with the XML format defined in this International Standard is contained in file iso28178\_data.xsd, which is an essential normative part of this International Standard. This International Standard also provides structural XML tags that are needed for the proper specification of an XML document instance.

## NOTE See Annex A for a discussion on the need and application of the XML data reporting format.

#### 4.1.2 ASCII format

This file format is an ASCII format keyword-value file. It makes use of predefined keywords and data tables. Values are associated with the keyword that precedes them and remain in effect until another instance of the keyword-value pair. Data values are delimited by the BEGIN\_DATA and END\_DATA keywords.

Keywords and values, as well as fields within data tables, are separated by white space. Valid white space characters are space (position 2/0 of ISO/IEC 646), carriage return (position 0/13 of ISO/IEC 646), newline (position 0/10 of ISO/IEC 646), and tab (position 0/9 of ISO/IEC 646). Keywords may be separated from values using any valid white space character. Only the space and tab may precede a keyword on a line. Comments are preceded by a single comment character (a single character keyword). The comment character is the "#" (position 2/3 of ISO/IEC 646) symbol. Comments may begin any place on a line, and are terminated by a newline or carriage return character.

#### 4.1.3 Exchanged data file structure

A file containing measurement data would normally be structured as shown in Figure 1. This structure allows multiple tables of data within a single exchange file.



#### 4.2 Tags and keywords

#### 4.2.1 General

Most tags and keywords may appear in the file in any order, and may appear multiple times within the file. Values associated with tags and keywords that appear more than once shall be replaced by successive instances, except for KEYWORD, COMPUTATIONAL\_PARAMETER, and WEIGHTING\_FUNCTION. Each identifier shall show whether it may be used only once or multiple times within a given table. Tags and keywords that describe data tables, however, shall be defined before the data table. Table 1 lists these tags and keywords. These tags are described in greater detail below.

Function	XML tag	ASCII keyword
data table width	<number_of_fields></number_of_fields>	NUMBER_OF_FIELDS
data format delimiters	<data_format></data_format>	BEGIN_DATA_FORMAT
		END_DATA_FORMAT
data table length	<number_of_sets></number_of_sets>	NUMBER_OF_SETS
data table delimiters		BEGIN_DATA
		END_DATA

Table 1 — XML tags and ASCII keywords that appear in a defined order

Data format delimiters shall be preceded by a data table width tag or keyword. Data table delimiters shall be preceded by a data table length tag or keyword. In the ASCII format, BEGIN\_/END\_ keywords begin and end the data format or table data. In the XML format, tags have parameters and/or values and a standard syntax is used, e.g. <data\_format> data format identifiers </data\_format>. Values for tags and keywords that describe data tables shall be specified for each data table in the file, i.e. inheritance of these values is not permitted.

ASCII keywords may be composed of any combination of the following:

- ASCII upper-case letters;
- ASCII digits 0 to 9;
- ASCII characters:
  - - (position 2/13 of ISO/IEC 646),
  - \_ (position 5/15 of ISO/IEC 646).

For this International Standard all XML tags shall match their equivalent ASCII keywords but shall use lower-case letters.

In the ASCII format, unless used as part of a data format definition, keywords should not be preceded on a line by anything other than white space. Unless otherwise noted, each keyword has a character string value associated with it. All character string values shall be enclosed in quotes, regardless of whether there is white space contained within the string, Enclosed in quotes means beginning and ending the character string with the " symbol (position 2/2 of ISO/IEC 646). The " symbol itself is represented within a string as "", as in the C language syntax.

## (standards.iteh.ai)

For XML tag/keyword entries the form is <xml-tag>value</xml-tag>. If attribute names are provided in the XML section of a definition, the information is represented in the XML-formatted data as XML attribute using the form <xml-tag attribute-name; yalue; dard?.itch.ai/catalog/standards/sist/78ecb416-4b2b-4808-ab95-

80db8e7a92c8/iso-28178-2009

The value associated with keywords NUMBER\_OF\_FIELDS and NUMBER\_OF\_SETS shall be an integer. These values should not be enclosed in quotes.

Format and table delimiters do not have explicit values associated with them but rather enclose either the data format definition or table data.

See Annex B for examples of the use of each tag and keyword shown in 4.2.2 and 4.2.3.

#### 4.2.2 Required preamble tags and keywords

#### 4.2.2.1 General

Certain tags and keywords are required as part of each file, while others are optional depending upon the data to be included. All keywords shall occur before the BEGIN\_DATA\_FORMAT keyword and the sequence order for required tags and keywords shall follow the order shown in 4.2.2.2 to 4.2.2.9.

The STANDARD, ORIGINATOR, FILE\_DESCRIPTOR and CREATED tags/keywords may occur only once within a file.

The first line in the ASCII format shall be ISO28178. The use of this identifier indicates that the data contained in the file adheres to this International Standard. This information is represented in the XML format with the <standard> tag. See 4.2.2.2.

#### 4.2.2.2 Standard

The use of this identifier indicates that the data contained in the file adheres to the indicated standard.

### ISO 28178:2009(E)

Format	Tag/Keyword	Attribute	Data type

XML <standard> String

NOTE There is no ASCII keyword for this because in the ASCII format this information is carried in the first line of the file.

#### 4.2.2.3 Originator

Identifies the specific system, organization or individual that created the data file.

Format	Tag/Keyword	Attribute	Data type
XML	<originator></originator>		String
ASCII	ORIGINATOR		String

#### 4.2.2.4 File descriptor

Describes the purpose or contents of the data file.

Format	Tag/Keyword	Attribute	Data type
XML	<file_descriptor></file_descriptor>		String
ASCII	FILE_DESCRIPTORD	ARD PREVIEW	String
4.2.2.5 Created	(standa	rds.iteh.ai)	

Indicates the creation date of the data file. The form for this date is CCYY-MM-DDThh:mm:ss[Z | +/-hh:mm]. https://standards.iteh.ai/catalog/standards/sist/78ecb416-4b2b-4808-ab95-

Format	Tag/Keyword <sup>0db8c7a92c8/iso-281</sup> Attribute	Data type
XML	<created></created>	String
	date	String
ASCII	CREATED	String

NOTE The date attribute is a string that follows the ISO 8601 specification for numeric representations of date. The preferred specification is as defined in §3.2.7 of the W3C XSLT Specification.

#### 4.2.2.6 Number of fields

Indicates the number of fields (data format identifiers) that are included in the data format definition that follows.

Format	Tag/Keyword	Attribute	Data type
XML	<number_of_fields></number_of_fields>		Integer
ASCII	NUMBER_OF_FIELDS		Integer

#### 4.2.2.7 Data format

Marks the beginning and end of a data format definition. END\_DATA\_FORMAT shall be preceded by BEGIN\_DATA\_FORMAT. See 4.3.4 for information on the data that would be included between these tags/keywords.

Format	Tag/Keyword	Attribute	Data type
XML	<data_format></data_format>		NA
ASCII	BEGIN_DATA_FORMAT		
	END_DATA_FORMAT		

#### 4.2.2.8 Number of sets of data

Indicates the number of repetitions or sets of data, i.e. the number of rows in the data table. The associated value is an integer.

Format	Tag/Keyword	Attribute	Data type
XML	<number_of_sets></number_of_sets>		Integer
ASCII	NUMBER_OF_SETS		Integer

#### 4.2.2.9 Data table

Marks the beginning and end of a data table.

Format	Tag/Keyword	Attribute	Data type
XML		NDARD PRF	
ASCII	BEGIN_DATA	ndards itah ai	
	END_DATA		.)

ISO 28178:2009

4.2.3 Optional tags and keywords https://standards.iteh.ai/catalog/standards/sist/78ecb416-4b2b-4808-ab95-

#### 80db8e7a92c8/iso-28178-2009

#### 4.2.3.1 General

Certain additional general tags and keywords are optional and may be used as needed. The currently defined optional tags and keywords are defined in 4.2.3.2 to 4.2.3.19. The optional tags and keywords shall occur after the CREATED tag/keyword and before the NUMBER OF FIELDS tag/keyword.

#### 4.2.3.2 Comment

Comments are ignored by automated readers. In the XML syntax, all characters within the <comment> </comment> tags are ignored. In the ASCII syntax, all characters between the comment keyword and the end of line indicator are ignored. End of line is indicated by either carriage return or newline. Comments indicate to users that the information that follows is of informative interest. Comments need not be enclosed in guotes. Comments may occur anywhere except within a table.

Format	Tag/Keyword	Attribute	Data type
XML	<comment></comment>		String
ASCII	#		String

#### 4.2.3.3 Instrumentation

This tag/keyword is used to report the specific instrumentation used (e.g. manufacturer, model number and serial number, etc.) to generate the data reported. This data will often provide more information about the particular data collected than an extensive list of specific details. This is particularly important for spectral data or data derived from spectrophotometry.

Format	Tag/Keyword	Attribute	Data type
--------	-------------	-----------	-----------

XML	<instrumentation></instrumentation>		String
		manufacturer	String
		model	String
		serial_number	String
ASCII	INSTRUMENTATION		String

#### 4.2.3.4 Measurement geometry

The type of measurement, either reflection or transmission, should be indicated along with details of the geometry and the aperture size and shape. For example, for transmission measurements it is important to identify 0/diffuse, diffuse/0, opal or integrating sphere, etc. For reflection measurements it is important to identify 0/45, 45/0, sphere (specular included or excluded), etc.

Format	Tag/Keyword	Attribute	Data type
XML	<measurement_geometry></measurement_geometry>		String
ASCII	MEASUREMENT_GEOMETRY		String

#### 4.2.3.5 Measurement source

This tag/keyword describes the illumination (e.g. incandescent, daylight, colour temperature, etc.) used during spectral measurement. This data helps provide a guide to the potential for issues of paper fluorescence, etc.

Format	Tag/Keyword	Data type
XML	<measurement_source></measurement_source>	String
ASCII	MEASUREMENT SOURCE https://standards.tteh.ai/catalog/standards/sist/78ecb416-4b2b-48	08-ab95-
	80db8e7a92c8/iso-28178-2009	

#### 4.2.3.6 Filter

This tag/keyword identifies the use of physical filter(s) during measurement. This is typically used to denote the use of filters such as none, D65, red, green or blue.

Format	Tag/Keyword	Attribute	Data type
XML	<filter></filter>		String
ASCII	FILTER		String

#### 4.2.3.7 Polarization

This tag/keyword identifies the use of a physical polarization filter during measurement. Allowed values are "yes", "none" or "na".

Format	Tag/Keyword	Attribute	Data type
XML	<polarization></polarization>		String
ASCII	POLARIZATION		String

#### 4.2.3.8 Weighting function

This tag/keyword indicates such functions as: the CIE standard observer functions used in the calculation of various data parameters (2 degree and 10 degree); CIE standard illuminant functions used in the calculation of various data parameters (e.g. D50, D65, etc.); density status response; etc. If used, there shall be at least