



**Environmental Engineering (EE);
Metrics and Measurement Method for Energy Efficiency of
Wireless Access Network Equipment;
Part 2: Energy Efficiency - dynamic measurement method**

Standard PREVIEW
Full standards catalogues: 2017-11-14 13:43:898e-43811
https://standards.iteh.ai/catalog/standards/sls/071143-898e-43811-2017-11-14-13:43:898e-43811
4c7b-a780-e60c92f00729/etsi-ts-102-706-2-v1-5-1-2018-11

ReferenceRTS/EE-EEPS13

Keywordsenergy efficiency, LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	5
Introduction	5
1 Scope	6
2 References	6
2.1 Normative references	6
2.2 Informative references.....	7
3 Definition of terms and abbreviations	7
3.1 Terms.....	7
3.2 Abbreviations	8
4 Assessment method	9
5 Reference configurations and Measurement requirements	9
5.1 Reference configurations.....	9
5.2 Measurement and test equipment requirements	10
5.3 BS Configuration.....	11
5.4 Transmit Signal and RF output power.....	11
5.5 UE Emulator requirements and settings	11
5.6 Environmental conditions.....	12
5.7 Power supply	12
6 Energy Efficiency Performance	12
6.1 Energy Efficiency Performance KPI Definition.....	12
6.2 Energy Efficiency Performance Measurement.....	13
6.2.1 Measurement Lab Setup.....	13
6.2.2 UE Distribution.....	13
6.2.3 Data Traffic Model	14
6.2.4 Measurement Time Definition.....	15
6.2.5 Low traffic model	15
6.2.6 Medium traffic model	15
6.2.7 Busy-hour traffic model.....	15
6.2.8 Data Volume Measurement	15
6.2.9 Power and Energy Consumption Measurement.....	16
6.2.10 Energy Consumption measurement.....	16
6.2.11 Base Station Energy Efficiency KPI.....	17
6.2.12 UE quality of service KPI.....	17
7 Uncertainty	17
8 Measurement report.....	17
Annex A (normative): Test Reports	18
A.1 General information to be reported	18
A.2 Base Station Energy Performance report	19
Annex B (normative): Reference parameters for LTE system	20
Annex C (normative): Data Traffic Model	21
C.1 Data Traffic Model.....	21
C.2 Measured data for BS Energy Performance KPI calculation	22
Annex D (normative): Uncertainty assessment	23

D.1	General requirements	23
D.2	Components contributing to uncertainty	23
D.2.1	Contribution of the measurement system	23
D.2.2	Measurement equipment (dynamic)	24
D.2.3	Attenuators, cables (dynamic)	24
D.2.4	UE emulator (dynamic)	24
D.3	Contribution of physical parameters	24
D.3.1	Impact of environmental parameters (dynamic)	24
D.3.2	Impact of path loss(dynamic)	24
D.3.3	Data volume (dynamic)	25
D.3.4	Variance of device under test	25
D.4	Uncertainty assessment	25
D.4.1	Combined and expanded uncertainties	25
D.4.2	Cross correlation of uncertainty factors	25
D.4.3	Maximum expanded uncertainty	26
Annex E (informative): Bibliography		27
History		28

ITeH STANDARD PREVIEW
 (standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/071a1a43-898e-4eb-a780-e60e92f00729/etsi-ts-102-706-2-v1.5.1-2018-11>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Environmental Engineering (EE).

The present document is part 2 of a multi-part deliverable covering Metrics and Measurement Method for Energy Efficiency of Wireless Access Network Equipment, as identified below:

ETSI ES 202 706-1: "Power Consumption - Static Measurement Method";

ETSI TS 102 706-2: "Energy Efficiency - dynamic measurement method".

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

Energy efficiency is one of the critical factors of the modern telecommunication systems. The energy consumption of the access network is the dominating part of the wireless telecom network energy consumption. Therefore, the core network and the service network are not considered in the present document. In a radio access network, the energy consumption of the Base Station is dominating (depending on technology often also referred to as BTS, NodeB, eNodeB, etc. and in the present document denoted as BS). The energy consumption of Radio Network Control nodes (RNC or BSC) are covered in ETSI ES 201 554 [6].

The present document defines the dynamic measurement method for evaluation energy efficiency:

- BS efficiency under dynamic load conditions: the BS capacity under dynamic traffic load provided within a defined coverage area and the corresponding energy consumption is measured for given reference configurations.

ETSI ES 202 706-1 [i.6] defines daily average power consumption of the base station.

1 Scope

The present document covers the following radio access technology:

- LTE.

The methodology described in the present document is to measure base station dynamic energy efficiency. Within the present document, it is referred to dynamic measurement.

The results based on dynamic measurements of the BS provide energy efficiency information for BS with dynamic load.

Energy consumption of terminal (end-user) equipment is outside the scope of the present document however, how a user equipment (UE) affects a base station energy performance will be considered for further study.

The scope of the present document is not to define target values for the power consumption nor the energy efficiency of equipment.

The results should only be used to assess and compare the energy efficiency of base stations.

Wide Area Base Stations are covered in this version of the present document.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TS 125 104: "Universal Mobile Telecommunications System (UMTS); Base Station (BS) radio transmission and reception (FDD) (3GPP TS 25 104)".
- [2] ETSI EN 300 132-1: "Environmental Engineering (EE); Power supply interface at the input to Information and Communication Technology (ICT) equipment; Part 1: Operated by Alternating Current (AC) source".
- [3] ETSI EN 300 132-2: "Environmental Engineering (EE); Power supply interface at the input to telecommunications and datacom (ICT) equipment; Part 2: Operated by -48 V direct current (dc)".
- [4] ETSI TS 136 211: "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Physical channels and modulation (3GPP TS 36.211)".
- [5] ETSI TS 136 104: "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) radio transmission and reception (3GPP TS 36.104)".
- [6] ETSI ES 201 554: "Environmental Engineering (EE); Measurement method for Energy efficiency of Mobile Core network and Radio Access Control equipment".
- [7] ETSI EN 300 132-3: "Environmental Engineering (EE); Power supply interface at the input to telecommunications equipment; Part 3: Operated by rectified current source, alternating current source or direct current source up to 400 V".

- [8] 3GPP TR 36 873: "3rd Generation Partnership Project; Technical Specification Group radio Access Network; Study on 3D channel model for LTE".
- [9] ETSI TS 136 141: "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) conformance testing (3GPP TS 36.141)".

2.2 Informative references.

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] IEC/ISO Guide 98-3: "Evaluation of measurement data - Guide to the expression of uncertainty in measurement", (2008 or equivalent GUM:2008/JCGM 100:2008).

NOTE: Available at http://www.bipm.org/utls/common/documents/jcgm/JCGM_100_2008_E.pdf.

- [i.2] ETSI TS 145 005: "Digital cellular telecommunications system (Phase 2+); Radio transmission and reception (3GPP TS 45.005)".
- [i.3] ISO/IEC 17025: "General requirements for the competence of testing and calibration laboratories".
- [i.4] IEC 62018: "Power consumption of information technology equipment - Measurement methods".

NOTE: Equivalent to CENELEC EN 62018.

- [i.5] ETSI TS 102 706 (V1.2.1): "Environmental Engineering (EE); Measurement Method for Energy Efficiency of Wireless Access Network Equipment".
- [i.6] ETSI ES 202 706-1: "Environmental Engineering (EE); Metrics and measurement method for energy efficiency of wireless access network equipment; Part 1: Power Consumption - Static Measurement Method".

3 Definition of terms and abbreviations

3.1 Terms

For the purposes of the present document, the following terms apply:

Base Station (BS): radio access network component which serves one or more radio cells and interfaces the user terminal (through air interface) and a wireless network infrastructure

BS test control unit: unit which can be used to control and manage BS locally in a lab

busy hour load: period during which occurs the maximum total load in a given 24-hour period

distributed BS: BS architecture which contains remote radio heads (i.e. RRH) close to antenna element and a central element connecting BS to network infrastructure

efficiency: throughout the present document the term efficiency is used as the relation between the useful output (telecom service, etc.) and energy consumption of the BS

integrated BS: BS architecture in which all BS elements are located close to each other; for example, in one single cabinet

NOTE: The integrated BS architecture may include Tower Mount Amplifier (TMA) close to antenna.

low load: lowest generated traffic during the dynamic measurement period

medium load: medium load between the lowest and buy hour load generate during the dynamic measurement period

power saving feature: software/hardware feature in a BS which contributes to decrease power consumption

static measurement: power consumption measurement performed with different radio resource configurations with pre-defined and fixed load levels

UE group: group of UEs whose path losses to the BS are identical

Wide Area Base stations: Base Stations that are characterized by requirements derived from Macro Cell scenarios with a BS to UE minimum coupling loss equals to 70 dB and having a rated output power (PRAT) above 38 dBm, where the Rated output power, PRAT, of the BS is the mean power level per carrier for BS operating in single carrier, multi-carrier, or carrier aggregation configurations that the manufacturer has declared to be available at the antenna connector during the transmitter ON period according to 3GPP standardization, ETSI TS 136 104 [5] and ETSI TS 125 104 [1]

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AC	Alternating Current
BS	Base Station
BSC	Base Station Controller
BTS	Base Transceiver Station
BW	Bandwidth
CPICH	Common Pilot CHannel
DC	Direct Current
DL	DownLink
DUT	Device Under Test
EC	Energy for Central part
EPRE	Emitted Power per Resource Element
ERRH	Energy for Remote Radio Part
GSM	Global System for Mobile communication
GUM	Guide to the expression of Uncertainty in Measurement
HSPA	High Speed Packet Access
HW	HardWare
JCGM	Joint Committee for Guides in Metrology
KPI	Key Performance Indicator
LTE	Long Term Evolution
MIMO	Multiple Input Multiple Output
NIST	National Institute of Standards and Technology
PBCH	Packet Broadcast Control Channel
PC	Power for Central part
PCM	Pulse Code Modulation
PDCCH	Physical Downlink Control CHannel
PDF	Proportional Distribution Function
PDSCH	Physical Downlink Shared CHannel
PSS	Primary Synchronizing Signal
REG	Resource Element Group
RF	Radio Frequency
RNC	Radio Network Controller
RRH	Remote Radio Head
RS	Reference Signals
RX	Receiver
SDH	Synchronous Digital Hierarchy
SIMO	Single Input Multiple Output
SSS	Secondary Synchronizing Signal
SW	SoftWare
TMA	Tower Mount Amplifier
TX	Transmitter

UE	User Equipment
UL	UpLink

4 Assessment method

The assessment method is covering the BS equipment dynamic efficiency for which the present document defines reference BS equipment configurations and reference load levels to be used when measuring BS efficiency.

The assessment procedure contains the following tasks:

- 1) Identification of equipment under test:
 - 1.1 Identify BS basic parameters (Table A.1).
 - 1.2 List BS configuration (annexes A and B).
 - 1.3 List traffic load(s) for measurements (annex C).
 - 1.4 List of used power saving features and capacity enhancement features.
- 2) Efficiency measurement under dynamic load conditions, Measure BS equipment delivered task in terms of bits and the consumed energy under required conditions (see clause 6).
- 3) Collect and report the efficiency measurement results.

5 Reference configurations and Measurement requirements

5.1 Reference configurations

Reference configurations are defined for LTE in annex B.

These configurations include integrated and distributed BS, mast head amplifiers, remote radio heads, RF feeder cables, number of carriers, number of sectors, power range per sector, frequency range, diversity, MIMO.

The BS shall be tested with its intended commercially available configuration at temperatures defined in clause 5.6 "Environmental conditions". It shall be clearly reported in the measurement report if the BS cannot be operated without additional air-conditioning at the defined temperatures.

Appropriate transmission e.g. a transport function or other providing capacity corresponding to the BS capacity, shall be included in the BS configuration during testing. The configurations include:

- 1) UL diversity (this is a standard feature in all BS. Therefore, it is considered sufficient that the test is performed on the main RX antenna only. The diversity RX shall be active during the measurement without connection to the test signal).
- 2) DL diversity (not considered in HSPA. LTE: Transmission mode 3 "Open loop spatial multiplexing" shall be according to ETSI TS 136 211 [4] (2x2 DL MIMO)).




Figure 1: Integrated BS model




Figure 2: Distributed BS model

5.2 Measurement and test equipment requirements

The measurement of the power consumption shall be performed by either measuring the power supply voltage and true effective current in parallel and calculate the resulting power consumption (applicable only for DC) or with a wattmeter (applicable for both AC and DC). The measurements can be performed by a variety of measurement equipment, including power clamps, or power supplies with in-built power measurement capability.

All measurement equipment shall be calibrated and shall have data output interface to allow long term data recording and calculation of the complete power consumption over a dedicated time.