
**Public information guidance systems —
Part 1:
Design principles and element
requirements for location plans, maps
and diagrams**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

*Systemes de guidage destinés à l'information du public —
Partie 1: Principes de conception et exigences pour éléments de plans,
cartes et diagrammes de situation*

[ISO 28564-1:2010](https://standards.iteh.ai/catalog/standards/sist/ba726c66-ef8e-4096-83d9-d02a4224845a/iso-28564-1-2010)

[https://standards.iteh.ai/catalog/standards/sist/ba726c66-ef8e-4096-83d9-
d02a4224845a/iso-28564-1-2010](https://standards.iteh.ai/catalog/standards/sist/ba726c66-ef8e-4096-83d9-d02a4224845a/iso-28564-1-2010)



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 28564-1:2010

<https://standards.iteh.ai/catalog/standards/sist/ba726c66-ef8e-4096-83d9-d02a4224845a/iso-28564-1-2010>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 General	2
4.1 Purpose	2
4.2 Conformity with existing standards	2
5 Preparation.....	2
5.1 Brief.....	2
5.2 Gathering data	3
5.3 Area to be covered	3
5.4 Information to be shown.....	3
6 Design.....	3
6.1 Principles	3
6.2 Title	4
6.3 Main body	5
6.4 Legend.....	5
6.5 Index	5
6.6 Scale	6
6.7 Example	6
7 Positioning and orientation of location plans	6
7.1 Positioning	6
7.2 Orientation	7
8 Testing.....	7
9 Construction and maintenance.....	7
9.1 Environmental harmony	7
9.2 Sustainability	7
9.3 Illumination	7
9.4 Durability and maintenance	7
9.5 Inspection and updating.....	7
Annex A (informative) Examples of location-plan layouts	8
Annex B (informative) Example of orientation.....	15
Annex C (informative) Performance tests for location plans	16
Bibliography.....	20

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 28564-1 was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 1, *Public information symbols*.

ISO 28564 consists of the following parts, under the general title *Public information guidance systems*:

- *Part 1: Design principles and element requirements for location plans, maps and diagrams*
- *Part 2: Design principles and element requirements for directional and location signs* (under preparation)

Additional parts will be developed in due course.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 28564-1:2010
<https://standards.iteh.ai/catalog/standards/sist/ba726c66-cf8c-4096-85d9-d02a4224845a/iso-28564-1-2010>

Introduction

Continued growth in travel and mobility within and between countries has generated a growing range of wayfinding sign systems and styles containing a wide variety of information. Such sign systems serve various purposes, such as enabling the users to

- understand the range of facilities and points of interest present,
- understand the physical relationship of those facilities and points of interest to each other, and
- determine the best way to reach a required facility or point of interest given their mobility circumstances.

This part of ISO 28564 is concerned with location plans, maps and diagrams used to support wayfinding.

The principle of this part of ISO 28564 is that users of location plans, maps and diagrams should be able to assimilate required information quickly and accurately. It is not the intention to limit design freedom unnecessarily, but to set guidelines and, where appropriate, specifications that reflect the considerable volume of research that has been carried out on their design and use.

Although location plans, maps and diagrams can provide comprehensive guidance information, some people have difficulty interpreting them. Where appropriate, they should therefore be used in support of directional and location signs as part of an integrated wayfinding system.

ITeH STANDARD PREVIEW
(standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/ba726c66-ef8e-4096-83d9-d02a4224845a/iso-28564-1-2010>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 28564-1:2010

<https://standards.iteh.ai/catalog/standards/sist/ba726c66-ef8e-4096-83d9-d02a4224845a/iso-28564-1-2010>

Public information guidance systems —

Part 1:

Design principles and element requirements for location plans, maps and diagrams

1 Scope

This part of ISO 28564 specifies requirements and principles for the design and application of location plans, maps and diagrams used in public areas and workplaces to assist users to understand the environment, locate facilities and determine appropriate routes to reach those facilities. These location plans, maps and diagrams are referred to as location plans in this part of ISO 28564.

Location plans are intended for use in, for example, shopping centres, stores, hospitals, bus and train stations, airports, sporting and entertainment complexes, urban areas, parks, gardens and countryside, public attractions, museums and office complexes.

This part of ISO 28564 is not applicable to the design of escape plans, nor does it cover the design of directional and location wayfinding signs.

NOTE The design of escape plans is covered in ISO 23601.
<https://standards.iteh.ai/catalog/standards/sist/ba726c66-ef8e-4096-83d9-d02a4224845a/iso-28564-1-2010>

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3864-1, *Graphical symbols — Safety colours and safety signs — Part 1: Design principles for safety signs and safety markings*

ISO 3864-3, *Graphical symbols — Safety colours and safety signs — Part 3: Design principles for graphical symbols for use in safety signs*

ISO 7001:2007, *Graphical symbols — Public information symbols*

ISO 7010, *Graphical symbols — Safety colours and safety signs — Registered safety signs*

ISO 9186-1, *Graphical symbols — Test methods — Part 1: Methods for testing comprehensibility*

ISO 17724, *Graphical symbols — Vocabulary*

ISO 22727, *Graphical symbols — Creation and design of public information symbols — Requirements*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 17724 and the following apply.

3.1 location plan
plan, map or diagram displayed in public areas and workplaces to assist users to understand the environment, locate facilities and determine appropriate routes to reach those facilities

NOTE 1 A location plan may include the physical display structure.

NOTE 2 The term diagram is included because, in some situations, a location plan can be schematic or exclude or distort physical arrangements.

3.2 series of plans
group of the same or similar location plans which may be provided at different locations within a given area

3.3 main body
area within a location plan where the information related to the purpose of the location plan is given

4 General

4.1 Purpose

The purpose of a location plan is to provide orientation within a building or defined geographical area and to enable users to reach destinations quickly and easily.

4.2 Conformity with existing standards

Symbols used on location plans shall be taken, where they exist, from ISO symbol standards, such as ISO 7001 and ISO 7010.

If a new graphical symbol is required, the relevant International Standard (ISO 22727 or ISO 3864-3) shall be used as part of the development process and consideration shall be given to comprehension testing in accordance with ISO 9186-1.

The public information symbols given in ISO 7001 may be reproduced in any colour. However, the combination of safety colours and shapes specified in ISO 3864-1 shall be avoided to ensure that there is no confusion between public information symbols and safety signs. This also applies to arrows where the use of green and white shall be avoided to ensure that there is no risk of confusion with the direction arrows or safe conditions, used for evacuation routes.

In addition, any colours used shall not conflict with the use of those colours within the location plan to indicate a safety function.

5 Preparation

5.1 Brief

Before design work is undertaken, the requirements and objectives of a location plan should be clearly understood and expressed in a brief. The brief should include the area to be covered, the information to be shown, as determined by the nature of the tasks that the expected users will wish to accomplish, and any special requirements concerning information presentation.

5.2 Gathering data

Sources of information will depend on whether the area to be shown is at the planning stage or already in use. Where the area is at the planning stage, information may be obtained from the facility client and from architects, interior/landscape designers, engineers and other professionals with knowledge relevant to the current task. Where the facility is already in use, additional information can be obtained by consulting with

- a) potential users of a location plan,
- b) local police, shopkeepers, reception/information desk staff and others who might have experience of wayfinding issues within the area to be covered, and
- c) any existing location plans.

NOTE A site visit can be useful in gaining information regarding the site and its requirements, and, where possible, to observe and document relevant behavioural patterns.

At the conclusion, the data gathered should be reconciled with the brief.

5.3 Area to be covered

The area to be covered by a location plan will often have logical boundaries, for example as defined by a floor of a building or by a discrete local geographical area; however, in some circumstances this area may be large or complex. The area covered by an individual location plan should not be such that it becomes difficult for users to remember sufficient detail to reliably reach any location shown. In such circumstances, the area should be divided into smaller units, each with its own location plan. Design consistency should be such that users can easily recognize the family relationship.

5.4 Information to be shown

Examples of location-plan layouts are shown in Annex A.

Some considerations to determine the information to be shown are as follows.

- a) The location of the users and the types and positions of the facilities about which they will require information. See Figure A.1.
- b) The proportion of the expected users for whom the use of the official local language(s) might be insufficient.
- c) Whether the location plan will need to show only specific information, for example, the locations of different transportation stops. See Figure A.2.

6 Design

6.1 Principles

The following should be taken into account in the design of a location plan.

- a) The relevant information from sources described in Clause 5.
- b) It shall consist at least of a title (see 6.2), main body (see 6.3) and, normally, a legend (see 6.4). It may also include an index (see 6.5), a scale (see 6.6) and a north designator.
- c) The use of text on the main body should be kept to a minimum.

- d) The use of the official local language(s) might be sufficient. It is recommended that, if an additional language is required, English should be used.
- e) When using text, jargon should be avoided and specialized terms should only be used where the target audience is known to be familiar with them. Abbreviations should only be used where they are in common use and well understood.
- f) Text should always use font(s) with high legibility. A single sans-serif font family is recommended.
- g) The text should be designed so that all the information it contains is clear and legible for users in a standing or seated position to facilitate readability by those in wheelchairs.
- h) Details should stand out clearly, including any appropriate designator showing the users' position.
- i) In a series of plans, information should be illustrated and presented consistently, such as by using the same symbols, terms and graphic style.
- j) The method of representing the relationship between the site shown on a location plan and the area beyond should be considered. For example, an overview plan may be needed and/or it may be important to show where entrances come from and where exits lead to.
- k) The colour combination shown on a location plan should be considered to ensure legibility for all kinds of users, for example, users with colour-vision deficiency.
- l) Additional methods should be considered to make it useful for all kinds of users, for example, users with vision impairment.
- m) A three-dimensional view might be easier for users to understand than a two-dimensional view. However, caution should be taken to minimize complexity and to ensure that other important details are not obscured. It may be appropriate to show only selected landmarks in three dimensions. See Figure A.3.
- n) Incorporating relevant architectural/environmental features may assist orientation and comprehension.
- o) Wherever possible, the shape of the area covered should be reflected in a location plan.
- p) High contrast and other graphic techniques, such as appropriate spacing and scaling, should be used to ensure legibility under all normal viewing conditions.
- q) Where fine detail is required, it might be appropriate to incorporate an enlarged view of a specific area. See Figure A.4.
- r) On smaller-scale location plans intended to show local detail, all routes accessible by those with mobility or other physical difficulty should be clearly shown. Where routes might not be fully accessible, such as where there are steps, this should be indicated and alternative routes, for example, via slopes or elevators/lifts, should be clearly shown.
- s) Standardized graphical symbols should be used, where possible, to reduce the amount of text required.

6.2 Title

The text in a title shall reflect the nature and purpose of the information covered by a location plan through the choice of a suitable name, for example, "Town-Centre Area Location Plan", "Newtown Information". Where the information is of a general nature, the standardized symbol for Information (ISO 7001:2007, symbol PI PF 001) should be used. Other graphical symbols may be incorporated where the information is specific. For example, a bus symbol may be appropriate to draw attention to a bus-stop location plan.

6.3 Main body

Considerations for the design of the main body are as follows.

- a) The position of users viewing the location plan shall be indicated prominently by means of an appropriate designator. Text such as “You are here” or just “You” shall be used either with the designator or in the relevant entry in the legend. Care should be taken that this cannot be confused with anything else and that it does not obscure any required information.

NOTE The “You are here” designator is not standardized in this part of ISO 28564; the designator shown in Figure A.7 is indicative only.

- b) For outdoor location plans, the main body shall include a “North” designator.
- c) Where the main body shows many facilities of a particular type, such as public transport stations or car parking, consideration should be given to using a clearly identifiable graphic element, such as a specific colour, to highlight such facilities.
- d) A two-dimensional location plan should normally be drawn to scale.
- e) Where some other presentation is used, such as a three-dimensional drawing or a drawing whose scale is distorted (perhaps because one section of a location plan is much further away from the main part), the designer should pay sufficient attention to the comprehensibility of the drawing when testing the effectiveness of the location plan. See Clause 8 and Annex C.
- f) Text shall be used in conjunction with a symbol only where necessary to identify a named location or facility, such as a named and/or numbered public-transport station. If a commercial name is necessary to identify a location, it may be given.
- g) Symbols and text indicating facilities should be shown in the main body, in their correct position or in association with an appropriate arrow or other graphic linking the symbol/text to the actual location of the facility on a location plan.
- h) The size of graphic elements should be consistent within a location plan and should be sufficient to provide legibility at the intended observation distance.

When a location plan is intended to cover a multi-storey facility, it can be appropriate to design it in three dimensions or to show a cross-section with a key leading to individual plans of each floor. These location plans should be designed so that the floor on which the location plan is positioned can be identified and so that routes to destinations, including those on other floors, can be easily determined.

6.4 Legend

The legend, if provided, should give the meaning of symbols, specific colours, and types of lines or other graphic details that are used within a location plan.

Text used in a legend may use generic names or commercial names, depending on the purpose of a location plan.

The legend shall be designed so that the meaning of any graphics used can be quickly and accurately identified.

6.5 Index

An index, for example an ordered list of street names, locations, shop names, etc., keyed to a grid or other reference method, may be included as part of a location plan. See Figure A.5.