

SLOVENSKI STANDARD SIST ISO 8459:2009

01-december-2009

Nadomešča: SIST ISO 8459-1:2005 SIST ISO 8459-2:2005 SIST ISO 8459-3:2005 SIST ISO 8459-4:2005 SIST ISO 8459-5:2005

Informatika in dokumentacija - Seznam elementov bibliografskih podatkov za izmenjavo podatkov in poizvedbo

iTeh STANDARD PREVIEW

Information and documentation Bibliographic data element directory for use in data exchange and enquiry

<u>SIST ISO 8459:2009</u> https://standards.iteh.ai/catalog/standards/sist/d24d2ffd-91a6-4376-a728-40579ff38f26/sist-iso-8459-2009

Information et documentation - Répertoire pour l'échange des éléments de données bibliographiques et la recherche

Ta slovenski standard je istoveten z: ISO 8459:2009

ICS:

01.140.20	Informacijske vede	Information sciences
35.240.30	Uporabniške rešitve IT v	IT applications in information,
	informatiki, dokumentiranju in	documentation and
	založništvu	publishing

SIST ISO 8459:2009

en,fr



iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO 8459:2009</u> https://standards.iteh.ai/catalog/standards/sist/d24d2ffd-91a6-4376-a728-40579ff38f26/sist-iso-8459-2009



INTERNATIONAL STANDARD

ISO 8459

First edition 2009-05-15

Information and documentation — Bibliographic data element directory for use in data exchange and enquiry

Information et documentation — Répertoire pour l'échange des éléments de données bibliographiques et la recherche

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO 8459:2009</u> https://standards.iteh.ai/catalog/standards/sist/d24d2ffd-91a6-4376-a728-40579ff38f26/sist-iso-8459-2009



Reference number ISO 8459:2009(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO 8459:2009</u> https://standards.iteh.ai/catalog/standards/sist/d24d2ffd-91a6-4376-a728-40579ff38f26/sist-iso-8459-2009



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Page

Fore	word	iv
Intro	duction	v
1	Scope	1
2	Terms and definitions	2
3	Directory	6
3.1	General	6
3.2	Organization of elements by class and sub-class	7
4	Alphabetically ordered list of data elements, examples and synonyms	66
Biblio	ography	140

Tables

Table 1 — Summary of classes	6
Table 1 — Summary of classes Table 2 — Class: Address	7
Table 3 — Class: Database reco (6tandards.iteh.ai)	10
Table 4 — Class: Finance	
Table 4 — Class: Finance SIST ISO 8459:2009 Table 5 — Class: Holdings (physical or electronic copies). Sist Iso 8459:2009	21
Table 6 — Class: Party	
Table 7 — Class: Party — Group	
Table 8 — Class: Party — Person (involved in a transaction)	30
Table 9 — Class: Request	
Table 10 — Class: Resource	44
Table 11 — Class: Search (including database elements)	53
Table 12 — Class: Transaction	60
Table 13 — Alphabetically ordered list of data elements	66

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 8459 was prepared by Technical Committee ISO/TC 46, *Information and documentation*, Subcommittee SC 4, *Technical Interoperability*.

This first edition cancels and replaces ISO 8459-1, ISO 8459-2, ISO 8459-3, ISO 8459-4 and ISO 8459-5, which have been technically revised. (standards.iteh.ai)

It contains the data elements still in force today and incorporates a number of new ones linked to new types of resources into a single document. It is presented in two basic parts: https://standards.iteh.avcatalog/standards/sist/d24d2ffd-91a6-4376-a728-

- a) a data element directory (Clause 3) where the different data elements are regrouped in different columns, specifying for each of them its rank (a sequence number is allocated to each element), class, entry, definition, examples and synonyms when existent;
- b) an alphabetical sequence (Clause 4) which lists for each element its entry, equivalence, name, class and sub-class.

Introduction

This International Standard specifies and describes data elements required in the interchange of data between bibliographic systems (i.e. terminal or browser to computer or computer to computer). Data are interchanged for the purpose of starting or supporting a process. In order to transmit information required to support a process, the various elements of data in the interchanged messages must be fully understandable to the processes concerned.

This International Standard is seen as serving as a resource tool for interoperability among standards in bibliographic and library domains. It serves to harmonize the various different standards in these domains, comprising content schemas, protocols, profiles and models. To this end, data elements are defined at various levels because they may be defined at different levels in different protocols and schemas. The focus of the standard is to provide common definitions for data elements that are exchanged in protocol messages between systems.

System developers typically employ multiple standards and thus can profit from the identified interrelationships and definitions in their database designs to achieve dynamic inter-operability when employing various standards.

This International Standard is also intended as a foundation for new standards. By inheriting element names and definitions, new standards can be achieved in an efficient way that directly relates them with existing standards in the field. (standards.iteh.ai)

The inclusion of multiple examples and synonyms is also intended to assist in the translation of the standard into other languages. <u>SIST ISO 8459:2009</u>

https://standards.iteh.ai/catalog/standards/sist/d24d2ffd-91a6-4376-a728-

The elements from the previously published five parts 4 of 180 8459 have been examined, updated where necessary and consolidated into a single set of elements such that this International Standard replaces these previous parts.

There are no referenced documents that are indispensible for the application of this International Standard. The Bibliography indicates sources consulted and used in the construction of this International Standard.

The standards cited in the Bibliography are examples for data elements in this International Standard but are not prescriptive.

The list also contains reference to the protocol and schema standards that were used to validate the data elements and concepts in this International Standard.



iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO 8459:2009</u> https://standards.iteh.ai/catalog/standards/sist/d24d2ffd-91a6-4376-a728-40579ff38f26/sist-iso-8459-2009

Information and documentation — Bibliographic data element directory for use in data exchange and enquiry

1 Scope

This International Standard describes, in the form of a directory, data elements used to support the processes of acquisition, resource description and cataloguing, searching and requesting loan or copy by an end user or an institution.

This International Standard includes data elements that are exchanged or are potentially exchanged among bibliographic systems. Those data elements that are not exchanged or not likely to be exchanged are ignored as they do not need standardization. Data elements being handled by transport protocols are not included, only those related to application level protocols.

As part of the consolidation phase, the data elements were broadly classed and sub-classed and are presented in two sequences, one by class and sub-class and the other by an alphabetical sequence. The alphabetical sequence includes examples and synonyms identified during the consolidation phase and those found in related interchange protocols and schemas.

As the grouping of data elements may differ among different protocols and record schemas, the data elements have been broadly classed and grouped, but no further structure has been made. Similarly, the sequence of data elements, whether or not a data element is mandatory or how it is structured and validated may vary according to its employment and consequently these data element attributes are outside the scope of this International Standard.

https://standards.iteh.ai/catalog/standards/sist/d24d2ffd-91a6-4376-a728-

As new ways of inter-operating evolve, some new data elements may evolve, but the biggest change is usually in the way that existing data elements are grouped. For example, whether a purchase transaction is carried out manually or electronically, the base data elements of the transaction, requester, supplier and object of purchase remain constant, and this is reflected in the fact that most data elements in this International Standard originated several decades ago. To accommodate the potential changing grouping of data elements, an attempt has been made to identify common concepts across processes. For example, a new focus on end user delivery is causing diverse delivery options to be grouped together such that purchase, loan and inter-library loan processes are presented as alternatives; therefore, the identification of common concepts in all these processes is necessary for the development of seamless user interfaces.

NOTE The French version of this International Standard does not contain the column entitled "Synonyms" in Tables 2 to 12 for the following reasons:

- a large number of the variant data element names translate to the same data element name in French;
- a number of the variant data element names have been taken from standards which have not been translated into French.

The difference between the English and French versions is particularly noticeable in Table 13.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

acquisition

work of increasing and bringing up to date the stock of a library or documentation centre or service according to the collection policy of the institution

2.2

address

group of data elements that give a geographic or electronic location or place associated with an individual or institution

2.3

attribute

characteristic or property of a party or item

2.4

authentication

establishment of the identity of a person or party in a transaction

2.5

authorization

establishment of rights to services once the identity of a requester has been ascertained via an authentication process

2.6

authority record

(standards.iteh.ai)

40579ff38f26/sist-iso-8459-2009

record in a cataloguing system that describes, <u>analyses, and controls</u> the standardized form of a name, subject, series or other heading, standards.iteh.ai/catalog/standards/sist/d24d2ffd-91a6-4376-a728-

2.7

bibliographic resource

entity, either serial or non-serial, that forms the basis for a single resource description

2.8

bibliographic record

record in a cataloguing system that describes, analyses and controls a bibliographic resource

2.9

booking

reservation of an item or a location for a fixed time period and duration

2.10

catalogue record

record in a cataloguing system that describes, analyses and controls bibliographic, authority or holdings data

2.11

cataloguing

process of compiling a record for inclusion in one or more catalogues or indexes, which describes an entity and assists in its retrieval

2.12

circulation

work of controlling the loan and supply, user identification, status, return, recall, associated fees, bookings and reservations for items or copies thereof of the physical holdings of a library

2.13

character string

combination of letters, digits, punctuation marks or other symbols

2.14

component

unique bibliographic part of a set, such as a volume of a serial or multi-volume work

2.15

copy

tangible instance of a bibliographic resource or set, whether physical or electronic, comprising one or more pieces

2.16

data element

basic unit of identifiable and definable data, having a data element name represented by a tag as identifier and one or more values for expressing one or more particular facts

2.17

data element directory

listing of data elements with specifications of representative data element values, as appropriate

2.18

data element group

set of related data elementseh STANDARD PREVIEW

2.19 data element group name

2.20

(standards.iteh.ai)

one or more words in a natural language identifying a data element group

https://standards.iteh.ai/catalog/standards/sist/d24d2ffd-91a6-4376-a728-40579ff38f26/sist-iso-8459-2009

data element name

one or more words in a natural language identifying a data element

2.21

data element value

fact expressed by codes, digits or natural language corresponding to the data element description and representation

2.22

database

collection of machine-readable information organized so that it can be easily accessed, managed and updated

2.23

finance

data elements concerning monetary information associated with a transaction

2.24

holdings

information that describes, analyses and controls copies associated with a bibliographic resource

2.25

holdings record

record in a cataloguing system that describes, analyses and controls holdings associated with a bibliographic record

2.26

holdings statement

summary of the locations of a specific bibliographic resource and, optionally, the units of that item held at a location

2.27

identifier

data string or pointer that establishes the identity of an item, institution or person alone or in combination with other elements

2.28

information retrieval

action, methods and procedures for recovering information on a given matter or references to pertinent documents from stored data

2.29

interloan

inter-library loan

loan of a document or documents from one institution to another or the supply of a substitute for the requested document or documents

2.30

loan

temporary transfer of custody of a copy to another individual or institution

2.31

iTeh STANDARD PREVIEW

message structured combination of data elements used in a transaction iten ai)

2.32

SIST ISO 8459:2009

metadata structured data associated with data that describe the data of provide additional information not contained within the data themselves

2.33

party

person or group performing a role in relation to the business of a specific community or domain

2.34

piece

item

unit of a copy on which transactions can be made, such as a physical part that can be lent or reserved or an electronic file that can be downloaded or accessed

2.35

record

group of data elements usually treated as a unit and often organized into sub-units called fields, which identifies, describes and facilitates retrieval of an entity

2.36

representation

method by which a particular data element value is expressed using one or more numbers, letters or symbols

2.37 request

transaction that initiates purchase, loan, inter-library loan, copy or access to an item

ISO 8459:2009(E)

2.38

reservation

request by a person or group to be placed on a holding (waiting) queue for a bibliographic resource that is temporarily unavailable; also called a hold

2.39

resource

work, created as a result of intellectual effort, that may be expressed in physical or digital form

2.40

result set

group of metadata records, citations or other information units retrieved by a search

2.41 scan

positioning within an index or other ordered data sequence in order to retrieve and to view index entries by moving forwards and backwards within the sequence

2.42

selective dissemination of information

SDI

service that re-enacts a standard search or searches against one or more databases to provide regular updated information

2.43 iTeh STANDARD PREVIEW

structured query describing data elements and their values necessary for retrieving data from a database

2.44

serial issue

SIST ISO 8459:2009

unit of a bibliographic resource that is issued in successive parts at regular or irregular intervals and intended to be continued indefinitely 40579ff38f26/sist-iso-8459-2009

2.45

session

period of time during which a user is connected online to a system

2.46

set

collection of components of a bibliographic resource including multi-volume publications and resources published serially, often received by a subscription purchase

2.47

tag

identifier allocated for use in place of a data element name or data element group name

2.48

task

operation performed by a system that may be performed online, in background or in batch mode, thus not necessarily tied to a specific session

2.49

transaction

creation or modification of a message required to support a process

3 Directory

3.1 General

The directory is organized, by class and sub-class, into a series of tables. The data element name is the persistent identifier. A table is given for each class, and within the class, table row numbers have been assigned so that when this International Standard is translated into other languages, there is an easy reference to each data element and a clear sequence. The table row numbers are not unique, as each table has its own sequence and they are not intended to be used as persistent identifiers of the data elements.

Table 1 summarizes the classes.

Class	Subclause	Table number	
Address	3.2.1	2	
Database record	3.2.2	3	
Finance	3.2.3	4	
Holdings (physical or electronic copies)	3.2.4	5	
Party iTeh STANDAR	D BREV	IEW ⁶	
Party — Group (standards	s.itela:ai)	7	
Party — Person (involved in a transaction)	3.2.7 59:2009	8	
Request https://standards.itch.ai/catalog/standard	0.2.0	5-4376-a 3 28-	
Resource	3.2.9	10	
Search (including database elements)	3.2.10	11	
Transaction	3.2.11	12	

Table 1 — Summary of classes

Organization of elements by class and sub-class 3.2

3.2.1 Organization by "Address" class

Addroce ċ Tablo 2

	Synonyms	Communication details		Address instruction, Address role type	Current address flag	Delivery method type	Care of				
	Examples	Address of user	Business address, Home address, Parents' address	Agency address role type, Billing address, Delivery address, Invoice address, Return to address, Ship to, Shipping address, User address information			Custodian, Invoice enquiries, Reference enquiries	Agency address: valid to date, User address: valid to date	Agency address: valid from date, User address: valid from date		
Table 2 — Class: Address	Description	Group of data elements that give a geographic or electronic location of place associated with an individual or institution	Code, word or phrase that defines the nature of a given address where there are multiple addresses associated with an institution or individual	Word or code that indicates the type of message or mail that is sent to an address where there are multiple addresses associated with an institution of individual	Code, word or phrase that indicates which address of a series of addresses associated with an institution or individual is preferred	Indicates the form of communication associated with an address, physical or electronic	Name of an individual associated with an address in a particular fole	Date and time from which an address is no longer valid for use	Date and time from which an address is valid for use	Address where the components of the address are not distinguished and where the structure may be limited to the inclusion of line breaks	Human readable text identifying an electronic delivery service
	Data element name	Address	Address label	Address role	Address status	Address type	Contact person	Date/time address invalid	Date/time address valid	Unstructured address	e-delivery description
	Sub-class		Address	Address	Address	Address	Address	Address	Address	Address	Electronic address
	Class	Address	Address	Address	Address	Address	Address	Address	Address	Address	Address
	Row	01	02	03	04	05	06	07	08	60	10