

---

---

**Information technology — Coding of  
audio-visual objects —**

Part 4:

**Conformance testing**

AMENDMENT 19: Audio lossless coding

(ALS)

iTeh STANDARD PREVIEW

(standards.iteh.ai)

*Technologies de l'information — Codage des objets audiovisuels —*

*Partie 4: Essai de conformité*

[https://standards.iteh.ai/catalog/standards/sist/b5004da9-9970-4c22-97b2-](https://standards.iteh.ai/catalog/standards/sist/b5004da9-9970-4c22-97b2-0ba714021a91/iso-iec-14496-4-2004-amd-19-2007)

*AMENDEMENT 19: Codage audio sans perte (ALS)*

0ba714021a91/iso-iec-14496-4-2004-amd-19-2007

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 14496-4:2004/Amd 19:2007](https://standards.iteh.ai/catalog/standards/sist/b5004da9-9970-4c22-97b2-0ba71402fa9f/iso-iec-14496-4-2004-amd-19-2007)

<https://standards.iteh.ai/catalog/standards/sist/b5004da9-9970-4c22-97b2-0ba71402fa9f/iso-iec-14496-4-2004-amd-19-2007>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 19 to ISO/IEC 14496-4:2004 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

(standards.iteh.ai)

[ISO/IEC 14496-4:2004/Amd 19:2007](https://standards.iteh.ai/catalog/standards/sist/b5004da9-9970-4c22-97b2-0ba71402fa9f/iso-iec-14496-4-2004-amd-19-2007)

<https://standards.iteh.ai/catalog/standards/sist/b5004da9-9970-4c22-97b2-0ba71402fa9f/iso-iec-14496-4-2004-amd-19-2007>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO/IEC 14496-4:2004/Amd 19:2007

<https://standards.iteh.ai/catalog/standards/sist/b5004da9-9970-4c22-97b2-0ba71402fa9f/iso-iec-14496-4-2004-amd-19-2007>

# Information technology — Coding of audio-visual objects —

## Part 4: Conformance testing

### AMENDMENT 19: Audio lossless coding (ALS)

In subclause 6.5.1 File name conventions, add the following row at the end of Table 29:

**Table 29 – File name conventions**

ALS	als_<tool>_<coreSetup>	als_<tool>_<coreSetup>
-----	------------------------	------------------------

At the end of subclause 6.6 Audio Object Types, add the following subclauses:

#### 6.6.22 ALS (Audio lossless coding)

##### 6.6.22.1 Compressed data

##### 6.6.22.1.1 Characteristics

Conformant ALS compressed MPEG-4 data shall have the ALS data stored as outlined in ISO/IEC 14496-3.

##### 6.6.22.1.2 Test procedure

Each compressed data shall meet the syntactic and semantic requirements specified in ISO/IEC 14496-3. The decoded data shall also meet the requirements defined in ISO/IEC 14496-3. If a syntactic element is not listed below, no restrictions apply to that element. The **reserved** element shall be encoded with the value zero.

##### 6.6.22.1.2.1 Compressed MPEG-4 data payload

##### 6.6.22.1.2.1.1 AudioSpecificConfig

**audioObjectType:** Shall be encoded with the value 36.

**samplingFrequencyIndex:** Shall be encoded with the value 0xf.

**SamplingFrequency:** Shall be encoded with the value `samp_freq` if `samp_freq < 224`, and with the value 0 otherwise, with `samp_freq` as defined in ISO/IEC 14496-3.

**channelConfiguration:** Shall be encoded with the value 0.

##### 6.6.22.1.2.1.2 ALSSpecificConfig

**als\_id:** Shall be encoded with the value 1095521024 (0x414C5300 hex).

**file\_type:** Shall be encoded with a value in the range [0 3]. Other values are reserved.

**resolution:** Shall be encoded with a value in the range [0 3]. Other values are reserved.

**frame\_length:** Shall be encoded with a value that is divisible by  $2^{\text{levels}}$  without remainder, with levels as defined in ISO/IEC 14496-3.

**ra\_flag:** Shall be encoded with a value in the range [0 2]. The value 3 is reserved.

#### 6.6.22.1.2.1.3 block\_data

**opt\_order:** Shall be encoded with a value in the range [0 Kmax], where  $K_{\text{max}} = 2^{\text{Bits}} - 1$ , with

$$\text{Bits} = \min\{\text{ceil}[\log_2(\text{max\_order}+1)], \text{max}[\text{ceil}(\log_2((N_B >> 3)-1)), 1]\}$$

as defined in ISO/IEC 14496-3.

### 6.6.22.2 Decoders

#### 6.6.22.2.1 Characteristics

The object type ALS has the Object Type ID 36, and the compressed MPEG-4 data syntax is defined in ISO/IEC 14496-3. The Audio Object Type ALS contains the ALS tools.

#### 6.6.22.2.2 ALS conformance test procedure

Compressed data and reference decoder output signals are provided to apply the conformance criterion using the procedure described in the following subclause.

The conformance of the ALS decoder can be checked with compressed data for the ALS object type.

For lossless compressed data the conformance criterion is bit exact reproduction of the reference decoder output, this means that all bits in the output of the test decoder are identical to the corresponding bits in the output of the reference decoder.

To be called a conforming ALS decoder, the required conformance criterion must be met for all compressed data listed in subclause 6.6.22.2.3.

## 6.6.22.2.3 Proposed test sequences

Table AMD19-1 — ALS test sequences

file base name	content	Number of Channels	sampling frequency (kHz)	word length (bit)	adaptive order	random access	block switching	LTP	joint stereo	MCC	BGMC	RLS/LMS	Conformance criteria
als_00	music	2	48, 96, 192	16, 20, 24	y	y							Bit exact
als_01	music	2	48, 96, 192	16, 20, 24	y		y		y				Bit exact
als_02	music	2	48, 96, 192	16, 20, 24				y					Bit exact
als_03	music	2	48, 96, 192	16, 20, 24					y				Bit exact
als_04	music	2	48, 96, 192	16, 20, 24						y			Bit exact
als_05	music	2	48, 96, 192	16, 20, 24							y		Bit exact
als_06	music	2	48, 96, 192	16, 20, 24								y	Bit exact
als_07	music	2	192	32 float	y								Bit exact
als_08	music	6	96	24	y	y	y	y	y	y	y		Bit exact
als_09	bio data	512	2	16	y		y	y	y	y	y		Bit exact

ITeH STANDARD PREVIEW  
(standards.iteh.ai)

## 6.6.22.3 Encoders

In order to guarantee for an encoder implementation that the decoded output results in an exact replica of the input signal, the following procedure should be followed:

- Generate bitstreams using the target encoder for the conformance test item reference waveform data;
- Decode these bitstreams using the conformant reference software decoder;
- Verify that the decoded outputs are identical to the inputs.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 14496-4:2004/Amd 19:2007](https://standards.iteh.ai/catalog/standards/sist/b5004da9-9970-4c22-97b2-0ba71402fa9f/iso-iec-14496-4-2004-amd-19-2007)  
<https://standards.iteh.ai/catalog/standards/sist/b5004da9-9970-4c22-97b2-0ba71402fa9f/iso-iec-14496-4-2004-amd-19-2007>

---

---

**ICS 35.040**

Price based on 3 pages