

---

---

**Information technology —  
Telecommunications and information  
exchange between systems — XML  
Protocol for Computer Supported  
Telecommunications Applications (CSTA)  
Phase III**

iTeh STANDARD PREVIEW

(standards.iteh.ai)  
*Technologies de l'information — Télécommunications et échange  
d'information entre systèmes — Protocole XML pour applications en  
télécommunications supportées par ordinateur (CSTA) en phase III*

[ISO/IEC 18056:2007](https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007)

<https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007>

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 18056:2007](https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007)

<https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword . . . . .	x
Introduction . . . . .	xi
1 Scope . . . . .	1
2 Conformance . . . . .	1
2.1 Static Requirements . . . . .	1
2.2 Dynamic Requirements . . . . .	1
2.3 PICS Requirement . . . . .	1
2.4 XML Tag Options . . . . .	2
2.4.1 ECMA-323 Specified Tags . . . . .	2
2.4.2 ISO/IEC 18056 Specified Short Tags . . . . .	2
2.4.3 Dynamic Transformations . . . . .	2
2.5 CSTA Over SIP (uaCSTA) Transport Mechanism Option . . . . .	2
3 References . . . . .	2
3.1 ISO Standards and Technical Reports . . . . .	2
3.2 World Wide Web Consortium Specifications . . . . .	2
4 Definitions and Abbreviations . . . . .	3
5 CSTA Service Definition Model . . . . .	3
5.1 Request/Response Interactions . . . . .	3
5.2 Request/Response Protocol Requirements . . . . .	3
5.3 Cross Referencing of Event Reports . . . . .	3
5.4 Handling of Private Data . . . . .	3
6 Interconnection service boundary . . . . .	4
7 Association Management . . . . .	4
7.1 Implicit association . . . . .	4
7.2 Explicit association . . . . .	4
8 XML Template Description . . . . .	5
9 CSTA parameter types . . . . .	5
9.1 Switching function objects . . . . .	5
9.2 Device Identifiers . . . . .	6
9.3 Call and connection identifiers . . . . .	9
9.4 Connection states . . . . .	10
9.5 Status reporting . . . . .	11
9.6 Device and feature types and other parameters . . . . .	15
9.7 Security . . . . .	24
9.8 Common extensions . . . . .	24
9.9 Call control . . . . .	25
9.10 Capability Exchange . . . . .	30
9.11 Call Detail Record . . . . .	92
9.12 Charge information . . . . .	94
9.13 Data call types . . . . .	96
9.14 Escape types . . . . .	96
9.15 Media services . . . . .	96
9.16 Physical device features . . . . .	99
9.17 Data Collection . . . . .	102
9.18 Event Cause . . . . .	102
9.19 Error Value . . . . .	104
9.20 Empty (null element) . . . . .	109
10 Top level schema . . . . .	109

<b>11 Capability exchange services</b> .....	<b>115</b>
<b>11.1 Services</b> .....	<b>115</b>
11.1.1 Get csta features .....	115
11.1.2 Get logical device information .....	116
11.1.3 Get physical device information .....	117
11.1.4 Get switching function capabilities .....	118
11.1.5 Get switching function devices .....	122
11.1.6 Switching function devices .....	123
<b>12 System services</b> .....	<b>124</b>
<b>12.1 Registration services</b> .....	<b>124</b>
12.1.1 Change system status filter .....	124
12.1.2 System register .....	124
12.1.3 System register abort .....	125
12.1.4 System register cancel .....	126
<b>12.2 Services</b> .....	<b>126</b>
12.2.1 Request system status .....	126
12.2.2 System status .....	127
12.2.3 Switching function capabilities changed .....	127
12.2.4 Switching function devices changed .....	128
<b>13 Monitoring services</b> .....	<b>129</b>
<b>13.1 Services</b> .....	<b>129</b>
13.1.1 Change monitor filter .....	129
13.1.2 Monitor start .....	129
13.1.3 Monitor stop .....	130
<b>14 Snapshot services</b> .....	<b>130</b>
<b>14.1 Services</b> .....	<b>130</b>
14.1.1 Snapshot call .....	130
14.1.2 Snapshot device .....	131
14.1.3 Snapshot calldata .....	132
14.1.4 Snapshot devicedata .....	133
<b>15 Call control services and events</b> .....	<b>133</b>
<b>15.1 Services</b> .....	<b>133</b>
15.1.1 Accept call .....	133
15.1.2 Alternate call .....	134
15.1.3 Answer call .....	134
15.1.4 Call back call-related .....	135
15.1.5 Call back message call-related .....	135
15.1.6 Camp on call .....	136
15.1.7 Clear call .....	137
15.1.8 Clear Connection .....	137
15.1.9 Conference call .....	138
15.1.10 Consultation call .....	138
15.1.11 Deflect call .....	139
15.1.12 Dial digits .....	140
15.1.13 Directed pickup call .....	140
15.1.14 Group pickup call .....	141
15.1.15 Hold call .....	142
15.1.16 Intrude call .....	142
15.1.17 Join call .....	143
15.1.18 Make call .....	143
15.1.19 Make predictive call .....	144
15.1.20 Park call .....	146
15.1.21 Reconnect call .....	146
15.1.22 Retrieve call .....	147
15.1.23 Send Message .....	148

iTech STANDARD PREVIEW  
(standards.iteh.ai)

15.1.24 Single step conference call	148
15.1.25 Single step transfer call	149
15.1.26 Transfer call	150
15.2 Events	151
15.2.1 Bridged	151
15.2.2 Call cleared	151
15.2.3 Conferenced	152
15.2.4 Connection cleared	153
15.2.5 Delivered	153
15.2.6 Digits dialed	154
15.2.7 Diverted	155
15.2.8 Established	156
15.2.9 Failed	157
15.2.10 Held	157
15.2.11 Network capabilities changed	158
15.2.12 Network reached	159
15.2.13 Offered	160
15.2.14 Originated	161
15.2.15 Queued	161
15.2.16 Retrieved	162
15.2.17 Service initiated	163
15.2.18 Transferred	164
16 Call associated features	165
16.1 Services	165
16.1.1 Associate data	165
16.1.2 Cancel telephony tones	165
16.1.3 Change connection information	166
16.1.4 Generate digits	166
16.1.5 Generate telephony tones	167
16.1.6 Send user information	168
16.2 Events	168
16.2.1 Call information	168
16.2.2 Charging	169
16.2.3 Digits generated	169
16.2.4 Telephony tones generated	170
16.2.5 Service completion failure	171
17 Media attachment services and events	172
17.1 Services	172
17.1.1 Attach media service	172
17.1.2 Detach media service	173
17.2 Events	173
17.2.1 Media attached	173
17.2.2 Media detached	174
18 Routing services	175
18.1 Registration services	175
18.1.1 Route register	175
18.1.2 Route register abort	175
18.1.3 Route register cancel	176
18.2 Services	176
18.2.1 Re-Route	176
18.2.2 Route end	177
18.2.3 Route reject	177
18.2.4 Route request	178
18.2.5 Route select	179
18.2.6 Route used	179

19 Physical device features .....	180
19.1 Services .....	180
19.1.1 Button press .....	180
19.1.2 Get auditory apparatus information .....	181
19.1.3 Get button information .....	181
19.1.4 Get display .....	182
19.1.5 Get hookswitch status .....	183
19.1.6 Get lamp information .....	184
19.1.7 Get lamp mode .....	185
19.1.8 Get message waiting indicator .....	185
19.1.9 Get microphone gain .....	186
19.1.10 Get microphone mute .....	187
19.1.11 Get ringer status .....	188
19.1.12 Get speaker mute .....	189
19.1.13 Get speaker volume .....	189
19.1.14 Set button information .....	190
19.1.15 Set display .....	191
19.1.16 Set hookswitch status .....	191
19.1.17 Set lamp mode .....	192
19.1.18 Set message waiting indicator .....	193
19.1.19 Set microphone gain .....	193
19.1.20 Set microphone mute .....	194
19.1.21 Set ringer status .....	194
19.1.22 Set speaker mute .....	195
19.1.23 Set speaker volume .....	195
19.2 Events .....	196
19.2.1 Button information .....	196
19.2.2 Button press .....	197
19.2.3 Display updated .....	197
19.2.4 Hookswitch .....	198
19.2.5 Lamp mode .....	198
19.2.6 Message waiting .....	199
19.2.7 Microphone gain .....	199
19.2.8 Microphone mute .....	200
19.2.9 Ringer status .....	200
19.2.10 Speaker mute .....	201
19.2.11 Speaker volume .....	201
20 Logical device features .....	202
20.1 Services .....	202
20.1.1 Call back non-call-related .....	202
20.1.2 Call back message non-call-related .....	203
20.1.3 Cancel call back .....	203
20.1.4 Cancel call back message .....	204
20.1.5 Get agent state .....	204
20.1.6 Get auto answer .....	205
20.1.7 Get auto work mode .....	206
20.1.8 Get call back .....	206
20.1.9 Get caller id status .....	207
20.1.10 Get do not disturb .....	208
20.1.11 Get forwarding .....	208
20.1.12 Get last number dialed .....	209
20.1.13 Get routeing mode .....	209
20.1.14 Set agent state .....	210
20.1.15 Set auto answer .....	211
20.1.16 Set auto work mode .....	211
20.1.17 Set caller id status .....	212

iTeh STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 18056:2007

<https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007>

20.1.18 Set do not disturb . . . . .	212
20.1.19 Set forwarding . . . . .	213
20.1.20 Set routing mode . . . . .	214
20.2 Events . . . . .	214
20.2.1 Agent busy . . . . .	214
20.2.2 Agent logged off . . . . .	215
20.2.3 Agent logged on . . . . .	215
20.2.4 Agent not ready . . . . .	216
20.2.5 Agent ready . . . . .	216
20.2.6 Agent working after call . . . . .	217
20.2.7 Auto answer . . . . .	218
20.2.8 Auto work mode . . . . .	218
20.2.9 Call back . . . . .	218
20.2.10 Call back message . . . . .	219
20.2.11 Caller id status . . . . .	219
20.2.12 Do not disturb . . . . .	220
20.2.13 Forwarding . . . . .	220
20.2.14 Routing mode . . . . .	221
21 Device maintenance events . . . . .	222
21.1 Events . . . . .	222
21.1.1 Back in service . . . . .	222
21.1.2 Device capabilities changed . . . . .	222
21.1.3 Out of service . . . . .	223
21.1.4 Partially In service . . . . .	223
22 I/O services . . . . .	224
22.1 Registration services . . . . .	224
22.1.1 I/O register . . . . .	224
22.1.2 I/O register abort . . . . .	224
22.1.3 I/O register cancel . . . . .	225
22.2 Services . . . . .	225
22.2.1 Data path resumed . . . . .	225
22.2.2 Data path suspended . . . . .	226
22.2.3 Fast data . . . . .	226
22.2.4 Resume data path . . . . .	227
22.2.5 Send broadcast data . . . . .	228
22.2.6 Send data . . . . .	228
22.2.7 Send multicast data . . . . .	229
22.2.8 Start data path . . . . .	230
22.2.9 Stop data path . . . . .	231
22.2.10 Suspend data path . . . . .	231
23 Data Collection Services . . . . .	232
23.1 Services . . . . .	232
23.1.1 Data Collected . . . . .	232
23.1.2 Data Collection Resumed . . . . .	234
23.1.3 Data Collection Suspended . . . . .	234
23.1.4 Resume Data Collection . . . . .	235
23.1.5 Start Data Collection . . . . .	235
23.1.6 Stop Data Collection . . . . .	236
23.1.7 Suspend Data Collection . . . . .	237
24 Voice services and events . . . . .	237
24.1 Services . . . . .	237
24.1.1 Activate . . . . .	237
24.1.2 Clear . . . . .	238
24.1.3 Concatenate message . . . . .	238
24.1.4 Deactivate . . . . .	239

24.1.5 Delete message	240
24.1.6 Play message	240
24.1.7 Query voice attribute	241
24.1.8 Queue service	242
24.1.9 Record message	242
24.1.10 Reposition	243
24.1.11 Resume	244
24.1.12 Review	244
24.1.13 Set voice attribute	245
24.1.14 Start	246
24.1.15 Stop	247
24.1.16 Suspend	248
24.1.17 Synthesize message	248
24.2 Events	249
24.2.1 Bookmark reached	249
24.2.2 Completed	249
24.2.3 DTMF detected	250
24.2.4 Emptied	250
24.2.5 Interruption detected	251
24.2.6 Not recognized	251
24.2.7 Play	252
24.2.8 Recognized	253
24.2.9 Record	253
24.2.10 Review	254
24.2.11 Silence timeout expired	254
24.2.12 Speech detected	255
24.2.13 Started	255
24.2.14 Stop	256
24.2.15 Suspend play	256
24.2.16 Suspend record	257
24.2.17 Voice attribute changed	258
24.2.18 Voice error occurred	259
25 Call detail record services	260
25.1 Services	260
25.1.1 Call detail records notification	260
25.1.2 Call detail records report	260
25.1.3 Send stored call detail records	261
25.1.4 Start call detail records transmission	261
25.1.5 Stop call detail records transmission	262
26 Vendor specific extensions services and events	263
26.1 Registration services	263
26.1.1 Escape register	263
26.1.2 Escape register abort	263
26.1.3 Escape register cancel	264
26.2 Services	264
26.2.1 Escape	264
26.2.2 Private data version selection	265
26.3 Events	265
26.3.1 Private event	265
Annex A (normative) Protocol Implementation Conformance Statement (PICS) Proforma	267
Annex B (normative) Registration Template for application/CSTA+XML MIME Media Type	390
Annex C (normative) CSTA Over SIP (uaCSTA) Transport Mechanism	391
Annex D (normative) ECMA-323 Specified Short Tags	393

ITeH STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 18056:2007

[https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-](https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007)

[399f3bde877d/iso-iec-18056-2007](https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007)



<b>Annex E (informative) Protocol Implementation Conformance Statement (PICS) Proforma . . . . .</b>	<b>468</b>
<b>Annex F (informative) Examples of Connection ID Encodings . . . . .</b>	<b>469</b>
<b>Annex G (informative) Examples of CSTA-specific XML . . . . .</b>	<b>470</b>
<b>Annex H (informative) CSTA XML with SOAP . . . . .</b>	<b>472</b>
<b>Annex I (informative) CSTA XML with SOAP with HTTP . . . . .</b>	<b>475</b>
<b>Annex J (informative) CSTA XML over TCP . . . . .</b>	<b>478</b>
<b>Annex K (informative) CSTA Data Type Schema for Encapsulation . . . . .</b>	<b>480</b>
<b>Annex L (informative) Registration Template for application/CSTAdat+XML MIME Media Type . . .</b>	<b>482</b>
<b>Annex M (informative) Summary of changes in this edition . . . . .</b>	<b>483</b>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 18056:2007](https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007)

<https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 18056 was prepared by Ecma International (as ECMA-323) and was adopted, under a special "fast-track procedure", by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

This third edition cancels and replaces the second edition (ISO/IEC 18056:2005), which has been technically revised.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 18056:2007](https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007)

<https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007>

## Introduction

This Standard defines an XML protocol for Phase III of Computer Supported Telecommunications Applications (CSTA), 7th edition. This Standard is part of a Suite of Standards and Technical Reports for Phase III of CSTA. All of the Standards and Technical Reports in the Suite are based on practical experience of Ecma member companies and each one represents a pragmatic and widely-based consensus.

Phase III of CSTA extends the previous Phase I and Phase II Standards in major theme directions as well as numerous details. This incorporates technology based upon the *versit* CTI Encyclopedia (Version 1.0), which was contributed to Ecma by *versit*.

The 3rd edition of ECMA-348, Web Services Description Language (WSDL) for CSTA Phase III, specifies a set of WSDL schemas for this 3rd edition of Phase III XML Protocol for CSTA.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 18056:2007](https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007)

<https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007>

## XML Tools Acknowledgement

XML specified in this Standard has been checked using the XML SPY tool.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 18056:2007](https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007)

<https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007>

# Information technology — Telecommunications and information exchange between systems — XML Protocol for Computer Supported Telecommunications Applications (CSTA) Phase III

## 1 Scope

This International Standard specifies an XML protocol for the services described in ISO/IEC 18051.

This International Standard provides an alternative protocol to the ASN.1 based protocol specified in ISO/IEC 18052.

Clause 5 to Clause 8 inclusive describes the concepts underlying the request/response model, application association, notation and service, and a description of the template used in this International Standard.

Clause 9 to Clause 26 inclusive contains CSTA-specific protocol details and forms the main part of this International Standard.

Annex A specifies the Protocol Implementation Conformance Statement (PICS) for this International Standard.

Examples of CSTA XML encodings are provided in Annex E through Annex J.

## 2 Conformance

A manufacturer may select any part of the CSTA protocol, as specified in this International Standard, for implementation on a system as long as it satisfies the minimum conformance requirements as specified in Clause 2 of ISO/IEC 18051:2007. (standards.iteh.ai)

A Protocol Implementation Conformance Statement (PICS) shall be used to specify the operations which are provided by a particular implementation. A PICS shall also specify the parameter options which are used.

### 2.1 Static Requirements

To conform to this International Standard, a system shall support the syntax as defined by the XML 1.0 specification and the structures and data types as defined in the XML Schema Structure and XML Schema Data Types specifications for the purpose of generating and interpreting CSTA protocol information for the operations supported.

### 2.2 Dynamic Requirements

To conform to this International Standard, a system shall:

- a. follow the procedures as specified in this International Standard, and ISO/IEC 18051, relevant to each CSTA operation that the system claims to implement; and
- b. satisfy the definitions, as specified in ISO/IEC 18051, relevant to each CSTA service that the system claims to implement.

### 2.3 PICS Requirement

To conform to this International Standard, the following shall be stated by the implementer when defining a PICS corresponding to an application or implementation:

- a. which CSTA operations, as defined in ISO/IEC 18051, are supported by the system for the particular implementation; and
- b. which optional parameters are supported by each supported operation.

A PICS proforma is specified in Annex A of this International Standard.

## 2.4 XML Tag Options

To conform to this International Standard, a system shall support at least one of the XML tag options listed below.

### 2.4.1 ECMA-323 Specified Tags

Instance documents shall include the following URI for the namespace and conform to the schemas as specified in Clause 9 through 26 of this International Standard without transformations.

<http://www.ecma-international.org/standards/ecma-323/csta/ed4>

### 2.4.2 ISO/IEC 18056 Specified Short Tags

Instance documents shall include the following URI for the namespace and conform to the schemas as specified in Clause 9 through 26 of this International Standard with transformations as specified in Annex D.

### 2.4.3 Dynamic Transformations

Implementation claiming conformance to this option shall support XML schema transformations e.g. using `<?xml-stylesheet>` for the schemas specified in Clause 9 through 26.

## 2.5 CSTA Over SIP (uaCSTA) Transport Mechanism Option

An implementation that conforms to ISO/IEC 18056 can also claim conformance to the “CSTA Over SIP (uaCSTA Transport Mechanism Option)” by implementing the SIP and CSTA procedures specified in Annex C.

[ISO/IEC 18056:2007](https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007)

<https://standards.iteh.ai/catalog/standards/sist/7c000d27-ee98-48f8-a19b-399f3bde877d/iso-iec-18056-2007>

## 3 References

### 3.1 ISO Standards and Technical Reports

<b>ISO/IEC 8649:1996</b>	Information technology — Open Systems Interconnection — Service definition for the Association Control Service Element (this corresponds to ITU-T Rec. X.217 1995)
<b>ISO/IEC 18051:2007</b>	Information technology — Telecommunications and information exchange between systems — Services for Computer Supported Telecommunications Applications (CSTA) Phase III
<b>ISO/IEC 18052:2000</b>	Information technology — Telecommunications and information exchange between systems — Protocol for Computer Supported Telecommunications Applications (CSTA) Phase III
<b>ISO/IEC 22534:2005</b>	Information technology — Telecommunications and information exchange between systems — Application session services
<b>ISO/IEC TR 18053:2000</b>	Information technology — Telecommunications and information exchange between systems — Glossary of definitions and terminology for Computer Supported Telecommunications Applications (CSTA) Phase III

### 3.2 World Wide Web Consortium Specifications

<b>XML 1.0</b>	XML 1.0. W3C Recommendation February 1998 (revised October 2000)
----------------	--

<b>XML Schema Part 1</b>	XML Schema Language Part 1: Structures. W3C Recommendation 2 May 2001
<b>XML Schema Part 2</b>	XML Schema Language Part 2: Datatypes. W3C Recommendation 2 May 2001
<b>SOAP 1.1</b>	Simple Object Access Protocol (SOAP) 1.1, W3C Note 08 May 2000

## 4 Definitions and Abbreviations

CSTA-specific terminology is defined in ISO/IEC TR 18053.

## 5 CSTA Service Definition Model

CSTA services specified in ISO/IEC TR 18053 are modeled as a request/response interaction.

Typically, one entity requests that a particular operation be performed; the other entity attempts to perform the operation and responds to the requestor.

### 5.1 Request/Response Interactions

CSTA services consist of the following types of request/response interactions:

- Services which specify a response in case of success or failure. The protocol description for these services includes a response element that represents the success (i.e. positive acknowledgement). In case of service failure, a fault element is used to provide the failure information (i.e. negative acknowledgement).
- Services which only specify a response in case of failure. The protocol description for these services do not include a response element. A fault element is used to provide the failure information (i.e. negative acknowledgement).

For CSTA event reports, no response is generated.

### 5.2 Request/Response Protocol Requirements

This International Standard specifies CSTA-specific XML-encoded content for messages that are sent across a CSTA Service boundary. Typically this CSTA-specific XML is enveloped by a request/response protocol that provides a mechanism for correlating a CSTA request with a CSTA response, manages faults, defines header information, etc.

This International Standard does not mandate that a specific request/response protocol be used. However, this International Standard provides examples of how the CSTA-specific XML can be used with several industry request/response protocols and transports such as SOAP (Simple Object Access Protocol), HTTP, and TCP. These examples are provided beginning in Annex H.

### 5.3 Cross Referencing of Event Reports

The Monitor Cross Reference Identifier in CSTA event reports is used to correlate events to an earlier Monitor Start service request (see 6.7.2.1 of ISO/IEC 18051).

### 5.4 Handling of Private Data

If an entity receives CSTA Private Data in a CSTA message, and it can not recognize the information contained, the CSTA Private Data shall be discarded, and the rest of the message shall be processed.