
**Optics and photonics — Optical
coatings —**

**Part 2:
Optical properties**

Optique et photonique — Traitements optiques —

iTech Standards

**(<https://standards.iteh.ai>)
Document Preview**

[ISO 9211-2:2010](#)

<https://standards.iteh.ai/catalog/standards/iso/cd89690f-99fc-435a-912f-c0c43b075b66/iso-9211-2-2010>



Reference number
ISO 9211-2:2010(E)

© ISO 2010

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh Standards

(<https://standards.iteh.ai>)

Document Preview

[ISO 9211-2:2010](#)

<https://standards.iteh.ai/catalog/standards/iso/cd89690f-99fc-435a-912f-c0c43b075b66/iso-9211-2-2010>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions	1
4 Optical properties to be specified	1
5 Measurement conditions	1
6 Numerical specification and graphical representation of spectral characteristics	2
6.1 General	2
6.2 Rules for the numerical specification of spectral characteristics	2
6.3 Rules for the graphical representation of spectral characteristics	3
6.4 Graphical representation of principal optical functions	3
Annex A (normative) Supplementary terms and definitions for filtering and selecting functions	10

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 9211-2:2010](#)

<https://standards.iteh.ai/catalog/standards/iso/cd89690f-99fc-435a-912f-c0c43b075b66/iso-9211-2-2010>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9211-2 was prepared by Technical Committee ISO/TC 172, *Optics and photonics*, Subcommittee SC 3, *Optical materials and components*.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

This second edition cancels and replaces the first edition (ISO 9211-2:1994) which has been technically revised.

ISO 9211 consists of the following parts, under the general title *Optics and photonics — Optical coatings:*

— *Part 1: Definitions*

[ISO 9211-2:2010](#)

<https://standards.iteh.ai/catalog/standards/iso/cd89690f-99fc-435a-912f-c0c43b075b66/iso-9211-2-2010>

— *Part 2: Optical properties*

— *Part 3: Environmental durability*

— *Part 4: Specific test methods*

Optics and photonics — Optical coatings —

Part 2: Optical properties

1 Scope

ISO 9211 identifies surface treatments of components and substrates excluding ophthalmic optics (spectacles) by the application of optical coatings and gives a standard form for their specification. It defines the general characteristics and the test and measurement methods whenever necessary, but is not intended to define the process method.

This part of ISO 9211 indicates how to specify optical properties of coatings and to represent their spectral characterization graphically.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9211-1, *Optics and photonics — Optical coatings — Part 1: Definitions*

[ISO 9211-2:2010](https://standards.iteh.ai/catalog/standards/iso/cd89690f-99fc-435a-912f-c0c43b075b66/iso-9211-2-2010)

<https://standards.iteh.ai/catalog/standards/iso/cd89690f-99fc-435a-912f-c0c43b075b66/iso-9211-2-2010>

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 9211-1 apply.

4 Optical properties to be specified

When specifying optical properties, the refractive indices of the incidence medium and the emergent medium shall be given. The polarization state of the incident radiation shall also be indicated if the angle of incidence, θ , is different from zero or a range of angles of incidence is given. If there is no indication, unpolarized radiation is assumed.

The optical properties $\tau(\lambda)$, $\rho(\lambda)$, $\alpha(\lambda)$, $D(\lambda)$ and $\Delta\Phi(\lambda)$ of a coating shall be specified by using the formulation given and explained in 6.2 in order to provide a comprehensive description of a coating with regard to its minimum set of optical properties. Other optical properties like scattering or colorimetric parameters etc. shall be subject to agreement between supplier and user if appropriate.

5 Measurement conditions

The measurement conditions for the spectrophotometric characterization shall be subject to agreement between supplier and user. These conditions depend on the principle of the measurement method and the instruments used, including the angle of incidence, the state of polarization, the spectral range and bandwidth

of the measurement beam, etc. and shall be recorded in sufficient detail to enable verification of the measurement.

6 Numerical specification and graphical representation of spectral characteristics

6.1 General

This part of ISO 9211 defines the rules for the spectrophotometric characterization of optical coatings.

6.2 Rules for the numerical specification of spectral characteristics

The general structure of a numerical specification, as distinguished from a graphical specification, of a spectral optical property shall follow the structure of an inequality with the following terms:

(lower limit term) < or \leq (spectral optical property term) < or \leq (upper limit term).

EXAMPLE 1 (lower limit term) < (spectral optical property term) \leq (upper limit term).

The inequality may contain only two terms if the spectral optical property needs to be bounded only on one side.

EXAMPLE 2 (spectral optical property term) \leq (upper limit term) or (spectral optical property term) $>$ (lower limit term).

Table 1 gives a schematic representation of elements necessary for the numerical specification of spectral characteristics as shown in Table 2.

NOTE Unless otherwise specified, the symbols τ and ρ denote the specular transmittance and reflectance.

Table 1 — Scheme of elements for the numerical specification of spectral characteristics

Lower limit (subscript L) $i = 1, 2, \dots$	Comparator sign	Spectral optical property	Wavelength (or wavenumber) range or single wavelength (or wavenumber), angle of incidence ^a $i = 1, 2, \dots$	Comparator sign	Upper limit (subscript U) $i = 1, 2, \dots$	Z represents any of
Z_{L_i}	< or \leq	Z	(λ_i to λ_{i+1} , θ) or (λ_i , θ)	< or \leq	Z_{U_i}	$\tau, \rho, \alpha, D,$ $\Delta\Phi$ or $\delta\Phi$
$Z_{L_i} \rightarrow Z_{L_{i+1}}$ ^b	< or \leq	Z	(λ_i to λ_{i+1} , θ)	< or \leq	$Z_{U_i} \rightarrow Z_{U_{i+1}}$ ^b	$\tau, \rho, \alpha, D,$ $\Delta\Phi$ or $\delta\Phi$
Z_{ave,L_i}	< or \leq	Z_{ave}	(λ_i to λ_{i+1} , θ)	< or \leq	Z_{ave,U_i}	$\tau, \rho, \alpha, D,$ $\Delta\Phi$ or $\delta\Phi$
Z_{s,L_i}	< or \leq	Z_s	(λ_i to λ_{i+1} , θ) or (λ_i , θ)	< or \leq	Z_{s,U_i}	$\tau, \rho, \alpha,$ or D
Z_{s,ave,L_i}	< or \leq	$Z_{s,ave}$	(λ_i to λ_{i+1} , θ)	< or \leq	Z_{s,ave,U_i}	$\tau, \rho, \alpha,$ or D
Z_{p,L_i}	< or \leq	Z_p	(λ_i to λ_{i+1} , θ) or (λ_i , θ)	< or \leq	Z_{p,U_i}	$\tau, \rho, \alpha,$ or D
Z_{p,ave,L_i}	< or \leq	$Z_{p,ave}$	(λ_i to λ_{i+1} , θ)	< or \leq	Z_{p,ave,U_i}	$\tau, \rho, \alpha,$ or D

^a Each optical property can be specified for different wavelength (or wavenumber) ranges and/or different single wavelengths (or wavenumbers), if necessary.

If the angle of incidence θ is not explicitly indicated, an angle of 0° is assumed.

For special applications, a range of angles of incidence (θ_1 to θ_2) instead of a single angle can be specified.

If the angle of incidence θ is different from 0° or a range of angles is given, but neither s- nor p-polarization is defined, the radiation is assumed to be unpolarized.

^b The arrow \rightarrow indicates a linear change of the tolerance limit from value Z_{L_i} at λ_i to value $Z_{L_{i+1}}$ at λ_{i+1} (from value Z_{U_i} at λ_i to value $Z_{U_{i+1}}$ at λ_{i+1} , respectively).