



**Environmental Engineering (EE);
Methodology for environmental Life Cycle Assessment (LCA)
of Information and Communication Technology (ICT)
goods, networks and services**

PREVIEW
iTech (standards.iteh.ai)
https://standards.iteh.ai/catalog/standards/sist/a24fe7a6-2c06-45bf-8d5c-f29ccdfb-2015-02/etsi-es-203-199-v1.3.1-2015-12-01

Reference

RES/EE-EEPS14

Keywords

LCA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2014.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	7
Introduction	7
1 Scope	11
2 References	11
2.1 Normative references	12
2.2 Informative references.....	12
3 Definitions and abbreviations.....	13
3.1 Definitions.....	13
3.2 Abbreviations	17
4 Void.....	20
Part I: ICT life cycle assessment - framework and guidance.....	20
5 General description.....	20
5.1 General description of an LCA.....	20
5.2 Compliance to the present document.....	21
5.3 Comparisons of results	22
5.4 Relationship between methodologies of LCAs for ICT goods, networks and services.....	22
6 Methodological framework	23
6.1 General requirements	23
6.1.1 Life cycle stages	23
6.1.2 The goods, networks and services Product System.....	24
6.1.2.1 ICT goods.....	24
6.1.2.2 ICT networks.....	24
6.1.2.3 ICT services	25
6.1.3 Handling of software	25
6.1.3.1 General	25
6.1.3.2 Assessment of software.....	26
6.1.4 Operating lifetime	26
6.2 Goal and scope definition.....	27
6.2.1 Goal and scope of the study.....	27
6.2.2 Functional unit	28
6.2.2.1 General	28
6.2.2.2 ICT goods.....	29
6.2.2.3 ICT networks.....	29
6.2.2.4 ICT services	30
6.2.3 System boundaries	30
6.2.3.1 General	30
6.2.3.2 The use of unit processes	33
6.2.3.3 ICT goods.....	33
6.2.3.3.1 General	33
6.2.3.3.2 Goods Raw materials acquisition	34
6.2.3.3.3 Production	34
6.2.3.3.4 Use.....	36
6.2.3.3.5 End-of-life treatment (EoLT)	37
6.2.3.4 ICT Networks.....	38
6.2.3.5 ICT Services.....	39
6.2.3.5.1 General	39
6.2.3.5.2 Eight items to consider	39
6.2.4 Cut-off rules.....	41
6.2.5 Data quality requirements.....	42

6.2.5.1	General	42
6.2.5.2	Specific requirements on data and data sources	43
6.3	Life cycle inventory (LCI).....	45
6.3.1	Data collection	45
6.3.1.1	General	45
6.3.1.2	ICT goods.....	45
6.3.1.2.1	Use stage energy consumption of ICT goods	46
6.3.1.2.2	ICT goods data for other life cycle stages	46
6.3.1.2.3	Energy mixes	46
6.3.1.2.4	Handling of LCI results for electricity and energy	46
6.3.1.3	ICT networks.....	47
6.3.1.4	ICT services	47
6.3.2	Data calculation	47
6.3.2.1	General	47
6.3.2.2	ICT goods.....	47
6.3.2.3	ICT networks.....	48
6.3.2.4	ICT services	49
6.3.3	Allocation procedure/Allocation of data	49
6.3.3.1	General	49
6.3.3.2	Allocation rules for generic processes.....	49
6.3.3.3	Allocation rules for allocation of support activities between projects/product systems.....	50
6.3.3.4	Allocation rules for facility data.....	50
6.3.3.5	Allocation rules for transports.....	50
6.3.3.6	Allocation rules for recycling.....	50
6.3.3.7	ICT goods.....	50
6.3.3.8	ICT networks.....	51
6.3.3.9	ICT services	51
7	Life cycle impact assessment (LCIA).....	52
7.1	Impact categories.....	52
8	Life cycle interpretation	56
8.1	General	56
8.2	Uncertainty analysis	56
8.3	Sensitivity analysis	56
9	Reporting	56
9.1	General	56
9.2	ICT goods.....	58
9.2.1	Total results	58
9.2.2	System boundaries	60
9.2.2.1	Life cycle stages, unit processes and generic processes	60
9.2.2.2	Raw material acquisition.....	60
9.2.2.3	Production	61
9.2.2.3.1	Parts production.....	61
9.2.2.4	Use	61
9.2.2.4.1	ICT goods use.....	61
9.2.2.4.2	Support goods use.....	61
9.2.2.5	EoLT	61
9.2.3	LCI results	61
9.3	ICT Network	61
9.3.1	Total results	62
9.4	ICT services.....	64
9.4.1	Total results	65
10	Critical review	67
Part II: Comparative analysis/LCA between ICT and reference product system (baseline scenario): framework and guidance.....		68
11	General description of comparative analysis.....	68
11.1	Need for comparative analysis	68
11.2	Target systems for comparative analysis.....	69
11.3	Principles of comparisons between systems (comparative analysis).....	69

11.3.1	First case: comparison between a reference product system and an ICT service	69
11.3.2	Second case: comparison between two ICT goods or two ICT networks or two ICT services	70
11.3.3	Common principles.....	70
11.4	Procedures of comparisons between systems (comparative analysis).....	70
12	Methodological framework of comparative analysis	71
12.1	General requirements	71
12.2	Goal and scope definition.....	71
12.2.1	Functional unit.....	71
12.2.2	System boundaries	71
12.2.3	Cut-off	72
12.2.3.1	General.....	72
12.2.3.2	Identification of life cycle stages and items important for comparison.....	72
12.2.4	Allocation	72
12.2.5	Data quality requirements.....	72
12.3	Life cycle inventory.....	72
12.4	Life cycle impact assessment	72
12.5	Life cycle interpretation	72
12.5.1	General.....	72
12.5.2	Sensitivity analysis	73
12.5.3	Uncertainty analysis.....	73
13	Reporting.....	74
14	Critical review	75
Annex A (normative):	Details regarding the handling of software	76
Annex B (normative):	Modelling of unit processes.....	78
Annex C (normative):	Support activities	80
Annex D (normative):	Generic processes.....	81
Annex E (normative):	Part types of ICT goods.....	83
Annex F (normative):	EoLT processes	86
Annex G (normative):	Elementary flows (emissions and resources)	87
Annex H (normative):	List of Raw materials.....	90
Annex I:	Void	92
Annex J (normative):	ICT network overview.....	93
Annex K (normative):	A method for assessing the environmental load of the working environment.....	95
K.1	Purpose of targeting the working environment in the assessment of ICT goods, networks and services	95
K.2	Functional unit.....	95
K.3	System boundary	95
K.4	Life cycle inventory (LCI)	96
K.4.1	Data collection.....	96
K.4.2	Data calculation.....	96
K.4.3	Allocation procedure	96
Annex L (normative):	Reporting formats.....	98
Annex M (informative):	Example of an LCA of a Mobile Phone fully compliant with the present document.....	105

Annex N (informative):	Life cycle stages overview.....	137
Annex O (informative):	Examples of goods and black box modules.....	138
O.1	End-user goods.....	138
O.2	CPE.....	138
O.3	Network site goods (from base station sites to data centres).....	138
O.4	Examples of ICT specific black box modules.....	139
O.5	Site support goods	139
Annex P (informative):	Examples of Networks and Network goods.....	140
Annex Q (informative):	Energy mix	141
Annex R (informative):	Examples of Allocation Procedures.....	142
R.1	Allocation examples for Recycling of Materials.....	142
R.1.1	Example of the 100/0 and 0/100 methods	142
R.1.2	Example of the 50/50 method and combination of 100/0 and 50/50.....	143
Annex S (informative):	Example of data quality indicators	145
Annex T (informative):	Uncertainties of life cycle assessments for ICT goods, networks and services	147
Annex U (informative):	Opportunities and limitations in the use of LCAs for ICT goods, networks and services.....	149
Annex V (informative):	Examples for calculating second order effects	151
Annex W (informative):	GWP values 100 year time frame (informative)	154
Annex X (informative):	Summary of requirements	155
History		167

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This final draft ETSI Standard (ES) has been produced by ETSI Technical Committee Environmental Engineering (EE), and is now submitted for the ETSI standards Membership Approval Procedure.

The present document was developed jointly by ETSI TC EE and ITU-T Study Group 5. It will be published respectively by ITU and ETSI as Recommendation ITU-T L.1410 and ETSI Standard ETSI ES 203 199, which are technically-equivalent.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"may not"**, **"need"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document has been developed to complement ISO 14040 [1] and ISO 14044 [2] for the environmental assessment of the life cycle impact of ICT goods, networks and services.

The present document defines a set of requirements to reflect the quality that practitioners should strive for. At this stage some of the requirements put forward here are considered as challenging due to life cycle assessment (LCA) tool limitations, a lack of data, limitations in data granularity, etc. It is thus recognized that compliance to all requirements in the present document may not be possible at the time the present document is published. However, to foster results of LCAs becoming more transparent and, for the quality of data and LCA tools to improve over time, the present document is defining the requirements outlined in the following pages. The present document requires that deviation(s) from the requirements are clearly motivated and reported. For further details regarding compliance refer to clause 5.2.

The development of information and communication technologies (ICTs) has led to concerns regarding its environmental impact. Taking into consideration the ongoing efforts within the United Nations Framework Convention on Climate Change [b-UNFCCC] to combat climate change, ITU-T and ETSI decided to enhance their previous work by jointly developing an internationally agreed methodology to help the ICT sector to assess the environmental impact of ICT goods, networks and services. The present document also gives guidance to the assessment of software.

Unlike many products and services sold in the world today, ICT distinguishes itself by its double-edged nature. On the one hand, ICTs have an environmental impact at each stage of its life cycle, e.g. from energy and natural resource consumption to e-waste. On the other hand, ICTs can enable vast efficiencies in lifestyle and in all sectors of the economy by the provision of digital solutions that can improve energy efficiency, inventory management and business efficiency by reducing travel and transportation, e.g. tele-working and video conferencing and by substituting physical products for digital information, e.g. e-commerce.

These different levels of impact are acknowledged in some academic literature as the three order effects of ICTs:

- First order effects (or the environmental load of ICTs): the impacts created by the physical existence of ICTs and the processes involved, e.g. energy consumption and GHG emissions, e-waste, use of hazardous substances and use of scarce, non-renewable resources.
- Second order effects (or the environmental load reduction achieved by ICTs): the impacts and opportunities created by the use and application of ICTs. This includes environmental load reduction effects which can be either actual or potential, such as travel substitution, transportation optimization, working environment changes, use of environmental control systems, use of e-business, e-government, etc.

NOTE: E.g. if an ICT service offers a reduced need for transport, the travel substitution replacing transportation by car is actual - the car does not run - whereas the reduced need for travel by public transport is potential - the plane, train or metro is still running if the timetable has not changed. However, the large scale deployment of video conferencing and tele-working (telecommuting) in the future will likely change lifestyles and impact on social structure and while it is expected to substantially reduce traffic volume, further research is required to assess what the full impact (including rebound effects) will be.

Other effects:

- include the impacts and opportunities created by the aggregated effects on societal structural changes by using ICTs;
- particularly include, for some ICT services such as tele-working or video conferencing, the time gained by an end user using an ICT service which then may cause additional impact e.g. a leisurely drive and economic activities, which are difficult to track. Such additional impacts are often defined as "rebound effects".

Most of the benefits of ICTs lie in the second order effects via increased efficiency, transparency, speed of transactions, rapid market-clearing, long-tail effects and so on. There are environmental impacts associated with the first order: environmental impact of ICT goods, networks and services such as resource consumption and carbon emissions during manufacturing and the disposal of hardware. Other effects await further exploration due to the many uncertainties involved. While these other effects may be critical in constructing a more sustainable society, much more research on this remains to be done. Thus, the present document focuses on the first and second order effects. Further research in the area of other effects is encouraged.

In constructing a sustainable society from an environmental viewpoint, the negative aspects of ICTs should be minimized and the positive ones should be maximized, as summarized in figure 1.




Figure 1: Schematic model for the environmental assessment of ICT goods, networks and services

The first order effect (or environmental load caused by ICT) can be quantified by performing a life cycle assessment (LCA). The second order effect (or environmental load reduction achieved by ICT) can be quantified by the comparison of LCA results between the ICT goods, networks and services product system and the reference product system performing the same function.

To reflect the first two order effects, the present document describes environmental assessments through Life Cycle Assessment (LCA) which is a systematic analytical method and model by which the potential environmental effects related to ICT goods, Networks and Services can be estimated. The present document also gives guidance to the assessment of software. LCAs have a cradle-to-grave scope where the life cycle stages, i.e. *raw material acquisition, production, use* and *end-of-life* are included. Transports and energy supply are moreover included in each life-cycle stage.

ISO has standardized the LCA methodology. In the present document, ICT specific additions to the ISO 14040 [1] and ISO 14044 [2] standards will be described. As addition to the ISO 14040 [1] and ISO 14044 [2] standards, the European Commission has published a handbook that gives detailed guidance on all the steps required to conduct an LCA [i.2]. This handbook will also be referred to with special ICT considerations in mind.

The standard is divided into two parts:

- Part I (clauses 5-10) - ICT life cycle assessment: framework and guidance. This part deals with the LCA methodology applied to ICT goods, networks and services.
- Part II (clauses 11-14) - Comparative analysis between an ICT product system and a reference product system (baseline scenario): framework and guidance. This part deals with comparative analysis based on LCA results of the ICT goods, networks and services product system and the reference product system.

The structure of this LCA methodology specification for ICT goods, Networks and Services is shown in figure 2. The figure indicates where specific requirements and considerations apply for ICT goods, networks and services respectively and where the same requirements and considerations apply for all of those product systems.




Figure 2: Structure of LCA methodology specification for ICT goods, Networks and Services

The structure of part I and part II is based on ISO 14040 [1] and ISO 14044 [2] in order to support the practitioner and thus each part is structured in accordance with:

- General requirements: high level requirements of assessment.
- Goal and scope definition: requirements of the functional unit, system boundaries and data quality.
- Life cycle inventory (LCI): requirements for data collection, calculation and allocation.
- Life cycle impact assessment (LCIA): requirements for impact assessment.
- Life cycle interpretation: requirements for the interpretation of results and calculation of second order effects.
- Reporting: requirements for reporting.

Both parts are then divided into applicable clauses and Part I is additionally structured into the three product system types, i.e. ICT goods, networks and services as appropriate.

The present document is intended for LCA practitioners wanting to assess ICT goods, networks and services impacts and it will help them to perform and report their LCAs of *ICT goods*, *Networks* and *Services* in a uniform and transparent manner. It is possible to use the present document to get guidance on what to consider in an LCA on three levels: ICT goods, Networks and Services.

The following uses of ICT LCA applications are the most frequently used ones, but others may be identified and used as well:

- Evaluation of product system environmental impact, such as climate change.
- Assessment of primary energy consumption.
- Identification of life cycle stages and activities with high significance.
- Comparisons of specific ICT goods, Networks, or Services under the conditions described in clause 5.3 (Comparisons of results).
- Comparative analysis between an ICT product system and reference product system.

1 Scope

The present document aims to provide a methodology for evaluating the environmental impact of ICTs objectively and transparently and is based upon the life cycle assessment (LCA) methodology standardized in ISO 14040 [1] and ISO 14044 [2].

The present document can be read by anyone aiming for a better understanding of the specific conditions and requirements applicable to the LCA of ICT goods, networks and services. However, the present document is especially intended for LCA practitioners with a prior knowledge of LCA standards, i.e. ISO 14040 [1] and ISO 14044 [2].

The purpose of the present document is to:

- provide ICT-specific requirements, in addition to those of ISO 14040 [1] and ISO 14044 [2], to ensure a sufficient quality of LCA studies of ICT goods, networks and services; increase the quality of the LCA by adding ICT specific requirements to those of ISO 14040 [1] and ISO 14044 [2];
- harmonize the LCAs of ICT goods, Networks and Services;
- increase the credibility of LCAs of ICT goods, networks and services;
- increase the transparency and facilitate the interpretation of LCA studies of ICT goods, networks and services;
- facilitate the communication of LCA studies of ICT goods, networks and services; and
- provide a methodology for telecommunication operators and service providers to assess the environmental load of one or more Services carried by their ICT Networks.

While recognizing ISO 14040 [1] and ISO 14044 [2], including annex A of ISO 14040 [1] "Application of LCA", as normative references, the present document will give generic and specific requirements for the LCA of ICT goods, networks and services. The present document is valid for all types of ICT goods including end-user goods and also for ICT networks and services. The present document also gives guidance to the assessment of software. Practitioners are encouraged to also consider other environmental aspects in accordance with ISO 14040 [1] and ISO 14044 [2].

The present document defines a set of requirements which reflect the quality that practitioners should strive for. At this stage some of the requirements put forward here are considered as challenging due to LCA tool limitations, a lack of data, limitations in data granularity, etc. It is thus recognized that compliance to all requirements in the present document may not be possible at the time the present document is published. However, to foster results of LCAs becoming more transparent and, for the quality of data and LCA tools to improve over time, the present document defines the requirements outlined in the following pages. The present document requires that deviation(s) from the requirements are clearly motivated and reported. For further details regarding compliance refer to clause 5.2.

Comparisons of results from environmental assessments of ICT goods, networks and services, assessments which have been performed by different organizations are beyond the scope of the present document, as such comparisons would require that the assumptions and context of each study are exactly equivalent.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] ISO 14040 (2006): "Environmental management -- Life cycle assessment -- Principles and framework".
- [2] ISO 14044 (2006): "Environmental management -- Life cycle assessment -- Requirements and guidelines".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI TS 102 706 (V1.3.1): "Environmental Engineering (EE); Measurement method for energy efficiency of wireless access network equipment".
- [i.2] European Commission - Joint Research Centre - Institute for Environment and Sustainability: "International Reference Life Cycle Data System (ILCD) Handbook - General guide for Life Cycle Assessment - Detailed guidance". First edition March 2010. EUR 24708 EN. Luxembourg. Publications Office of the European Union; 2010.
- [i.3] European Commission - Joint Research Centre - Institute for Environment and Sustainability: "International Reference Life Cycle Data System (ILCD) Handbook - Framework and Requirements for Life Cycle Impact Assessment Models and Indicators". First edition March 2010. EUR 24586 EN. Luxembourg. Publications Office of the European Union; 2010.
- [i.4] ETSI ES 202 336-1: "Environmental Engineering (EE); Monitoring and Control Interface for Infrastructure Equipment (Power, Cooling and Building Environment Systems used in Telecommunication Networks) Part 1: Generic Interface".
- [i.5] Recommendation ITU-T L.1310 (11/2012): "Energy efficiency metrics and measurement methods for telecommunication equipment".
- [i.6] European Commission - Joint Research Centre: "Product Environmental Footprint (PEF) Guide. Deliverable 2 and 4A of the Administrative Arrangement between DG Environment and the Joint Research Centre No N 070307/2009/552517, including Amendment No 1 from December 2010", Ispra, Italy, 2012.
- [i.7] European Commission - Joint Research Centre: "Characterisation factors of the ILCD Recommended Life Cycle Impact Assessment methods" EUR 25167 EN - 2012 (20/02/2013 updated).
- [i.8] Green House Gas Protocol Corporate Standard, 2006.
- [i.9] ISO 14046 (2013): "Environmental management -- Water footprint -- Principles, requirements and guidelines".
- [i.10] IPCC (2013): "Climate Change 2013: The Physical Science Basis. Clause 8 Anthropogenic and Natural Radiative Forcing, Appendix 8. A: Lifetimes, Radiative Efficiencies and Metric Values", Table 8.A.1 p 731-738.
- [i.11] Recommendation ITU-T L.1400 (2011): "Overview and general principles of methodologies for assessing the environmental impact of information and communication technologies".
- [i.12] ETSI TS 103 199: "Environmental Engineering [EE]; Life Cycle Assessment (LCA) of ICT equipment, networks and services; General methodology and common requirements".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

active area: area of the display or touch panel which is useful for touch or viewing

activity data: quantitative measure of a level of activity that results in GHG emissions

NOTE: See Green House Gas Protocol Corporate Standard [i.8], clause 2.2.

black box module: device, system or object which can be viewed solely in terms of its input, output and transfer characteristics without any knowledge of its internal workings

NOTE: In this context the black box module may consist of several part categories such as integrated circuits, mechanics, cables, etc., e.g. a power module on a PCBA.

CO₂ equivalent (CO₂ e): universal unit of measurement to indicate the global warming potential (GWP) of each of the seven greenhouse gases, expressed in terms of the GWP of one unit of carbon dioxide. It is used to evaluate releasing (or avoiding releasing) different greenhouse gases against a common basis

NOTE: See Green House Gas Protocol Corporate Standard [i.8], clause 2.2.

commercial lifetime: length of time that a good is owned for before a new one is bought to replace it (often used to estimate the lifetime for consumer products)

comparative assertion: See ISO 14040 [1], clause 3.6.

comparative analysis: analysis aiming to compare two different product systems based on the same functional unit

Customer-Premises Equipment (CPE): any terminal and associated ICT goods located at a subscriber's premises and connected with a carrier's telecommunication channel(s) at the NTPs CPE covers also home office goods

cut-off: amount of energy or material flow or the level of environmental significance associated with unit processes or product system excluded from the study

NOTE: Unit processes excluded from the studied product system in an LCA.

data gap: LCI flows excluded from a unit process within the studied product system

depreciation time: time during which a (new) revenue-generating asset reaches its residual economic value

NOTE: The depreciation time is sometimes referred to as the legal lifetime.

economic input-output approach (EIO): method using tables, called input-output (IO) tables, that describe financial transactions between economic sectors in a national economy, to approximate environmental impacts

emission factor: factor allowing GHG emissions to be estimated from a unit of available activity data (e.g. tonnes of fuel consumed, kWh of electricity, tonnes of product produced) and absolute GHG emissions

NOTE 1: See Green House Gas Protocol Corporate Standard [i.8], clause 2.2.

NOTE 2: E.g. kgCO₂e/kWh electricity, kgCO₂e/(tonne×km).

end-user goods: any device that can connect to CPE or Networks

EXAMPLE: Laptop, mobile phone.

NOTE: See annex O for examples.

environmental impact: impact including positive and negative aspects on the environment

environmental impact through the introduction of ICTs: difference between the environmental load reduction effect from the use of ICTs and the environmental load of ICTs