



**Methods for Testing and Specification (MTS);  
The Testing and Test Control Notation version 3;  
Part 1: TTCN-3 Core Language**

*iTeh STANDARD PREVIEW  
(standards.iteh.ai)  
Full standard: https://standards.iteh.ai/catalog/standards/sist/042215eb-4899-4e48-a2d8-7995f668fe04/etsi-es-201-873-1-v4.8.1-2016-07*

---

**Reference**

RES/MTS-201873-1 T3ed481

---

**Keywords**

language, methodology, testing, TTCN-3

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	12
Foreword.....	12
Modal verbs terminology.....	12
1 Scope .....	13
2 References .....	13
2.1 Normative references .....	13
2.2 Informative references.....	14
3 Definitions and abbreviations.....	15
3.1 Definitions.....	15
3.2 Abbreviations .....	20
4 Introduction .....	21
4.0 General .....	21
4.1 The core language and presentation formats .....	21
4.2 Unanimity of the specification .....	23
4.3 Conformance .....	23
5 Basic language elements .....	23
5.0 General .....	23
5.1 Identifiers and keywords .....	24
5.2 Scope rules .....	24
5.2.0 General.....	24
5.2.1 Scope of formal parameters .....	27
5.2.2 Uniqueness of identifiers .....	27
5.3 Ordering of language elements.....	28
5.4 Parameterization.....	28
5.4.0 General.....	28
5.4.1 Formal parameters .....	29
5.4.1.0 General.....	29
5.4.1.1 Formal parameters of kind value.....	29
5.4.1.2 Formal parameters of kind template.....	32
5.4.1.3 Formal parameters of kind timer.....	34
5.4.1.4 Formal parameters of kind port.....	34
5.4.2 Actual parameters .....	35
5.5 Cyclic Definitions.....	40
6 Types and values .....	40
6.0 General .....	40
6.1 Basic types and values.....	41
6.1.0 Simple basic types and values.....	41
6.1.1 Basic string types and values .....	42
6.1.1.0 General .....	42
6.1.1.1 Accessing individual string elements .....	44
6.1.2 Subtyping of basic types .....	45
6.1.2.0 General .....	45
6.1.2.1 Lists of templates .....	45
6.1.2.2 Lists of types .....	45
6.1.2.3 Ranges.....	46
6.1.2.4 String length restrictions .....	46
6.1.2.5 Pattern subtyping of character string types .....	47
6.1.2.6 Mixing subtyping mechanisms.....	47
6.1.2.6.1 Mixing patterns, lists and ranges .....	47
6.1.2.6.2 Using length restriction with other constraints .....	48
6.2 Structured types and values .....	48
6.2.0 General.....	48
6.2.1 Record type and values .....	50

6.2.1.0	General .....	50
6.2.1.1	Referencing fields of a record type .....	52
6.2.1.2	Optional elements in a record.....	53
6.2.1.3	Nested type definitions for field types .....	53
6.2.2	Set type and values .....	54
6.2.2.0	General .....	54
6.2.2.1	Referencing fields of a set type .....	54
6.2.2.2	Optional elements in a set .....	54
6.2.2.3	Nested type definition for field types .....	54
6.2.3	Records and sets of single types .....	54
6.2.3.0	General .....	54
6.2.3.1	Nested type definitions.....	57
6.2.3.2	Referencing elements of record of and set of types .....	57
6.2.4	Enumerated type and values .....	58
6.2.5	Unions.....	60
6.2.5.0	General .....	60
6.2.5.1	Referencing fields of a union type .....	60
6.2.5.2	Option and union.....	61
6.2.5.3	Nested type definition for field types .....	61
6.2.6	The anytype .....	61
6.2.7	Arrays .....	62
6.2.8	The default type .....	64
6.2.9	Communication port types.....	64
6.2.10	Component types .....	66
6.2.10.1	Component type definition.....	66
6.2.10.2	Reuse of component types .....	67
6.2.11	Component references .....	69
6.2.12	Addressing entities inside the SUT.....	71
6.2.13	Subtyping of structured types .....	73
6.2.13.0	General .....	73
6.2.13.1	Length subtyping of record ofs and set ofs .....	73
6.2.13.2	List subtyping of structured types and anytype.....	74
6.2.13.3	Subtyping of the iterated type of record ofs and set ofs .....	76
6.2.13.4	Mixing subtyping mechanisms.....	77
6.3	Type compatibility .....	78
6.3.0	General.....	78
6.3.1	Compatibility of non-structured types .....	78
6.3.2	Compatibility of structured types.....	79
6.3.2.0	General .....	79
6.3.2.1	Compatibility of enumerated types .....	80
6.3.2.2	Compatibility of record and record of types .....	80
6.3.2.3	Compatibility of set and set of types.....	81
6.3.2.4	Compatibility of union types.....	81
6.3.2.5	Compatibility of anytype types .....	82
6.3.2.6	Compatibility between sub-structures .....	82
6.3.3	Compatibility of component types.....	83
6.3.4	Type compatibility of communication and connection operations .....	83
6.3.5	Type conversion.....	84
6.4	Type synonym.....	84
7	Expressions.....	84
7.0	General .....	84
7.1	Operators .....	85
7.1.0	General.....	85
7.1.1	Arithmetic operators .....	86
7.1.2	List operator.....	87
7.1.3	Relational operators .....	87
7.1.4	Logical operators .....	90
7.1.5	Bitwise operators .....	90
7.1.6	Shift operators.....	91
7.1.7	Rotate operators .....	92
7.2	Field references and list elements.....	92

8	Modules	93
8.0	General	93
8.1	Definition of a module	93
8.2	Module definitions part	94
8.2.0	General	94
8.2.1	Module parameters	95
8.2.2	Groups of definitions	96
8.2.3	Importing from modules	97
8.2.3.0	General	97
8.2.3.1	General format of import	97
8.2.3.2	Importing single definitions	104
8.2.3.3	Importing groups	104
8.2.3.4	Importing definitions of the same kind	105
8.2.3.5	Importing all definitions of a module	106
8.2.3.6	Import definitions from other TTCN-3 editions and from non-TTCN-3 modules	107
8.2.3.7	Importing of import statements from TTCN-3 modules	109
8.2.3.8	Compatibility of language specifications in imports	110
8.2.4	Definition of friend modules	110
8.2.5	Visibility of definitions	111
8.3	Module control part	112
9	Port types, component types and test configurations	113
9.0	General	113
9.1	Communication ports	113
9.2	Test system interface	116
10	Declaring constants	118
11	Declaring variables	118
11.0	General	118
11.1	Value variables	119
11.2	Template variables	120
12	Declaring timers	121
13	Declaring messages	122
14	Declaring procedure signatures	123
15	Declaring templates	124
15.0	General	124
15.1	Declaring message templates	125
15.2	Declaring signature templates	126
15.3	Global and local templates	128
15.4	In-line Templates	129
15.5	Modified templates	130
15.6	Referencing elements of templates or template fields	133
15.6.0	General	133
15.6.1	Referencing individual string elements	133
15.6.2	Referencing <b>record</b> and <b>set</b> fields	133
15.6.3	Referencing <b>record of</b> and <b>set of</b> elements	134
15.6.4	Referencing signature parameters	138
15.6.5	Referencing <b>union</b> alternatives	138
15.7	Template matching mechanisms	139
15.7.0	General	139
15.7.1	Specific values	140
15.7.2	Special symbols that can be used instead of values	141
15.7.3	Special symbols that can be used inside values	142
15.7.4	Special symbols which describe attributes of values	142
15.8	Template Restrictions	143
15.9	Match Operation	145
15.10	Valueof Operation	147
15.11	Concatenating templates of string and list types	147

16	Functions, altsteps and testcases .....	149
16.0	General .....	149
16.1	Functions .....	149
16.1.0	General.....	149
16.1.1	Invoking functions .....	151
16.1.2	Predefined functions .....	152
16.1.3	External functions .....	154
16.1.4	Invoking functions from specific places .....	155
16.2	Altsteps.....	156
16.2.0	General.....	156
16.2.1	Invoking altsteps.....	157
16.3	Test cases.....	159
17	Void.....	160
18	Overview of program statements and operations .....	160
19	Basic program statements.....	162
19.0	General .....	162
19.1	Assignments .....	163
19.2	The If-else statement .....	164
19.3	The Select statements .....	165
19.3.1	The Select case statement .....	165
19.3.2	The Select union statement .....	166
19.4	The For statement.....	167
19.5	The While statement.....	168
19.6	The Do-while statement .....	168
19.7	The Label statement .....	168
19.8	The Goto statement .....	169
19.9	The Stop execution statement.....	170
19.10	The Return statement.....	171
19.11	The Log statement.....	172
19.12	The Break statement.....	173
19.13	The Continue statement.....	174
19.14	Statement block .....	174
20	Statement and operations for alternative behaviours.....	175
20.0	General .....	175
20.1	The snapshot mechanism.....	175
20.2	The Alt statement .....	176
20.3	The Repeat statement .....	180
20.4	The Interleave statement .....	181
20.5	Default Handling .....	183
20.5.0	General.....	183
20.5.1	The default mechanism.....	183
20.5.2	The Activate operation.....	184
20.5.3	The Deactivate operation .....	185
21	Configuration Operations .....	185
21.0	General .....	185
21.1	Connection Operations .....	187
21.1.0	General.....	187
21.1.1	The Connect and Map operations .....	187
21.1.2	The Disconnect and Unmap operations .....	189
21.2	Test case operations.....	190
21.2.0	General.....	190
21.2.1	Test case stop operation.....	191
21.3	Test Component Operations .....	191
21.3.0	General.....	191
21.3.1	The Create operation.....	191
21.3.2	The Start test component operation .....	192
21.3.3	The Stop test behaviour operation .....	194
21.3.4	The Kill test component operation.....	195

21.3.5	The Alive operation .....	196
21.3.6	The Running operation .....	197
21.3.7	The Done operation .....	198
21.3.8	The Killed operation .....	200
21.3.9	Summary of the use of any and all with components .....	202
22	Communication operations.....	202
22.0	General .....	202
22.1	The communication mechanisms .....	203
22.1.0	General.....	203
22.1.1	Principles of message-based communication.....	203
22.1.2	Principles of procedure-based communication .....	204
22.1.3	Principles of unicast, multicast and broadcast communication.....	204
22.1.4	General format of communication operations .....	205
22.1.4.0	General .....	205
22.1.4.1	General format of the sending operations .....	205
22.1.4.2	General format of the receiving operations .....	206
22.2	Message-based communication.....	207
22.2.0	General.....	207
22.2.1	The Send operation .....	207
22.2.2	The Receive operation .....	208
22.2.3	The Trigger operation .....	212
22.3	Procedure-based communication.....	215
22.3.0	General.....	215
22.3.1	The Call operation .....	215
22.3.2	The Getcall operation.....	219
22.3.3	The Reply operation.....	222
22.3.4	The Getreply operation .....	223
22.3.5	The Raise operation .....	226
22.3.6	The Catch operation.....	227
22.4	The Check operation .....	230
22.5	Controlling communication ports.....	233
22.5.0	General.....	233
22.5.1	The Clear port operation .....	233
22.5.2	The Start port operation .....	233
22.5.3	The Stop port operation .....	234
22.5.4	The Halt port operation.....	234
22.5.5	The Checkstate port operation.....	235
22.6	Use of any and all with ports.....	236
23	Timer operations .....	237
23.0	General .....	237
23.1	The timer mechanism .....	237
23.2	The Start timer operation.....	237
23.3	The Stop timer operation.....	238
23.4	The Read timer operation .....	239
23.5	The Running timer operation.....	239
23.6	The Timeout operation .....	240
23.7	Summary of use of any and all with timers .....	241
24	Test verdict operations .....	241
24.0	General .....	241
24.1	The Verdict mechanism.....	242
24.2	The Setverdict operation .....	243
24.3	The Getverdict operation.....	244
25	External actions .....	244
26	Module control .....	244
26.0	General .....	244
26.1	The Execute statement.....	245
26.2	The Control part .....	247
27	Specifying attributes.....	249

27.0	General .....	249
27.1	The Attribute mechanism .....	249
27.1.0	General.....	249
27.1.1	Scope of attributes .....	249
27.1.2	Overwriting rules for attributes.....	250
27.1.2.0	General .....	250
27.1.2.1	Additional default overwriting rules for variant attributes .....	252
27.1.3	Changing attributes of imported language elements .....	252
27.2	The With statement .....	253
27.3	Display attributes.....	253
27.4	Encoding attributes.....	254
27.5	Variant attributes .....	255
27.6	Extension attributes .....	257
27.7	Optional attributes .....	257

## **Annex A (normative):      BNF and static semantics .....259**

A.1	TTCN-3 BNF .....	259
A.1.0	General.....	259
A.1.1	Conventions for the syntax description .....	259
A.1.2	Statement terminator symbols .....	259
A.1.3	Identifiers .....	259
A.1.4	Comments.....	260
A.1.5	TTCN-3 terminals .....	260
A.1.5.0	General .....	260
A.1.5.1	Use of whitespaces and newlines.....	262
A.1.6	TTCN-3 syntax BNF productions .....	262
A.1.6.0	TTCN-3 module.....	262
A.1.6.1	Module definitions part.....	262
A.1.6.1.0	General .....	262
A.1.6.1.1	Typedef definitions .....	263
A.1.6.1.2	Constant definitions .....	265
A.1.6.1.3	Template definitions.....	265
A.1.6.1.4	Function definitions .....	267
A.1.6.1.5	Signature definitions .....	268
A.1.6.1.6	Testcase definitions .....	268
A.1.6.1.7	Altstep definitions .....	268
A.1.6.1.8	Import definitions.....	268
A.1.6.1.9	Group definitions .....	269
A.1.6.1.10	External function definitions .....	269
A.1.6.1.11	External constant definitions .....	269
A.1.6.1.12	Module parameter definitions .....	269
A.1.6.1.13	Friend module definitions .....	269
A.1.6.2	Control part.....	270
A.1.6.3	Local definitions .....	270
A.1.6.3.1	Variable instantiation .....	270
A.1.6.3.2	Timer instantiation .....	270
A.1.6.4	Operations.....	270
A.1.6.4.1	Component operations .....	270
A.1.6.4.2	Port operations .....	271
A.1.6.4.3	Timer operations .....	273
A.1.6.4.4	Testcase operation.....	273
A.1.6.5	Type.....	273
A.1.6.6	Value.....	274
A.1.6.7	Parameterization .....	275
A.1.6.8	Statements.....	275
A.1.6.8.1	With statement .....	275
A.1.6.8.2	Behaviour statements .....	276
A.1.6.8.3	Basic statements.....	276
A.1.6.9	Miscellaneous productions .....	279

## **Annex B (normative):      Matching values .....280**



B.1	Template matching mechanisms .....	280
B.1.0	General .....	280
B.1.1	Matching specific values .....	280
B.1.2	Matching mechanisms instead of values .....	280
B.1.2.0	General.....	280
B.1.2.1	Template list .....	280
B.1.2.2	Complemented template list .....	281
B.1.2.3	Any value.....	282
B.1.2.4	Any value or none.....	283
B.1.2.5	Value range.....	283
B.1.2.6	SuperSet.....	284
B.1.2.7	SubSet.....	285
B.1.2.8	Omitting optional fields .....	286
B.1.2.9	Matching decoded content.....	287
B.1.2.10	Matching enumerated value with value list .....	288
B.1.3	Matching mechanisms inside values .....	289
B.1.3.0	General.....	289
B.1.3.1	Any element.....	289
B.1.3.1.0	General .....	289
B.1.3.1.1	Using single character wildcards.....	289
B.1.3.2	Any number of elements or no element .....	289
B.1.3.2.0	General .....	289
B.1.3.2.1	Using multiple character wildcards.....	290
B.1.3.3	Permutation.....	290
B.1.4	Matching attributes of values .....	291
B.1.4.0	General.....	291
B.1.4.1	Length restrictions .....	291
B.1.4.2	The IPresent indicator.....	292
B.1.5	Matching character pattern .....	293
B.1.5.0	General.....	293
B.1.5.1	Set expression .....	295
B.1.5.2	Reference expression .....	296
B.1.5.3	Match expression n times.....	297
B.1.5.4	Match a referenced character set.....	297
B.1.5.5	Type compatibility rules for patterns .....	298
B.1.5.6	Case insensitive pattern matching .....	298

## **Annex C (normative): Predefined TTCN-3 functions.....300**

C.0	General exception handling procedures .....	300
C.1	Conversion functions.....	300
C.1.1	Integer to character .....	300
C.1.2	Integer to universal character .....	300
C.1.3	Integer to bitstring .....	300
C.1.4	Integer to enumerated.....	301
C.1.5	Integer to hexstring.....	301
C.1.6	Integer to octetstring.....	301
C.1.7	Integer to charstring.....	302
C.1.8	Integer to float .....	302
C.1.9	Float to integer .....	302
C.1.10	Character to integer .....	302
C.1.11	Character to octetstring .....	302
C.1.12	Universal character to integer.....	303
C.1.13	Bitstring to integer.....	303
C.1.14	Bitstring to hexstring .....	303
C.1.15	Bitstring to octetstring .....	303
C.1.16	Bitstring to charstring.....	304
C.1.17	Hexstring to integer .....	304
C.1.18	Hexstring to bitstring .....	304
C.1.19	Hexstring to octetstring .....	305
C.1.20	Hexstring to charstring .....	305

C.1.21	Octetstring to integer .....	305
C.1.22	Octetstring to bitstring .....	305
C.1.23	Octetstring to hexstring .....	306
C.1.24	Octetstring to character string .....	306
C.1.25	Octetstring to character string, version II .....	306
C.1.26	Charstring to integer .....	306
C.1.27	Character string to hexstring .....	307
C.1.28	Character string to octetstring .....	307
C.1.29	Character string to float .....	308
C.1.30	Enumerated to integer .....	308
C.1.31	Octetstring to universal character string .....	309
C.1.32	Universal character string to octetstring .....	309
C.1.33	Value or template to universal charstring .....	310
C.2	Length/size functions .....	310
C.2.1	Length of strings and lists .....	310
C.2.2	Number of elements in a structured value .....	312
C.3	Presence checking functions .....	313
C.3.1	The IsPresent function .....	313
C.3.2	The IsChosen function .....	314
C.3.3	The IsValue function .....	315
C.3.4	The IsBound function .....	316
C.3.5	Matching mechanism detection .....	317
C.4	String/list handling functions .....	318
C.4.1	The Regexp function .....	318
C.4.2	The Substring function .....	320
C.4.3	The Replace function .....	321
C.5	Codec functions .....	321
C.5.1	The encoding function .....	321
C.5.2	The decoding function .....	322
C.5.3	The encoding to universal charstring function .....	322
C.5.4	The decoding from universal charstring function .....	323
C.5.5	Retrieving the type of string encoding .....	324
C.5.6	Removing BOMs of UCS encoding schemes .....	325
C.6	Other functions .....	325
C.6.1	The random number generator function .....	325
C.6.2	The testcasename function .....	326
C.6.3	The hostId function .....	326
<b>Annex D (normative):</b>	<b>Preprocessing macros .....</b>	<b>328</b>
D.0	General .....	328
D.1	Preprocessing macro <code>__MODULE__</code> .....	328
D.2	Preprocessing macro <code>__FILE__</code> .....	328
D.3	Preprocessing macro <code>__BFILE__</code> .....	328
D.4	Preprocessing macro <code>__LINE__</code> .....	328
D.5	Preprocessing macro <code>__SCOPE__</code> .....	329
<b>Annex E (informative):</b>	<b>Library of Useful Types .....</b>	<b>331</b>
E.1	Limitations .....	331
E.2	Useful TTCN-3 types .....	331
E.2.1	Useful simple basic types .....	331
E.2.1.0	Signed and unsigned single byte integers .....	331
E.2.1.1	Signed and unsigned short integers .....	331
E.2.1.2	Signed and unsigned long integers .....	332
E.2.1.3	Signed and unsigned longlong integers .....	332

E.2.1.4	IEEE 754™ floats .....	332
E.2.2	Useful character string types .....	333
E.2.2.0	UTF-8 character string "utf8string" .....	333
E.2.2.1	BMP character string "bmpstring" .....	333
E.2.2.2	UTF-16 character string "utf16string" .....	333
E.2.2.3	ISO/IEC 10646 character string "iso8859string" .....	333
E.2.2.4	Status values for TTCN-3 objects .....	334
E.2.2.5	Template kinds of TTCN-3 objects .....	334
E.2.3	Useful structured types .....	334
E.2.3.0	Fixed-point decimal literal .....	334
E.2.4	Useful atomic string types .....	335
E.2.4.1	Single Recommendation ITU-T T.50 character type .....	335
E.2.4.2	Single universal character type .....	335
E.2.4.3	Single bit type .....	335
E.2.4.4	Single hex type .....	335
E.2.4.5	Single octet type .....	335
<b>Annex F (informative): Operations on TTCN-3 active objects.....</b>		<b>336</b>
F.0	General .....	336
F.1	Test components .....	336
F.1.1	Test component references .....	336
F.1.2	Dynamic behaviour of PTCs .....	337
F.1.3	Dynamic behaviour of the MTC .....	339
F.2	Timers .....	339
F.3	Ports .....	340
F.3.0	General .....	340
F.3.1	Configuration Operations .....	340
F.3.2	Port Controlling Operations .....	341
F.3.3	Communication Operations .....	342
<b>Annex G (informative): Deprecated language features.....</b>		<b>343</b>
G.1	Group style definition of module parameters .....	343
G.2	Recursive import .....	343
G.3	Using <b>all</b> in port type definitions .....	343
G.4	sizeof for length of lists .....	343
G.5	sizeof type predefined function .....	343
G.6	Mixed ports .....	343
G.7	External constants .....	344
G.8	Prefixing enumerated values .....	344
G.9	Record of/arrays not compatible to record; set of not compatible with set .....	344
G.10	The "UCS-2" predefined variant attribute string .....	344
G.11	Prefixing identifiers of local definitions with module identifiers .....	344
<b>Annex H (informative): Bibliography.....</b>		<b>345</b>
History .....		346

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).

The present document is part 1 of a multi-part deliverable covering the Testing and Test Control Notation version 3, as identified below:

**Part 1: "TTCN-3 Core Language";**

Part 2: "TTCN-3 Tabular presentation Format (TFT)";

NOTE: Part 2 of this multi-part deliverable is in status "historical" and is not maintained.

Part 3: "TTCN-3 Graphical presentation Format (GFT)";

Part 4: "TTCN-3 Operational Semantics";

Part 5: "TTCN-3 Runtime Interface (TRI)";

Part 6: "TTCN-3 Control Interface (TCI)";

Part 7: "Using ASN.1 with TTCN-3";

Part 8: "The IDL to TTCN-3 Mapping";

Part 9: "Using XML schema with TTCN-3";

Part 10: "TTCN-3 Documentation Comment Specification";

Part 11: "Using JSON with TTCN-3";

Part 12: "Using WSDL with TTCN-3".

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# 1 Scope

The present document defines the Core Language of TTCN-3. TTCN-3 can be used for the specification of all types of reactive system tests over a variety of communication ports. Typical areas of application are protocol testing (including mobile and Internet protocols), service testing (including supplementary services), module testing, testing of CORBA<sup>®</sup> based platforms, APIs, etc. TTCN-3 is not restricted to conformance testing and can be used for many other kinds of testing including interoperability, robustness, regression, system and integration testing. The specification of test suites for physical layer protocols is outside the scope of the present document.

TTCN-3 is intended to be used for the specification of test suites which are independent of test methods, layers and protocols. In addition to the textual format defined in the present document, while GFT (ETSI ES 201 873-3 [i.2]) defines a graphical presentation format for TTCN-3. The specification of these formats is outside the scope of the present document.

While the design of TTCN-3 has taken the eventual implementation of TTCN-3 translators and compilers into consideration the means of realization of Executable Test Suites (ETS) from Abstract Test Suites (ATS) is outside the scope of the present document.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI ES 201 873-4: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 4: TTCN-3 Operational Semantics".
- [2] ISO/IEC 10646 (2014): "Information technology -- Universal Coded Character Set (UCS)".
- [3] Recommendation ITU-T X.292: "OSI conformance testing methodology and framework for protocol Recommendations for ITU-T applications - The Tree and Tabular Combined Notation (TTCN)".

NOTE: The corresponding ISO/IEC standard is ISO/IEC 9646-3: "Information technology -- Open Systems Interconnection -- Conformance testing methodology and framework -- Part 3: The Tree and Tabular Combined Notation (TTCN)".

- [4] Recommendation ITU-T T.50: "International Reference Alphabet (IRA) (Formerly International Alphabet No. 5 or IA5) - Information technology - 7-bit coded character set for information interchange".

NOTE: The corresponding ISO/IEC standard is ISO/IEC 646: "Information technology -- ISO 7-bit coded character set for information interchange".

- [5] Recommendation ITU-T X.290: "OSI conformance testing methodology and framework for protocol Recommendations for ITU-T applications - General concepts".

NOTE: The corresponding ISO/IEC standard is ISO/IEC 9646-1: "Information technology -- Open Systems Interconnection -- Conformance testing methodology and framework; Part 1: General concepts".

- [6] IEEE 754<sup>™</sup>: "IEEE Standard for Floating-Point Arithmetic".