



**SLOVENSKI STANDARD**  
**SIST EN 300 356-1 V3.2.2:2003**

**01-december-2003**

---

8 [[ ]HJbc`ca fYy`Y`n`]bHY[ f]fUb]a ]gfcf]hj Ua ]fIG8 BL`E`G]ghYa `g][ bU]nUWY`Y`yH`+`E`  
HfYhUfUn`] ]WU`G8 B!i dcfUVb]y`\_Y[ UXYUfIGI DL`nUa YXbUfcXb]`j a Ygb]\_`E`%`XY`.  
Cgbcj bYgfcf]hj Y`Qf]dcfc ]U`Hl !H`cX`E`"+`%`Xc`E`"+`\* ( `fl% - +kZgdfYa Yb`YbUQ

Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 1: Basic services [ITU-T Recommendations Q.761 to Q.764 (1997), modified]

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 356-1 V3.2.2:2003](https://standards.iteh.ai/catalog/standards/sist/bcee1bc0-6503-4fcc-a242-8ddb53e7bd1/sist-en-300-356-1-v3-2-2-2003)  
<https://standards.iteh.ai/catalog/standards/sist/bcee1bc0-6503-4fcc-a242-8ddb53e7bd1/sist-en-300-356-1-v3-2-2-2003>

**Ta slovenski standard je istoveten z: EN 300 356-1 Version 3.2.2**

---

**ICS:**

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

**SIST EN 300 356-1 V3.2.2:2003**                      **en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 356-1 V3.2.2:2003](https://standards.iteh.ai/catalog/standards/sist/bcee1bc0-6503-4fcc-a242-8ddb53e7f3d1/sist-en-300-356-1-v3-2-2-2003)

<https://standards.iteh.ai/catalog/standards/sist/bcee1bc0-6503-4fcc-a242-8ddb53e7f3d1/sist-en-300-356-1-v3-2-2-2003>

# EN 300 356-1 V3.2.2 (1998-08)

*European Standard (Telecommunications series)*

## **Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 1: Basic services**

**[ITU-T Recommendations Q.761 to Q.764 (1997), modified]**

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST EN 300 356-1 V3.2.2:2003](https://standards.iteh.ai/catalog/standards/sist/bcee1bc0-6503-4fcc-a242-8ddb53e73d1/sist-en-300-356-1-v3-2-2-2003)

<https://standards.iteh.ai/catalog/standards/sist/bcee1bc0-6503-4fcc-a242-8ddb53e73d1/sist-en-300-356-1-v3-2-2-2003>



---

**Reference**

REN/SPS-01039-1 (3ao91ipc.PDF)

---

**Keywords**

ISDN, SS7, ISUP, service, basic

**ETSI**

---

**Postal address**

F-06921, Sophia Antipolis Cedex - FRANCE

---

**Office address**

650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Internet**

secretariat@etsi.fr

<http://www.etsi.fr>

<http://www.etsi.org>

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998.  
All rights reserved.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.fr/ipr> or <http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Signalling Protocols and Switching (SPS).

The present document is part 1 of a multi-part EN covering the ISDN User Part (ISUP) version 3 for the international interface, as identified below:

- Part 1:** "Basic services";
- Part 2: "ISDN supplementary services";
- Part 3: "Calling Line Identification Presentation (CLIP) supplementary service";
- Part 4: "Calling Line Identification Restriction (CLIR) supplementary service";
- Part 5: "Connected Line Identification Presentation (COLP) supplementary service";
- Part 6: "Connected Line Identification Restriction (COLR) supplementary service";
- Part 7: "Terminal Portability (TP) supplementary service";
- Part 8: "User-to-User Signalling (UUS) supplementary service";
- Part 9: "Closed User Group (CUG) supplementary service";
- Part 10: "Subaddressing (SUB) supplementary service";
- Part 11: "Malicious Call Identification (MCID) supplementary service";
- Part 12: "Conference Call, add-on (CONF) supplementary service";
- Part 14: "Explicit Call Transfer (ECT) supplementary service";
- Part 15: "Diversion supplementary services";
- Part 16: "Call Hold (HOLD) supplementary service";
- Part 17: "Call Waiting (CW) supplementary service";
- Part 18: "Completion of Calls to Busy Subscriber (CCBS) supplementary service";
- Part 19: "Three party (3PTY) supplementary service".
- Part 20: "Completion of Calls on No Reply (CCNR) supplementary service";
- Part 31: "Protocol Implementation Conformance Statement (PICS) proforma specification for basic services"
- Part 32: "Test Suite Structure and Test Purposes (TSS&TP) specification for basic services"
- Part 33: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for basic services"
- Part 34: "Protocol Implementation Conformance Statement (PICS) proforma specification for supplementary services"
- Part 35: "Test Suite Structure and Test Purposes (TSS&TP) specification for supplementary services"
- Part 36: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for supplementary services"

NOTE: Part 13 has not been issued.

<b>National transposition dates</b>	
Date of adoption of this EN:	31 August 1998
Date of latest announcement of this EN (doa):	30 November 1998
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 May 1999
Date of withdrawal of any conflicting National Standard (dow):	31 May 1999

---

## Endorsement notice

The text of ITU-T Recommendations Q.761, Q.762, Q.763 and Q.764 (1997) was approved by ETSI as an EN with agreed modifications as given below.

NOTE: New or modified text is indicated using sidebars. In addition, underlining and/or strike-out are used to highlight detailed modifications where necessary.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 356-1 V3.2.2:2003](https://standards.iteh.ai/catalog/standards/sist/bcee1bc0-6503-4fcc-a242-8ddb53e7f3d1/sist-en-300-356-1-v3-2-2-2003)

<https://standards.iteh.ai/catalog/standards/sist/bcee1bc0-6503-4fcc-a242-8ddb53e7f3d1/sist-en-300-356-1-v3-2-2-2003>

# Global modifications to ITU-T Recommendations Q.761 to Q.764

Replace the clauses "Scope", "References" and "Abbreviations" with the following three clauses (Scope, Normative references, and Abbreviations):

## Scope

This first part of EN 300 356 specifies procedures to support basic bearer services and supplementary services defined for the pan-European Integrated Services Digital Network (ISDN) as provided by the European public telecommunications operators by means of the Signalling System No.7 protocol for the ISDN User Part (ISUP).

The present document does not specify the additional protocol requirements where the service is provided to the user via a telecommunications network that is not an ISDN.

Although the present document applies only to the international interconnection, the specification of functions, formats and codes of messages and signals, and actions performed at originating and destination local exchanges are retained.

Formats, codes and procedures marked for national use are included for informative purposes for the international interface specification. If these items so marked are supported within a national network and operator's network, then it is proposed that they shall be supported in this manner.

Items in the present document marked "not required" are not required to be supported.

NOTE: In the case where a national signalling system behaves differently, the international gateway exchange is to support both the concerned national and international network.

The present document is compatible with ETS 300 121 [2] (CCITT Recommendation Q.767).

Descriptions of interworking with CCITT Blue Book (1988) exchanges are informative only.

## References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, subsequent revisions do apply.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- [1] CCITT Recommendation E.164 (1997): "The international public telecommunication numbering plan; This Recommendation is also included but not published in I series under alias number I.331. Replaces former E.163 numbering plan".
- [2] ETS 300 121 (1992): "Integrated Services Digital Network (ISDN); Application of the ISDN User Part (ISUP) of CCITT Signalling System No.7 for international ISDN interconnections (ISUP version 1)".
- [3] EN 300 356-2: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 2: ISDN supplementary services [ITU-T Recommendation Q.730 (1997), modified]".

- [4] EN 300 356-3: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 3: Calling Line Identification Presentation (CLIP) supplementary service [ITU-T Recommendation Q.731, clause 3 (1993), modified]".
- [5] EN 300 356-4: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 4: Calling Line Identification Restriction (CLIR) supplementary service [ITU-T Recommendation Q.731, clause 4 (1993), modified]".
- [6] EN 300 356-5: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 5: Connected Line Identification Presentation (COLP) supplementary service [ITU-T Recommendation Q.731, clause 5 (1993), modified]".
- [7] EN 300 356-6: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 6: Connected Line Identification Restriction (COLR) supplementary service [ITU-T Recommendation Q.731, clause 6 (1993), modified]".
- [8] EN 300 356-7: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 7: Terminal Portability (TP) supplementary service [ITU-T Recommendation Q.733, clause 4 (1993), modified]".
- [9] EN 300 356-8: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 8: User-to-User Signalling (UUS) supplementary service [ITU-T Recommendation Q.737, clause 1 (1997), modified]".
- [10] EN 300 356-9: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 9: Closed User Group (CUG) supplementary service [ITU-T Recommendation Q.735, clause 1 (1993), modified]".
- [11] EN 300 356-10: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 10: Subaddressing (SUB) supplementary service [ITU-T Recommendation Q.731, clause 8 (1992), modified]".
- [12] EN 300 356-11: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 11: Malicious Call Identification (MCID) supplementary service [ITU-T Recommendation Q.731, clause 7 (1997), modified]".
- [13] EN 300 356-12: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 12: Conference call, add-on (CONF) supplementary service [ITU-T Recommendation Q.734, clause 1 (1993), modified]".
- [14] EN 300 356-14: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 14: Explicit Call Transfer (ECT) supplementary service [ITU-T Recommendation Q.732, clause 7 (1996), modified]".
- [15] EN 300 356-15: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 15: Diversion supplementary services [ITU-T Recommendation Q.732, clauses 2 to 5 (1996), modified]".
- [16] EN 300 356-16: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 16: Call Hold (HOLD) supplementary service [ITU-T Recommendation Q.733, clause 2 (1993), modified]".
- [17] EN 300 356-17: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 17: Call Waiting (CW) supplementary service [ITU-T Recommendation Q.733, clause 1 (1992), modified]".
- [18] EN 300 356-18: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 18: Completion of Calls to Busy Subscriber (CCBS) supplementary service [ITU-T Recommendation Q.733, clause 3 (1997), modified]".



- [19] EN 300 356-19: "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP) version 3 for the international interface; Part 19: Three party (3PTY) supplementary service [ITU-T Recommendation Q.734, clause 2 (1996), modified]".
- [20] EN 300 403-1: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Signalling network layer for circuit-mode basic call control; Part 1: Protocol specification [ITU-T Recommendation Q.931 (1993), modified]".
- [21] ETS 300 485: "Integrated Services Digital Network (ISDN); Definition and usage of cause and location in Digital Subscriber Signalling System No. one (DSS1) and Signalling System No.7 ISDN User Part (ISUP) [ITU-T Recommendation Q.850 (1993), modified]".
- [22] EN 301 069-1 (V1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP); Application Transport Mechanism Part 1: Protocol specification [ITU-T Recommendation Q.765, modified]".
- [23] EN 301 062-1 (V1.2): "Integrated Services Digital Network (ISDN); Signalling System No.7; Support of Virtual Private Network (VPN) applications with Private network Q reference point Signalling System number 1 (PSS1) information flows; Part 1: Protocol specification [ITU-T Recommendations Q.765.1 and Q.699.1, modified]".

---

## Abbreviations

For the purposes of the present document, the following abbreviations apply:

3PTY	Three Party
APM	Application transPort Mechanism
CCBS	Completion of Calls to Busy Subscriber
CCNR	Completion of Calls on No Reply
CD	Call Deflection
CFB	Call Forwarding Busy
CFNR	Call Forwarding No Reply
CFU	Call Forwarding Unconditional
CLIP	Calling Line Identification Presentation
CLIR	Calling Line Identification Restriction
COLP	Connected Line Identification Presentation
COLR	Connected Line Identification Restriction
CONF	Conference call, add-on
CUG	Closed User Group
CW	Call Waiting
ECT	Explicit Call Transfer
HOLD	Call Hold
ISDN	Integrated Services Digital Network
ISUP	ISDN User Part
MCID	Malicious Call Identification
MLPP	Multi-Level Precedence and Preemption
MWI	Message Waiting Indication
SUB	Subaddressing
TP	Terminal Portability
UUS	User-to-User Signalling
VPN	Virtual Private Network

Throughout the text of ITU-T Recommendations Q.761 to Q.764

Replace references as shown in table 1.

**Table 1**

Reference in ITU-T Recommendations Q.761 to Q.764	Modified reference
ITU-T Recommendation Q.730	ITU-T Recommendation Q.730 as modified by EN 300 356-2 [3]
ITU-T Recommendation Q.731.3	ITU-T Recommendation Q.731.3 as modified by EN 300 356-3 [4]
ITU-T Recommendation Q.731.4	ITU-T Recommendation Q.731.4 as modified by EN 300 356-4 [5]
ITU-T Recommendation Q.731.5	ITU-T Recommendation Q.731.5 as modified by EN 300 356-5 [6]
ITU-T Recommendation Q.731.6	ITU-T Recommendation Q.731.6 as modified by EN 300 356-6 [7]
ITU-T Recommendation Q.731.7	ITU-T Recommendation Q.731.7 as modified by EN 300 356-11 [12]
ITU-T Recommendation Q.731.8	ITU-T Recommendation Q.731.8 as modified by EN 300 356-10 [11]
ITU-T Recommendation Q.732.2	ITU-T Recommendation Q.732.2 as modified by EN 300 356-15 [15]
ITU-T Recommendation Q.732.3	ITU-T Recommendation Q.732.3 as modified by EN 300 356-15 [15]
ITU-T Recommendation Q.732.4	ITU-T Recommendation Q.732.4 as modified by EN 300 356-15 [15]
ITU-T Recommendation Q.732.5	ITU-T Recommendation Q.732.5 as modified by EN 300 356-15 [15]
ITU-T Recommendation Q.732.7	ITU-T Recommendation Q.732.7 as modified by EN 300 356-14 [14]
ITU-T Recommendation Q.733.1	ITU-T Recommendation Q.733.1 as modified by EN 300 356-17 [17]
ITU-T Recommendation Q.733.2	ITU-T Recommendation Q.733.2 as modified by EN 300 356-16 [16]
ITU-T Recommendation Q.733.3	ITU-T Recommendation Q.733.3 as modified by EN 300 356-18 [18]
ITU-T Recommendation Q.733.4	ITU-T Recommendation Q.733.4 as modified by EN 300 356-7 [8]
ITU-T Recommendation Q.734.1	ITU-T Recommendation Q.734.1 as modified by EN 300 356-12 [13]
ITU-T Recommendation Q.734.2	ITU-T Recommendation Q.734.2 as modified by EN 300 356-19 [19]
ITU-T Recommendation Q.735.1	ITU-T Recommendation Q.735.1 as modified by EN 300 356-9 [10]
ITU-T Recommendation Q.737.1	ITU-T Recommendation Q.737.1 as modified by EN 300 356-8 [9]
ITU-T Recommendation Q.761	ITU-T Recommendation Q.761 as modified by the present document
ITU-T Recommendation Q.762	ITU-T Recommendation Q.762 as modified by the present document
ITU-T Recommendation Q.763	ITU-T Recommendation Q.763 as modified by the present document
ITU-T Recommendation Q.764	ITU-T Recommendation Q.764 as modified by the present document
ITU-T Recommendation Q.767	ETS 300 121 [2]
ITU-T Recommendation Q.850	ITU-T Recommendation Q.850 as modified by ETS 300 485 [21]
ITU-T Recommendation Q.931	ITU-T Recommendation Q.931 as modified by EN 300 403-1 [20]

# Modifications to ITU-T Recommendation Q.761

Table 1/Q.761

Replace table 1/Q.761 by table 2.

Table 2

Function/service	National use according to ITU-T	International use according to ITU-T	International use according to the present document
Basic call			
Speech/3,1 kHz audio	+	+	+
64 kbit/s unrestricted	+	+	+
Multirate connection types (note)	+	+	+
Nx64 kbit/s connection types	+	+	-
En-bloc address signalling	+	+	+
Overlap address signalling	+	+	+
Transit network selection	+	-	-
Continuity check	+	+	+
Forward transfer	-	+	+
Signalling procedures for connection type allowing fallback capability	+	+	+
Compatibility procedure	+	+	+
Simple segmentation	+	+	+
Tones and announcements	+	+	+
Propagation delay determination procedure	+	+	+
Enhanced echo control signalling procedures	+	+	+
Simple echo control signalling procedures	+	+	+
Automatic repeat attempt	+	+	+
Blocking and unblocking of circuits and circuit groups	+	+	+
Circuit group query	+	-	-
Dual seizure	+	+	+
Transmission alarm handling for digital inter-exchange circuits	+	+	+
Reset of circuits and circuit groups	+	+	+
Receipt of unreasonable signalling information	+	+	+
Access delivery information	+	+	+
Transportation of user teleservice information	+	+	+
Suspend and resume	+	+	+
Temporary trunk blocking	+	-	-
ISDN user part signalling congestion control	+	+	+
Automatic congestion control	+	+	+
Interaction between ISUP and INAP	+	+	+
Unequipped circuit identification code	+	-	-
ISDN user part availability control	+	+	+
MTP pause and resume	+	+	+
Overlength messages	+	+	+
Temporary alternative routing (TAR)	+	+	+
Hop counter procedure	+	+	+
Collect call request procedure	+	+	+
Key: + support - non-support			
NOTE: Multirate connection types are 2 × 64, 384, 1 536 and 1 920 kbit/s.			

Table 2/Q.761

Replace table 2/Q.761 by table 3.

Table 3

Function/service	National use according to ITU-T	International use according to ITU-T	International use according to the present document
Generic signalling procedures for supplementary services			
End-to-end signalling - Pass along method	+	-	-
End-to-end signalling - SCCP connection oriented	+	+	-
End-to-end signalling - SCCP connectionless	+	-	-
Generic number transfer	+	+	+
Generic digit transfer	+	-	-
Generic notification procedure	+	+	+
Service activation	+	+	+
Remote operations service (ROSE) capability	+	-	-
Network specific facilities	+	-	-
Pre-release information transport	+	+	+
Supplementary services			
DDI	+	+	+
MSN	+	+	+
CLIP/CLIR	+	+	+
COLP/COLR	+	+	+
MCID	+	+	+
SUB	+	+	+
TP	+	+	+
CFU, CFB, CFNR	+	+	+
CD	+	+	+
CW	+	+	+
HOLD	+	+	+
CONF	+	+	+
3PTY	+	+	+
CUG	+	+	+
MLPP	+	+	-
UUS, service 1 (implicit)	+	+	+
UUS, service 1 (explicit)	+	+	+
UUS, service 2	+	+	+
UUS, service 3	+	+	+
ECT	+	+	+
CCBS	+	+	+
CCNR	-	-	+
MWI	-	-	+
ITCC	+	+	-
GVNS	+	+	note
REV	+	-	-
Additional functions/services			
APM	-	-	+
VPN	-	-	+
Key: + support - non-support			

NOTE: GVNS is not supported as an ETSI service, but the ITU-T parameters can still be used in conjunction with Core INAP CS2.

### Subclause 6.1

Insert the following before the second last sentence:

"It is a network operator's option whether compatibility information is included for network specific messages and parameters."