
**Soil quality — Effects of pollutants on
mycorrhizal fungi — Spore germination
test**

*Qualité du sol — Effets des polluants vis-à-vis des champignons
mycorrhizogènes — Essai de germination des spores*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
[https://standards.iteh.ai/catalog/standards/sist/89181b-
a2c1-4f5b-ac28-a6d1bcb4d195/iso-ts-10832-2009](https://standards.iteh.ai/catalog/standards/sist/89181b-
a2c1-4f5b-ac28-a6d1bcb4d195/iso-ts-10832-2009)

PROOF/ÉPREUVE



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

!Teh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/f989ee4b-a2c1-4f5b-ac28-a6d1bcb4d195/iso-ts-10832-2009>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	1
4 Test methods	2
4.1 Principle.....	2
4.2 Standard conditions	3
5 Test materials	3
5.1 Distilled water	3
5.2 Biological material.....	3
5.3 Control substrate.....	3
5.4 Reference substance	4
5.5 Trypan blue	4
5.6 Apparatus	4
6 Storage and preparation of samples	5
7 Procedure	5
7.1 Biological system	5
7.2 Preparation of the test mixture	6
7.3 Setting up of the test	7
7.4 Choice of the tested mass fraction.....	8
7.5 Culture condition.....	8
7.6 End of the assay	8
8 Calculation and expression of results	9
8.1 Calculation	9
8.2 Expression of results	9
9 Validity criteria	9
10 Test report.....	9
Annex A (informative) Experimental device	11
Annex B (informative) Example of a table of results	12
Annex C (informative) Example of results	13
Annex D (informative) Precision data	15
Bibliography.....	17

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 10832 was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 4, *Biological methods*.

Introduction

Mycorrhizal fungi are important components of the soil microbial community and key organisms in plant/soil systems. The root symbiosis they form represents a direct link between the soil and the large majority (80 %) of vascular plant species, in natural and agricultural environments. Mycorrhizal fungi provide several benefits to the host plant, including enhanced growth, improved mineral nutrition, greater drought resistance, and protection against pathogens and heavy metal stress.

Several studies have shown that mycorrhizal fungi are sensitive to pollutants such as metallic trace elements and polycyclic aromatic hydrocarbons, and to sewage sludges even when no phytotoxic effects on the host plant are observed. As mycorrhizal fungi fulfil most of the criteria for bioindicator organisms (ubiquitous in soil, sensitive to pollutants, ecologically relevant role in plant health and ecosystems), it appeared important to take them into account in hazard and environmental risk assessments linked to pollutants, contaminated soils and to the use of sewage sludge in agriculture.

Spore germination by an arbuscular mycorrhizal fungus, *Glomus mosseae*, makes up the basis of the proposed test. The first step of the symbiosis is taken into account in this test, whereas another test based on root colonization of the host plant is also under investigation.

This test can be directly performed with sludges or soils without any extraction step.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sib/1989ee51-a2c1-4f5b-ac28-a6d11bcb4d195/iso-ts-10832-2009>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/f989ee4b-a2c1-4f5b-ac28-a6d1bcb4d195/iso-ts-10832-2009>

Soil quality — Effects of pollutants on mycorrhizal fungi — Spore germination test

1 Scope

This Technical Specification specifies a method to evaluate the effects of pollutants on spore germination of a mycorrhizal fungus, *Glomus mosseae*. This direct acute toxicity bioassay allows the evaluation of potential effects of pollutants and contaminated soils on beneficial soil microorganisms important for plant growth within the concept of sustainable agriculture.

This Technical Specification is applicable to

- chemical substances, and
- contaminated soils, waste and soil-waste mix.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10381-6, *Soil quality — Sampling — Part 6: Guidance on the collection, handling and storage of soil under aerobic conditions for the assessment of microbiological processes, biomass and diversity in the laboratory*

ISO 10390, *Soil quality — Determination of pH*

ISO 11263, *Soil quality — Determination of phosphorus — Spectrometric determination of phosphorus soluble in sodium hydrogen carbonate solution*

ISO 11268-1, *Soil quality — Effects of pollutants on earthworms (*Eisenia fetida*) — Part 1: Determination of acute toxicity using artificial soil substrate*

ISO 11274, *Soil quality — Determination of the water-retention characteristic — Laboratory methods*

ISO 11465, *Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method*

3 Terms, definitions and abbreviated terms

For the purposes of this document, the following terms, definitions and abbreviated terms apply.

3.1

mycorrhizal fungus

ubiquitous microorganism forming symbiotic association with the roots of vascular plant species

3.2
BEG

The International Bank for the Glomeromycota

3.3
spore

asexual reproductive unit of a fungus

3.4
sporocarps

mycelium-surrounded spore group

3.5
mycelium

branched hyphae network

3.6
hyphae

filaments which compose fungus mycelium

3.7
control substrate

inert substrate, which does not affect spore germination, used as a control or dilutant

3.8
matrix

test soil, sludge or waste

3.9
sandwich

device composed of two nitrocellulose membrane filters containing the spores

NOTE The two membranes are held together with two slide frames.

3.10
trypan blue staining

non-vital staining with trypan blue used to make mycorrhizal fungus structures visible (coloured in blue)

3.11
test mixture

mixture of test substance or matrix with a control substrate

3.12
mass fraction

w_x
mass fraction of test substance or matrix inducing x % spore-germination inhibition compared to the control

4 Test methods

4.1 Principle

Spores of *Glomus mosseae* are placed between two nitrocellulose membrane filters forming a sandwich (3.9), which is placed in a Petri dish containing the test mixture (3.11) which contains the test substance or matrix (3.8) with different concentrations, diluted or not with the control substrate (3.7).

The percentage of germinated spores is estimated after 14 days.

The results are compared with a control substrate and used to estimate the 50 % spore-germination-inhibition mass fraction (w_{50}).

Determination of another w_x is also possible, but not required.

NOTE This method can be used to determine the effect of a single mass fraction.

4.2 Standard conditions

Use a growth chamber or room with a controlled temperature, (24 ± 2) °C.

Incubation is carried out in the dark (a darkroom or Petri dishes covered with aluminium foil).

5 Test materials

5.1 Distilled water

The pH of distilled water should be neutral and never less than 5,5.

5.2 Biological material

5.2.1 Fungus

Taxonomic group: Eumycota, Glomeromycota order.

Species: *Glomus mosseae* (Nicolson and Gerdeman) Gerdeman and Trappe (BEG 12).

5.2.2 Life status

Use mature spores.

5.2.3 Identification

Genbank identification number: U96139 (18s rDNA sub-unit); YO7656 (partial sequence of the 25s rDNA sub-unit) (25, 26).

5.2.4 Material

Use sporocarps (3.4) containing spores (3.3) (see Figure 1) purchased commercially¹⁾. Use pot cultures that are less than five months old to extract sporocarps.

The spore-germination percentage shall be higher than 75 %. Conserve the spores and sporocarps in distilled water (5.1) at 4 °C.

Deadline before use: one week for sporocarps and two days for spores.

5.3 Control substrate

Use sand, or artificial soil in accordance with ISO 11268-1 as the control substrate (3.7).

1) Sporocarps of the fungus *Glomus mosseae*, produced and distributed by BIORIZE, are an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

Use sand: > 99 % silica, pH 6,6 to 7,5, particle size 0,8 mm to 1,6 mm, washed three times with distilled water (pH > 6) (5.1), then dried. The final pH shall be > 6 (see ISO 10390).

Check that spore germination in the control substrate before setting up the bioassay is > 75 %.

5.4 Reference substance

Use cadmium nitrate ($\text{CdNO}_3 \cdot 4\text{H}_2\text{O}$).

5.5 Trypan blue

Use Trypan blue²⁾, 0,5 g in 50 ml of HCl (1 %), 450 ml of H_2O , and 500 ml of glycerol.




Figure 1 — Sporocarps and spores of *Glomus mosseae*

5.6 Apparatus

- 5.6.1 **Binocular microscope**, 32 × magnifications.
- 5.6.2 **Sterile plastic Petri dishes**, of diameter 9 cm.
- 5.6.3 **Slide frames**, 24 mm × 36 mm.

2) Trypan blue referenced 93595, distributed by Sigma Aldrich, is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.