

Third edition
2008-08-15

Corrected version
2011-06-01

**Information technology — Security
techniques — Evaluation criteria for IT
security —**

**Part 2:
Security functional components**

*Technologies de l'information — Techniques de sécurité — Critères
d'évaluation pour la sécurité TI —
Partie 2: Composants fonctionnels de sécurité*

[ISO/IEC 15408-2:2008](https://standards.iso.org/standards/catalog/standards/sist/ab53d166-1c55-4a55-b9b3-6aa75658af21/iso-iec-15408-2-2008)

<https://standards.iteh.ai/catalog/standards/sist/ab53d166-1c55-4a55-b9b3-6aa75658af21/iso-iec-15408-2-2008>

Reference number
ISO/IEC 15408-2:2008(E)



iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 15408-2:2008](https://standards.iteh.ai/catalog/standards/sist/ab53d166-1c55-4a55-b9b3-6aa75658af21/iso-iec-15408-2-2008)

<https://standards.iteh.ai/catalog/standards/sist/ab53d166-1c55-4a55-b9b3-6aa75658af21/iso-iec-15408-2-2008>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	xviii
Introduction.....	xx
1 Scope	1
2 Normative references	1
3 Terms and definitions, symbols and abbreviated terms	1
4 Overview.....	1
4.1 Organisation of this part of ISO/IEC 15408	1
5 Functional requirements paradigm	2
6 Security functional components.....	5
6.1 Overview.....	5
6.1.1 Class structure	5
6.1.2 Family structure.....	6
6.1.3 Component structure	8
6.2 Component catalogue.....	9
6.2.1 Component changes highlighting.....	10
7 Class FAU: Security audit.....	10
7.1 Security audit automatic response (FAU_ARP).....	11
7.1.1 Family Behaviour.....	11
7.1.2 Component levelling	11
7.1.3 Management of FAU_ARP.1	11
7.1.4 Audit of FAU_ARP.1	11
7.1.5 FAU_ARP.1 Security alarms.....	11
7.2 Security audit data generation (FAU_GEN)	11
7.2.1 Family Behaviour.....	11
7.2.2 Component levelling	11
7.2.3 Management of FAU_GEN.1, FAU_GEN.2.....	11
7.2.4 Audit of FAU_GEN.1, FAU_GEN.2	11
7.2.5 FAU_GEN.1 Audit data generation	12
7.2.6 FAU_GEN.2 User identity association.....	12
7.3 Security audit analysis (FAU_SAA)	12
7.3.1 Family Behaviour.....	12
7.3.2 Component levelling	12
7.3.3 Management of FAU_SAA.1	13
7.3.4 Management of FAU_SAA.2	13
7.3.5 Management of FAU_SAA.3	13
7.3.6 Management of FAU_SAA.4	13
7.3.7 Audit of FAU_SAA.1, FAU_SAA.2, FAU_SAA.3, FAU_SAA.4.....	13
7.3.8 FAU_SAA.1 Potential violation analysis	13
7.3.9 FAU_SAA.2 Profile based anomaly detection	14
7.3.10 FAU_SAA.3 Simple attack heuristics	14
7.3.11 FAU_SAA.4 Complex attack heuristics.....	15
7.4 Security audit review (FAU_SAR)	15
7.4.1 Family Behaviour.....	15
7.4.2 Component levelling	15
7.4.3 Management of FAU_SAR.1	15
7.4.4 Management of FAU_SAR.2, FAU_SAR.3	15
7.4.5 Audit of FAU_SAR.1	15
7.4.6 Audit of FAU_SAR.2	16
7.4.7 Audit of FAU_SAR.3	16

7.4.8	FAU_SAR.1 Audit review	16
7.4.9	FAU_SAR.2 Restricted audit review	16
7.4.10	FAU_SAR.3 Selectable audit review	16
7.5	Security audit event selection (FAU_SEL)	16
7.5.1	Family Behaviour	16
7.5.2	Component levelling	17
7.5.3	Management of FAU_SEL.1	17
7.5.4	Audit of FAU_SEL.1	17
7.5.5	FAU_SEL.1 Selective audit	17
7.6	Security audit event storage (FAU_STG)	17
7.6.1	Family Behaviour	17
7.6.2	Component levelling	17
7.6.3	Management of FAU_STG.1	18
7.6.4	Management of FAU_STG.2	18
7.6.5	Management of FAU_STG.3	18
7.6.6	Management of FAU_STG.4	18
7.6.7	Audit of FAU_STG.1, FAU_STG.2	18
7.6.8	Audit of FAU_STG.3	18
7.6.9	Audit of FAU_STG.4	18
7.6.10	FAU_STG.1 Protected audit trail storage	18
7.6.11	FAU_STG.2 Guarantees of audit data availability	19
7.6.12	FAU_STG.3 Action in case of possible audit data loss	19
7.6.13	FAU_STG.4 Prevention of audit data loss	19
8	Class FCO: Communication	20
8.1	Non-repudiation of origin (FCO_NRO)	20
8.1.1	Family Behaviour	20
8.1.2	Component levelling	20
8.1.3	Management of FCO_NRO.1, FCO_NRO.2	20
8.1.4	Audit of FCO_NRO.1	20
8.1.5	Audit of FCO_NRO.2	21
8.1.6	FCO_NRO.1 Selective proof of origin	21
8.1.7	FCO_NRO.2 Enforced proof of origin	21
8.2	Non-repudiation of receipt (FCO_NRR)	22
8.2.1	Family Behaviour	22
8.2.2	Component levelling	22
8.2.3	Management of FCO_NRR.1, FCO_NRR.2	22
8.2.4	Audit of FCO_NRR.1	22
8.2.5	Audit of FCO_NRR.2	22
8.2.6	FCO_NRR.1 Selective proof of receipt	22
8.2.7	FCO_NRR.2 Enforced proof of receipt	23
9	Class FCS: Cryptographic support	24
9.1	Cryptographic key management (FCS_CKM)	24
9.1.1	Family Behaviour	24
9.1.2	Component levelling	24
9.1.3	Management of FCS_CKM.1, FCS_CKM.2, FCS_CKM.3, FCS_CKM.4	25
9.1.4	Audit of FCS_CKM.1, FCS_CKM.2, FCS_CKM.3, FCS_CKM.4	25
9.1.5	FCS_CKM.1 Cryptographic key generation	25
9.1.6	FCS_CKM.2 Cryptographic key distribution	25
9.1.7	FCS_CKM.3 Cryptographic key access	25
9.1.8	FCS_CKM.4 Cryptographic key destruction	26
9.2	Cryptographic operation (FCS_COP)	26
9.2.1	Family Behaviour	26
9.2.2	Component levelling	26
9.2.3	Management of FCS_COP.1	26
9.2.4	Audit of FCS_COP.1	26
9.2.5	FCS_COP.1 Cryptographic operation	27
10	Class FDP: User data protection	27
10.1	Access control policy (FDP_ACC)	29

10.1.1	Family Behaviour.....	29
10.1.2	Component levelling	30
10.1.3	Management of FDP_ACC.1, FDP_ACC.2.....	30
10.1.4	Audit of FDP_ACC.1, FDP_ACC.2.....	30
10.1.5	FDP_ACC.1 Subset access control	30
10.1.6	FDP_ACC.2 Complete access control.....	30
10.2	Access control functions (FDP_ACF)	30
10.2.1	Family Behaviour.....	30
10.2.2	Component levelling	30
10.2.3	Management of FDP_ACF.1	31
10.2.4	Audit of FDP_ACF.1	31
10.2.5	FDP_ACF.1 Security attribute based access control	31
10.3	Data authentication (FDP_DAU).....	32
10.3.1	Family Behaviour.....	32
10.3.2	Component levelling	32
10.3.3	Management of FDP_DAU.1, FDP_DAU.2.....	32
10.3.4	Audit of FDP_DAU.1	32
10.3.5	Audit of FDP_DAU.2.....	32
10.3.6	FDP_DAU.1 Basic Data Authentication.....	32
10.3.7	FDP_DAU.2 Data Authentication with Identity of Guarantor	33
10.4	Export from the TOE (FDP_ETC)	33
10.4.1	Family Behaviour.....	33
10.4.2	Component levelling	33
10.4.3	Management of FDP_ETC.1.....	33
10.4.4	Management of FDP_ETC.2.....	33
10.4.5	Audit of FDP_ETC.1, FDP_ETC.2.....	33
10.4.6	FDP_ETC.1 Export of user data without security attributes.....	34
10.4.7	FDP_ETC.2 Export of user data with security attributes.....	34
10.5	Information flow control policy (FDP_IFC)	34
10.5.1	Family Behaviour.....	34
10.5.2	Component levelling	35
10.5.3	Management of FDP_IFC.1, FDP_IFC.2.....	35
10.5.4	Audit of FDP_IFC.1, FDP_IFC.2.....	35
10.5.5	FDP_IFC.1 Subset information flow control	35
10.5.6	FDP_IFC.2 Complete information flow control.....	35
10.6	Information flow control functions (FDP_IFF).....	35
10.6.1	Family Behaviour.....	35
10.6.2	Component levelling	36
10.6.3	Management of FDP_IFF.1, FDP_IFF.2.....	36
10.6.4	Management of FDP_IFF.3, FDP_IFF.4, FDP_IFF.5.....	36
10.6.5	Management of FDP_IFF.6.....	36
10.6.6	Audit of FDP_IFF.1, FDP_IFF.2, FDP_IFF.5.....	36
10.6.7	Audit of FDP_IFF.3, FDP_IFF.4, FDP_IFF.6.....	37
10.6.8	FDP_IFF.1 Simple security attributes	37
10.6.9	FDP_IFF.2 Hierarchical security attributes	37
10.6.10	FDP_IFF.3 Limited illicit information flows.....	38
10.6.11	FDP_IFF.4 Partial elimination of illicit information flows	39
10.6.12	FDP_IFF.5 No illicit information flows.....	39
10.6.13	FDP_IFF.6 Illicit information flow monitoring.....	39
10.7	Import from outside of the TOE (FDP_ITC).....	39
10.7.1	Family Behaviour.....	39
10.7.2	Component levelling	39
10.7.3	Management of FDP_ITC.1, FDP_ITC.2.....	40
10.7.4	Audit of FDP_ITC.1, FDP_ITC.2.....	40
10.7.5	FDP_ITC.1 Import of user data without security attributes.....	40
10.7.6	FDP_ITC.2 Import of user data with security attributes	40
10.8	Internal TOE transfer (FDP_ITT).....	41
10.8.1	Family Behaviour.....	41
10.8.2	Component levelling	41
10.8.3	Management of FDP_ITT.1, FDP_ITT.2.....	41

10.8.4	Management of FDP_ITT.3, FDP_ITT.4	42
10.8.5	Audit of FDP_ITT.1, FDP_ITT.2	42
10.8.6	Audit of FDP_ITT.3, FDP_ITT.4	42
10.8.7	FDP_ITT.1 Basic internal transfer protection	42
10.8.8	FDP_ITT.2 Transmission separation by attribute	42
10.8.9	FDP_ITT.3 Integrity monitoring	43
10.8.10	FDP_ITT.4 Attribute-based integrity monitoring	43
10.9	Residual information protection (FDP_RIP)	43
10.9.1	Family Behaviour	43
10.9.2	Component levelling	44
10.9.3	Management of FDP_RIP.1, FDP_RIP.2	44
10.9.4	Audit of FDP_RIP.1, FDP_RIP.2	44
10.9.5	FDP_RIP.1 Subset residual information protection	44
10.9.6	FDP_RIP.2 Full residual information protection	44
10.10	Rollback (FDP_ROL)	44
10.10.1	Family Behaviour	44
10.10.2	Component levelling	44
10.10.3	Management of FDP_ROL.1, FDP_ROL.2	45
10.10.4	Audit of FDP_ROL.1, FDP_ROL.2	45
10.10.5	FDP_ROL.1 Basic rollback	45
10.10.6	FDP_ROL.2 Advanced rollback	45
10.11	Stored data integrity (FDP_SDI)	46
10.11.1	Family Behaviour	46
10.11.2	Component levelling	46
10.11.3	Management of FDP_SDI.1	46
10.11.4	Management of FDP_SDI.2	46
10.11.5	Audit of FDP_SDI.1	46
10.11.6	Audit of FDP_SDI.2	46
10.11.7	FDP_SDI.1 Stored data integrity monitoring	46
10.11.8	FDP_SDI.2 Stored data integrity monitoring and action	47
10.12	Inter-TSF user data confidentiality transfer protection (FDP_UCT)	47
10.12.1	Family Behaviour	47
10.12.2	Component levelling	47
10.12.3	Management of FDP_UCT.1	47
10.12.4	Audit of FDP_UCT.1	47
10.12.5	FDP_UCT.1 Basic data exchange confidentiality	47
10.13	Inter-TSF user data integrity transfer protection (FDP_UIT)	48
10.13.1	Family Behaviour	48
10.13.2	Component levelling	48
10.13.3	Management of FDP_UIT.1, FDP_UIT.2, FDP_UIT.3	48
10.13.4	Audit of FDP_UIT.1	48
10.13.5	Audit of FDP_UIT.2, FDP_UIT.3	48
10.13.6	FDP_UIT.1 Data exchange integrity	49
10.13.7	FDP_UIT.2 Source data exchange recovery	49
10.13.8	FDP_UIT.3 Destination data exchange recovery	49
11	Class FIA: Identification and authentication	50
11.1	Authentication failures (FIA_AFL)	51
11.1.1	Family Behaviour	51
11.1.2	Component levelling	51
11.1.3	Management of FIA_AFL.1	52
11.1.4	Audit of FIA_AFL.1	52
11.1.5	FIA_AFL.1 Authentication failure handling	52
11.2	User attribute definition (FIA_ATD)	52
11.2.1	Family Behaviour	52
11.2.2	Component levelling	52
11.2.3	Management of FIA_ATD.1	52
11.2.4	Audit of FIA_ATD.1	52
11.2.5	FIA_ATD.1 User attribute definition	53
11.3	Specification of secrets (FIA_SOS)	53

<https://standards.itech.ai/catalog/standards/sist/ab53d166-1c55-4a55-b9b3-6aa75658af21/iso-iec-15408-2-2008>

11.3.1	Family Behaviour.....	53
11.3.2	Component levelling	53
11.3.3	Management of FIA_SOS.1.....	53
11.3.4	Management of FIA_SOS.2.....	53
11.3.5	Audit of FIA_SOS.1, FIA_SOS.2.....	53
11.3.6	FIA_SOS.1 Verification of secrets	53
11.3.7	FIA_SOS.2 TSF Generation of secrets	54
11.4	User authentication (FIA_UAU).....	54
11.4.1	Family Behaviour.....	54
11.4.2	Component levelling	54
11.4.3	Management of FIA_UAU.1.....	54
11.4.4	Management of FIA_UAU.2.....	55
11.4.5	Management of FIA_UAU.3, FIA_UAU.4, FIA_UAU.7	55
11.4.6	Management of FIA_UAU.5.....	55
11.4.7	Management of FIA_UAU.6.....	55
11.4.8	Audit of FIA_UAU.1	55
11.4.9	Audit of FIA_UAU.2	55
11.4.10	Audit of FIA_UAU.3	55
11.4.11	Audit of FIA_UAU.4	56
11.4.12	Audit of FIA_UAU.5	56
11.4.13	Audit of FIA_UAU.6	56
11.4.14	Audit of FIA_UAU.7	56
11.4.15	FIA_UAU.1 Timing of authentication	56
11.4.16	FIA_UAU.2 User authentication before any action	56
11.4.17	FIA_UAU.3 Unforgeable authentication	57
11.4.18	FIA_UAU.4 Single-use authentication mechanisms.....	57
11.4.19	FIA_UAU.5 Multiple authentication mechanisms.....	57
11.4.20	FIA_UAU.6 Re-authenticating.....	57
11.4.21	FIA_UAU.7 Protected authentication feedback.....	57
11.5	User identification (FIA_UID).....	58
11.5.1	Family Behaviour.....	58
11.5.2	Component levelling.....	58
11.5.3	Management of FIA_UID.1.....	58
11.5.4	Management of FIA_UID.2.....	58
11.5.5	Audit of FIA_UID.1, FIA_UID.2.....	58
11.5.6	FIA_UID.1 Timing of identification.....	58
11.5.7	FIA_UID.2 User identification before any action	59
11.6	User-subject binding (FIA_USB).....	59
11.6.1	Family Behaviour.....	59
11.6.2	Component levelling	59
11.6.3	Management of FIA_USB.1.....	59
11.6.4	Audit of FIA_USB.1.....	59
11.6.5	FIA_USB.1 User-subject binding	59
12	Class FMT: Security management.....	60
12.1	Management of functions in TSF (FMT_MOF).....	61
12.1.1	Family Behaviour.....	61
12.1.2	Component levelling	61
12.1.3	Management of FMT_MOF.1.....	61
12.1.4	Audit of FMT_MOF.1.....	62
12.1.5	FMT_MOF.1 Management of security functions behaviour	62
12.2	Management of security attributes (FMT_MSA).....	62
12.2.1	Family Behaviour.....	62
12.2.2	Component levelling	62
12.2.3	Management of FMT_MSA.1.....	62
12.2.4	Management of FMT_MSA.2.....	62
12.2.5	Management of FMT_MSA.3.....	63
12.2.6	Management of FMT_MSA.4.....	63
12.2.7	Audit of FMT_MSA.1.....	63
12.2.8	Audit of FMT_MSA.2.....	63

12.2.9	Audit of FMT_MSA.3	63
12.2.10	Audit of FMT_MSA.4	63
12.2.11	FMT_MSA.1 Management of security attributes	63
12.2.12	FMT_MSA.2 Secure security attributes	64
12.2.13	FMT_MSA.3 Static attribute initialisation	64
12.2.14	FMT_MSA.4 Security attribute value inheritance	64
12.3	Management of TSF data (FMT_MTD)	65
12.3.1	Family Behaviour	65
12.3.2	Component levelling	65
12.3.3	Management of FMT_MTD.1	65
12.3.4	Management of FMT_MTD.2	65
12.3.5	Management of FMT_MTD.3	65
12.3.6	Audit of FMT_MTD.1	65
12.3.7	Audit of FMT_MTD.2	65
12.3.8	Audit of FMT_MTD.3	65
12.3.9	FMT_MTD.1 Management of TSF data	65
12.3.10	FMT_MTD.2 Management of limits on TSF data	66
12.3.11	FMT_MTD.3 Secure TSF data	66
12.4	Revocation (FMT_REV)	66
12.4.1	Family Behaviour	66
12.4.2	Component levelling	66
12.4.3	Management of FMT_REV.1	66
12.4.4	Audit of FMT_REV.1	67
12.4.5	FMT_REV.1 Revocation	67
12.5	Security attribute expiration (FMT_SAE)	67
12.5.1	Family Behaviour	67
12.5.2	Component levelling	67
12.5.3	Management of FMT_SAE.1	67
12.5.4	Audit of FMT_SAE.1	67
12.5.5	FMT_SAE.1 Time-limited authorisation	67
12.6	Specification of Management Functions (FMT_SMF)	68
12.6.1	Family Behaviour	68
12.6.2	Component levelling	68
12.6.3	Management of FMT_SMF.1	68
12.6.4	Audit of FMT_SMF.1	68
12.6.5	FMT_SMF.1 Specification of Management Functions	68
12.7	Security management roles (FMT_SMR)	68
12.7.1	Family Behaviour	68
12.7.2	Component levelling	69
12.7.3	Management of FMT_SMR.1	69
12.7.4	Management of FMT_SMR.2	69
12.7.5	Management of FMT_SMR.3	69
12.7.6	Audit of FMT_SMR.1	69
12.7.7	Audit of FMT_SMR.2	69
12.7.8	Audit of FMT_SMR.3	69
12.7.9	FMT_SMR.1 Security roles	69
12.7.10	FMT_SMR.2 Restrictions on security roles	70
12.7.11	FMT_SMR.3 Assuming roles	70
13	Class FPR: Privacy	71
13.1	Anonymity (FPR_ANO)	71
13.1.1	Family Behaviour	71
13.1.2	Component levelling	71
13.1.3	Management of FPR_ANO.1, FPR_ANO.2	71
13.1.4	Audit of FPR_ANO.1, FPR_ANO.2	71
13.1.5	FPR_ANO.1 Anonymity	72
13.1.6	FPR_ANO.2 Anonymity without soliciting information	72
13.2	Pseudonymity (FPR_PSE)	72
13.2.1	Family Behaviour	72
13.2.2	Component levelling	72

iTech STANDARD PREVIEW
(standards.itech.ai)

ISO/IEC 15408-2:2008
<https://standards.itech.ai/catalog/standards/sist/ab53d166-1c55-4a55-b9b3-6aa75658af21/iso-iec-15408-2-2008>

13.2.3	Management of FPR_PSE.1, FPR_PSE.2, FPR_PSE.3.....	72
13.2.4	Audit of FPR_PSE.1, FPR_PSE.2, FPR_PSE.3.....	72
13.2.5	FPR_PSE.1 Pseudonymity.....	73
13.2.6	FPR_PSE.2 Reversible pseudonymity	73
13.2.7	FPR_PSE.3 Alias pseudonymity	73
13.3	Unlinkability (FPR_UNL)	74
13.3.1	Family Behaviour.....	74
13.3.2	Component levelling	74
13.3.3	Management of FPR_UNL.1	74
13.3.4	Audit of FPR_UNL.1	74
13.3.5	FPR_UNL.1 Unlinkability.....	74
13.4	Unobservability (FPR_UNO).....	74
13.4.1	Family Behaviour.....	74
13.4.2	Component levelling	75
13.4.3	Management of FPR_UNO.1, FPR_UNO.2.....	75
13.4.4	Management of FPR_UNO.3.....	75
13.4.5	Management of FPR_UNO.4.....	75
13.4.6	Audit of FPR_UNO.1, FPR_UNO.2	75
13.4.7	Audit of FPR_UNO.3.....	75
13.4.8	Audit of FPR_UNO.4.....	75
13.4.9	FPR_UNO.1 Unobservability	75
13.4.10	FPR_UNO.2 Allocation of information impacting unobservability.....	76
13.4.11	FPR_UNO.3 Unobservability without soliciting information.....	76
13.4.12	FPR_UNO.4 Authorised user observability	76
14	Class FPT: Protection of the TSF	76
14.1	Fail secure (FPT_FLS).....	77
14.1.1	Family Behaviour.....	77
14.1.2	Component levelling	78
14.1.3	Management of FPT_FLS.1.....	78
14.1.4	Audit of FPT_FLS.1	78
14.1.5	FPT_FLS.1 Failure with preservation of secure state.....	78
14.2	Availability of exported TSF data (FPT_ITA).....	78
14.2.1	Family Behaviour.....	78
14.2.2	Component levelling	78
14.2.3	Management of FPT_ITA.1.....	78
14.2.4	Audit of FPT_ITA.1	78
14.2.5	FPT_ITA.1 Inter-TSF availability within a defined availability metric.....	78
14.3	Confidentiality of exported TSF data (FPT_ITC)	79
14.3.1	Family Behaviour.....	79
14.3.2	Component levelling	79
14.3.3	Management of FPT_ITC.1.....	79
14.3.4	Audit of FPT_ITC.1	79
14.3.5	FPT_ITC.1 Inter-TSF confidentiality during transmission.....	79
14.4	Integrity of exported TSF data (FPT_ITI).....	79
14.4.1	Family Behaviour.....	79
14.4.2	Component levelling	79
14.4.3	Management of FPT_ITI.1	80
14.4.4	Management of FPT_ITI.2	80
14.4.5	Audit of FPT_ITI.1	80
14.4.6	Audit of FPT_ITI.2.....	80
14.4.7	FPT_ITI.1 Inter-TSF detection of modification.....	80
14.4.8	FPT_ITI.2 Inter-TSF detection and correction of modification.....	80
14.5	Internal TOE TSF data transfer (FPT_ITT).....	81
14.5.1	Family Behaviour.....	81
14.5.2	Component levelling	81
14.5.3	Management of FPT_ITT.1	81
14.5.4	Management of FPT_ITT.2	81
14.5.5	Management of FPT_ITT.3	81
14.5.6	Audit of FPT_ITT.1, FPT_ITT.2.....	82

14.5.7	Audit of FPT_ITT.3	82
14.5.8	FPT_ITT.1 Basic internal TSF data transfer protection.....	82
14.5.9	FPT_ITT.2 TSF data transfer separation.....	82
14.5.10	FPT_ITT.3 TSF data integrity monitoring	82
14.6	TSF physical protection (FPT_PHP)	83
14.6.1	Family Behaviour	83
14.6.2	Component levelling	83
14.6.3	Management of FPT_PHP.1	83
14.6.4	Management of FPT_PHP.2	83
14.6.5	Management of FPT_PHP.3	83
14.6.6	Audit of FPT_PHP.1	83
14.6.7	Audit of FPT_PHP.2	84
14.6.8	Audit of FPT_PHP.3	84
14.6.9	FPT_PHP.1 Passive detection of physical attack.....	84
14.6.10	FPT_PHP.2 Notification of physical attack	84
14.6.11	FPT_PHP.3 Resistance to physical attack	84
14.7	Trusted recovery (FPT_RCV).....	85
14.7.1	Family Behaviour	85
14.7.2	Component levelling	85
14.7.3	Management of FPT_RCV.1	85
14.7.4	Management of FPT_RCV.2, FPT_RCV.3	85
14.7.5	Management of FPT_RCV.4	85
14.7.6	Audit of FPT_RCV.1, FPT_RCV.2, FPT_RCV.3	85
14.7.7	Audit of FPT_RCV.4	85
14.7.8	FPT_RCV.1 Manual recovery	86
14.7.9	FPT_RCV.2 Automated recovery	86
14.7.10	FPT_RCV.3 Automated recovery without undue loss.....	86
14.7.11	FPT_RCV.4 Function recovery	87
14.8	Replay detection (FPT_RPL).....	87
14.8.1	Family Behaviour	87
14.8.2	Component levelling	87
14.8.3	Management of FPT_RPL.1	87
14.8.4	Audit of FPT_RPL.1	87
14.8.5	FPT_RPL.1 Replay detection	87
14.9	State synchrony protocol (FPT_SSP).....	88
14.9.1	Family Behaviour	88
14.9.2	Component levelling	88
14.9.3	Management of FPT_SSP.1, FPT_SSP.2	88
14.9.4	Audit of FPT_SSP.1, FPT_SSP.2	88
14.9.5	FPT_SSP.1 Simple trusted acknowledgement	88
14.9.6	FPT_SSP.2 Mutual trusted acknowledgement.....	88
14.10	Time stamps (FPT_STM)	89
14.10.1	Family Behaviour	89
14.10.2	Component levelling	89
14.10.3	Management of FPT_STM.1	89
14.10.4	Audit of FPT_STM.1	89
14.10.5	FPT_STM.1 Reliable time stamps.....	89
14.11	Inter-TSF TSF data consistency (FPT_TDC)	89
14.11.1	Family Behaviour	89
14.11.2	Component levelling	89
14.11.3	Management of FPT_TDC.1	89
14.11.4	Audit of FPT_TDC.1	89
14.11.5	FPT_TDC.1 Inter-TSF basic TSF data consistency	90
14.12	Testing of external entities (FPT_TEE).....	90
14.12.1	Family Behaviour	90
14.12.2	Component levelling	90
14.12.3	Management of FPT_TEE.1	90
14.12.4	Audit of FPT_TEE.1.....	90
14.12.5	FPT_TEE.1 Testing of external entities	90
14.13	Internal TOE TSF data replication consistency (FPT_TRC)	91

STANDARD PREVIEW
 (standards.iteh.ai)
 ISO/IEC 15408-2:2008
<http://standards.iteh.ai/catalog/standards/sist/ab53d166-1c55-4a55-b9b3-6aa75658af21/iso-iec-15408-2-2008>

14.13.1	Family Behaviour.....	91
14.13.2	Component levelling	91
14.13.3	Management of FPT_TRC.1	91
14.13.4	Audit of FPT_TRC.1	91
14.13.5	FPT_TRC.1 Internal TSF consistency.....	91
14.14	TSF self test (FPT_TST)	92
14.14.1	Family Behaviour.....	92
14.14.2	Component levelling	92
14.14.3	Management of FPT_TST.1.....	92
14.14.4	Audit of FPT_TST.1	92
14.14.5	FPT_TST.1 TSF testing	92
15	Class FRU: Resource utilisation.....	93
15.1	Fault tolerance (FRU_FLT).....	93
15.1.1	Family Behaviour.....	93
15.1.2	Component levelling	93
15.1.3	Management of FRU_FLT.1, FRU_FLT.2	93
15.1.4	Audit of FRU_FLT.1	93
15.1.5	Audit of FRU_FLT.2	93
15.1.6	FRU_FLT.1 Degraded fault tolerance	94
15.1.7	FRU_FLT.2 Limited fault tolerance	94
15.2	Priority of service (FRU_PRS).....	94
15.2.1	Family Behaviour.....	94
15.2.2	Component levelling	94
15.2.3	Management of FRU_PRS.1, FRU_PRS.2	94
15.2.4	Audit of FRU_PRS.1, FRU_PRS.2	94
15.2.5	FRU_PRS.1 Limited priority of service.....	94
15.2.6	FRU_PRS.2 Full priority of service.....	95
15.3	Resource allocation (FRU_RSA).....	95
15.3.1	Family Behaviour.....	95
15.3.2	Component levelling	95
15.3.3	Management of FRU_RSA.1.....	95
15.3.4	Management of FRU_RSA.2.....	95
15.3.5	Audit of FRU_RSA.1, FRU_RSA.2.....	96
15.3.6	FRU_RSA.1 Maximum quotas	96
15.3.7	FRU_RSA.2 Minimum and maximum quotas.....	96
16	Class FTA: TOE access	97
16.1	Limitation on scope of selectable attributes (FTA_LSA)	97
16.1.1	Family Behaviour.....	97
16.1.2	Component levelling	97
16.1.3	Management of FTA_LSA.1	97
16.1.4	Audit of FTA_LSA.1	97
16.1.5	FTA_LSA.1 Limitation on scope of selectable attributes	98
16.2	Limitation on multiple concurrent sessions (FTA_MCS)	98
16.2.1	Family Behaviour.....	98
16.2.2	Component levelling	98
16.2.3	Management of FTA_MCS.1	98
16.2.4	Management of FTA_MCS.2	98
16.2.5	Audit of FTA_MCS.1, FTA_MCS.2.....	98
16.2.6	FTA_MCS.1 Basic limitation on multiple concurrent sessions	98
16.2.7	FTA_MCS.2 Per user attribute limitation on multiple concurrent sessions.....	99
16.3	Session locking and termination (FTA_SSL).....	99
16.3.1	Family Behaviour.....	99
16.3.2	Component levelling	99
16.3.3	Management of FTA_SSL.1	99
16.3.4	Management of FTA_SSL.2	99
16.3.5	Management of FTA_SSL.3	99
16.3.6	Management of FTA_SSL.4	100
16.3.7	Audit of FTA_SSL.1, FTA_SSL.2.....	100
16.3.8	Audit of FTA_SSL.3	100

16.3.9	Audit of FTA_SSL.4	100
16.3.10	FTA_SSL.1 TSF-initiated session locking	100
16.3.11	FTA_SSL.2 User-initiated locking	100
16.3.12	FTA_SSL.3 TSF-initiated termination	101
16.3.13	FTA_SSL.4 User-initiated termination	101
16.4	TOE access banners (FTA_TAB).....	101
16.4.1	Family Behaviour	101
16.4.2	Component levelling	101
16.4.3	Management of FTA_TAB.1	101
16.4.4	Audit of FTA_TAB.1	101
16.4.5	FTA_TAB.1 Default TOE access banners.....	101
16.5	TOE access history (FTA_TAH).....	102
16.5.1	Family Behaviour	102
16.5.2	Component levelling	102
16.5.3	Management of FTA_TAH.1	102
16.5.4	Audit of FTA_TAH.1	102
16.5.5	FTA_TAH.1 TOE access history	102
16.6	TOE session establishment (FTA_TSE)	102
16.6.1	Family Behaviour	102
16.6.2	Component levelling	102
16.6.3	Management of FTA_TSE.1	103
16.6.4	Audit of FTA_TSE.1	103
16.6.5	FTA_TSE.1 TOE session establishment.....	103
17	Class FTP: Trusted path/channels.....	103
17.1	Inter-TSF trusted channel (FTP_ITC)	104
17.1.1	Family Behaviour	104
17.1.2	Component levelling	104
17.1.3	Management of FTP_ITC.1	104
17.1.4	Audit of FTP_ITC.1	104
17.1.5	FTP_ITC.1 Inter-TSF trusted channel.....	104
17.2	Trusted path (FTP_TRP).....	105
17.2.1	Family Behaviour	105
17.2.2	Component levelling	105
17.2.3	Management of FTP_TRP.1	105
17.2.4	Audit of FTP_TRP.1	105
17.2.5	FTP_TRP.1 Trusted path	105
Annex A	(normative) Security functional requirements application notes.....	107
A.1	Structure of the notes	107
A.1.1	Class structure.....	107
A.1.2	Family structure	108
A.1.3	Component structure	109
A.2	Dependency tables	109
Annex B	(normative) Functional classes, families, and components	115
Annex C	(normative) Class FAU: Security audit.....	116
C.1	Audit requirements in a distributed environment	116
C.2	Security audit automatic response (FAU_ARP)	117
C.2.1	User notes	117
C.2.2	FAU_ARP.1 Security alarms	117
C.3	Security audit data generation (FAU_GEN)	118
C.3.1	User notes	118
C.3.2	FAU_GEN.1 Audit data generation.....	119
C.3.3	FAU_GEN.2 User identity association	120
C.4	Security audit analysis (FAU_SAA)	120
C.4.1	User notes	120
C.4.2	FAU_SAA.1 Potential violation analysis	120
C.4.3	FAU_SAA.2 Profile based anomaly detection	121
C.4.4	FAU_SAA.3 Simple attack heuristics.....	122
C.4.5	FAU_SAA.4 Complex attack heuristics	122

C.5	Security audit review (FAU_SAR)	123
C.5.1	User notes	123
C.5.2	FAU_SAR.1 Audit review	124
C.5.3	FAU_SAR.2 Restricted audit review	124
C.5.4	FAU_SAR.3 Selectable audit review	124
C.6	Security audit event selection (FAU_SEL)	125
C.6.1	User notes	125
C.6.2	FAU_SEL.1 Selective audit	125
C.7	Security audit event storage (FAU_STG)	125
C.7.1	User notes	125
C.7.2	FAU_STG.1 Protected audit trail storage	126
C.7.3	FAU_STG.2 Guarantees of audit data availability	126
C.7.4	FAU_STG.3 Action in case of possible audit data loss	126
C.7.5	FAU_STG.4 Prevention of audit data loss	127
Annex D	(normative) Class FCO: Communication	128
D.1	Non-repudiation of origin (FCO_NRO)	128
D.1.1	User notes	128
D.1.2	FCO_NRO.1 Selective proof of origin	129
D.1.3	FCO_NRO.2 Enforced proof of origin	129
D.2	Non-repudiation of receipt (FCO_NRR)	130
D.2.1	User notes	130
D.2.2	FCO_NRR.1 Selective proof of receipt	130
D.2.3	FCO_NRR.2 Enforced proof of receipt	131
Annex E	(normative) Class FCS: Cryptographic support	132
E.1	Cryptographic key management (FCS_CKM)	133
E.1.1	User notes	133
E.1.2	FCS_CKM.1 Cryptographic key generation	134
E.1.3	FCS_CKM.2 Cryptographic key distribution	134
E.1.4	FCS_CKM.3 Cryptographic key access	134
E.1.5	FCS_CKM.4 Cryptographic key destruction	135
E.2	Cryptographic operation (FCS_COP)	135
E.2.1	User notes	135
E.2.2	FCS_COP.1 Cryptographic operation	136
Annex F	(normative) Class FDP: User data protection	137
F.1	Access control policy (FDP_ACC)	140
F.1.1	User notes	140
F.1.2	FDP_ACC.1 Subset access control	140
F.1.3	FDP_ACC.2 Complete access control	141
F.2	Access control functions (FDP_ACF)	141
F.2.1	User notes	141
F.2.2	FDP_ACF.1 Security attribute based access control	141
F.3	Data authentication (FDP_DAU)	143
F.3.1	User notes	143
F.3.2	FDP_DAU.1 Basic Data Authentication	143
F.3.3	FDP_DAU.2 Data Authentication with Identity of Guarantor	143
F.4	Export from the TOE (FDP_ETC)	143
F.4.1	User notes	143
F.4.2	FDP_ETC.1 Export of user data without security attributes	144
F.4.3	FDP_ETC.2 Export of user data with security attributes	144
F.5	Information flow control policy (FDP_IFC)	145
F.5.1	User notes	145
F.5.2	FDP_IFC.1 Subset information flow control	146
F.5.3	FDP_IFC.2 Complete information flow control	146
F.6	Information flow control functions (FDP_IFF)	146
F.6.1	User notes	146
F.6.2	FDP_IFF.1 Simple security attributes	147
F.6.3	FDP_IFF.2 Hierarchical security attributes	148
F.6.4	FDP_IFF.3 Limited illicit information flows	149

F.6.5	FDP_IFF.4 Partial elimination of illicit information flows	149
F.6.6	FDP_IFF.5 No illicit information flows	150
F.6.7	FDP_IFF.6 Illicit information flow monitoring	150
F.7	Import from outside of the TOE (FDP_ITC)	151
F.7.1	User notes	151
F.7.2	FDP_ITC.1 Import of user data without security attributes	152
F.7.3	FDP_ITC.2 Import of user data with security attributes	152
F.8	Internal TOE transfer (FDP_ITT)	152
F.8.1	User notes	152
F.8.2	FDP_ITT.1 Basic internal transfer protection	153
F.8.3	FDP_ITT.2 Transmission separation by attribute	153
F.8.4	FDP_ITT.3 Integrity monitoring	153
F.8.5	FDP_ITT.4 Attribute-based integrity monitoring	154
F.9	Residual information protection (FDP_RIP)	155
F.9.1	User notes	155
F.9.2	FDP_RIP.1 Subset residual information protection	156
F.9.3	FDP_RIP.2 Full residual information protection	156
F.10	Rollback (FDP_ROL)	156
F.10.1	User notes	156
F.10.2	FDP_ROL.1 Basic rollback	157
F.10.3	FDP_ROL.2 Advanced rollback	157
F.11	Stored data integrity (FDP_SDI)	158
F.11.1	User notes	158
F.11.2	FDP_SDI.1 Stored data integrity monitoring	158
F.11.3	FDP_SDI.2 Stored data integrity monitoring and action	158
F.12	Inter-TSF user data confidentiality transfer protection (FDP_UCT)	158
F.12.1	User notes	158
F.12.2	FDP_UCT.1 Basic data exchange confidentiality	159
F.13	Inter-TSF user data integrity transfer protection (FDP_UIT)	159
F.13.1	User notes	159
F.13.2	FDP_UIT.1 Data exchange integrity	159
F.13.3	FDP_UIT.2 Source data exchange recovery	160
F.13.4	FDP_UIT.3 Destination data exchange recovery	160
Annex G	(normative) Class FIA: Identification and authentication	161
G.1	Authentication failures (FIA_AFL)	162
G.1.1	User notes	162
G.1.2	FIA_AFL.1 Authentication failure handling	163
G.2	User attribute definition (FIA_ATD)	164
G.2.1	User notes	164
G.2.2	FIA_ATD.1 User attribute definition	164
G.3	Specification of secrets (FIA_SOS)	164
G.3.1	User notes	164
G.3.2	FIA_SOS.1 Verification of secrets	165
G.3.3	FIA_SOS.2 TSF Generation of secrets	165
G.4	User authentication (FIA_UAU)	165
G.4.1	User notes	165
G.4.2	FIA_UAU.1 Timing of authentication	165
G.4.3	FIA_UAU.2 User authentication before any action	166
G.4.4	FIA_UAU.3 Unforgeable authentication	166
G.4.5	FIA_UAU.4 Single-use authentication mechanisms	166
G.4.6	FIA_UAU.5 Multiple authentication mechanisms	167
G.4.7	FIA_UAU.6 Re-authenticating	167
G.4.8	FIA_UAU.7 Protected authentication feedback	168
G.5	User identification (FIA_UID)	168
G.5.1	User notes	168
G.5.2	FIA_UID.1 Timing of identification	168
G.5.3	FIA_UID.2 User identification before any action	168
G.6	User-subject binding (FIA_USB)	169
G.6.1	User notes	169

G.6.2	FIA_USB.1 User-subject binding	169
Annex H	(normative) Class FMT: Security management.....	170
H.1	Management of functions in TSF (FMT_MOF)	171
H.1.1	User notes	171
H.1.2	FMT_MOF.1 Management of security functions behaviour	172
H.2	Management of security attributes (FMT_MSA)	172
H.2.1	User notes	172
H.2.2	FMT_MSA.1 Management of security attributes	173
H.2.3	FMT_MSA.2 Secure security attributes	173
H.2.4	FMT_MSA.3 Static attribute initialisation	174
H.2.5	FMT_MSA.4 Security attribute value inheritance	174
H.3	Management of TSF data (FMT_MTD)	174
H.3.1	User notes	174
H.3.2	FMT_MTD.1 Management of TSF data.....	174
H.3.3	FMT_MTD.2 Management of limits on TSF data.....	175
H.3.4	FMT_MTD.3 Secure TSF data	175
H.4	Revocation (FMT_REV)	176
H.4.1	User notes	176
H.4.2	FMT_REV.1 Revocation	176
H.5	Security attribute expiration (FMT_SAE)	176
H.5.1	User notes	176
H.5.2	FMT_SAE.1 Time-limited authorisation.....	177
H.6	Specification of Management Functions (FMT_SMF).....	177
H.6.1	User notes	177
H.6.2	FMT_SMF.1 Specification of Management Functions	177
H.7	Security management roles (FMT_SMR).....	177
H.7.1	User notes	177
H.7.2	FMT_SMR.1 Security roles	178
H.7.3	FMT_SMR.2 Restrictions on security roles	178
H.7.4	FMT_SMR.3 Assuming roles	178
Annex I	(normative) Class FPR: Privacy.....	179
I.1	Anonymity (FPR_ANO)	180
I.1.1	User notes	180
I.1.2	FPR_ANO.1 Anonymity.....	181
I.1.3	FPR_ANO.2 Anonymity without soliciting information	181
I.2	Pseudonymity (FPR_PSE)	182
I.2.1	User notes	182
I.2.2	FPR_PSE.1 Pseudonymity.....	183
I.2.3	FPR_PSE.2 Reversible pseudonymity	183
I.2.4	FPR_PSE.3 Alias pseudonymity	184
I.3	Unlinkability (FPR_UNL)	185
I.3.1	User notes	185
I.3.2	FPR_UNL.1 Unlinkability.....	186
I.4	Unobservability (FPR_UNO)	186
I.4.1	User notes	186
I.4.2	FPR_UNO.1 Unobservability	187
I.4.3	FPR_UNO.2 Allocation of information impacting unobservability.....	187
I.4.4	FPR_UNO.3 Unobservability without soliciting information.....	188
I.4.5	FPR_UNO.4 Authorised user observability	189
Annex J	(normative) Class FPT: Protection of the TSF	190
J.1	Fail secure (FPT_FLS).....	192
J.1.1	User notes	192
J.1.2	FPT_FLS.1 Failure with preservation of secure state.....	192
J.2	Availability of exported TSF data (FPT_ITA).....	192
J.2.1	User notes	192
J.2.2	FPT_ITA.1 Inter-TSF availability within a defined availability metric.....	192
J.3	Confidentiality of exported TSF data (FPT_ITC)	193
J.3.1	User notes	193