
**Intelligent transport systems —
Electronic information exchange to
facilitate the movement of freight and its
intermodal transfer — Road transport
information exchange methodology**

ISO/TS 24533:2012
*Systemes intelligents de transport — Échange d'informations
électroniques facilitant le mouvement du fret et son transfert
intermodal — Méthodologie pour l'échange d'informations concernant le
transport routier*

iTeh STANDARDS PREVIEW
(standards.iteh.ai)

[ISO/TS 24533:2012](https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-d32656257723/iso-ts-24533-2012)

[https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-
d32656257723/iso-ts-24533-2012](https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-d32656257723/iso-ts-24533-2012)



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/TS 24533:2012

<https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-d32656257723/iso-ts-24533-2012>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

1	Scope	1
2	Terms and definitions	2
3	Symbols and abbreviated terms	7
4	Intermodal freight context	8
4.1	General	8
4.2	Intermodal freight — Road transport component concept of operations	9
4.2.1	Objectives	9
4.2.2	Overview of freight physical flow	10
4.2.3	Information exchange transactions	12
4.2.4	Operational scenario	13
4.2.5	Maintaining the operational scenario	23
4.3	Intermodal freight — Road transport component use cases	23
4.3.1	Business domain	23
4.3.2	Business requirements	25
4.3.3	Global context use case — Ship (Transport interpretation) — Level 1	25
4.3.4	Use case elaboration — Initiate consignment transport — Level 2	27
4.3.5	Use case elaboration — Export — Level 2	32
4.3.6	Use case elaboration — Import — Level 2	33
4.3.7	Use case elaboration — Transport consignment: Inbound — Level 2	34
4.3.8	Use case elaboration — Conclude consignment transaction — Level 2	35
5	Information modelling	36
5.1	Core components	36
5.2	OASIS Universal Business Language	38
5.2.1	UBL Core Component and document library	38
5.2.2	Applying UBL to intermodal freight movement	38
5.3	The UBL transportation status document type	39
5.4	Customizing UBL document types	40
5.4.1	Creating ITS transportation document assembly models	40
5.4.2	Creating ITS transportation XML schemas	41
6	Code lists	41
6.1	UBL code list values and code list schemas	41
6.2	ITS transportation status code lists and code list schemas	42
Annex A	(informative) Governance in the context of intermodal electronic information exchange using UBL/XML	43
Annex B	(informative) Core component types	44
Annex C	(informative) Document assembly model for a representative ITS transportation status document	48
C.1	Main document assembly model	48
C.2	Common document assembly models	49
Annex D	(informative) XML schema for an ITS transportation status document type	64
Figure 1	Information exchanges at intermodal interface	1
Figure 2	Simplified depiction of physical freight flow for time-sensitive freight	11
Figure 3	Information exchanges in a generalized "Truck-Air-Truck" supply chain	21

Figure 4 – Use Case Diagram – Ship (Transport Interpretation).....	26
Figure 5 — "Transport Event" ABIE with BBIEs and ASBIEs	37
Figure 6 — Primary transport ABIEs and their associations	40

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/TS 24533:2012](https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-d32656257723/iso-ts-24533-2012)

<https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-d32656257723/iso-ts-24533-2012>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of normative document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote.
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

<https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-d32656757223/iso-ts-24533-2012>

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 24533 was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*.

Introduction

Seamless exchange of accurate, complete, and timely data at transportation hand-offs has always been important for efficiency and accountability. There is also an understanding of needs for security of transport information, and for transfer of information related to security against terrorism as well as theft and traditional contraband. It is imperative for standards development organizations to address and facilitate dealing with these needs.

ISO/TR 14813-2:2000, 7.4.1 identifies a commercial vehicle functional domain:

"These transactions maintain the TICS information about a shipment from the time of the order by the consignor to the reception of goods by the consignee. The key TICS transactions are to provide registers of service providers and to enable the goods to be tracked throughout intermodal journeys."

Consequently, Technical Committee ISO/TC 204, *Intelligent transport systems*, seeks to fill a role focusing on data exchange needs for the international supply chain that relate specifically to motor carrier transportation including data needs for the interface with all modes of transportation since freight movement normally includes interfaces with other modes of transportation. Those needs are essential for transport information and control systems.

Some international shipments are carried out entirely by highway mode, but most begin and end with motor carrier service and travel by other modes in the course of the shipment. This Technical Specification focuses on motor carrier transport interfaces through the supply chain, or those data items that deal specifically with the key pieces of transport information critical to getting the goods to the marketplace without delay related to data sharing. Therefore, the interfacing modes' data structures and formats must accommodate each other to assure efficiency and security from end to end. Truck, rail and ocean transport are vital components of intermodal, international shipping. It is recognized that a robust intermodal standard must include interface connections to all of these modes, and may need to be proven through demonstration tests. Research and tests carried out in the US motivated the use of a truck-air-truck supply chain (shown in Figure 3). Preliminary investigations suggest that there is no single organization responsible for transport data standards through the intermodal supply chain. To achieve a coherent set of transport standards requires coordination among the various international organizations working on component parts of these international standards. TC 204 has advanced the idea of close coordination among other appropriate ISO Technical Committees, OASIS, IATA, IEC, CEN, UN Centre for Trade Facilitation and Electronic Business, and the World Customs Organization. Contact has been made and interest has been expressed in cooperating on the development of intermodal data exchange standards that fully cover the supply chain. This Technical Specification is a preliminary step towards coordinating between the various standards organizations.

The vision expressed in this Technical Specification is to allow electronic data sharing through many-to-many relationships between supply chain partners which will help ensure sustaining standards. One-to-one relationships require only two partners to have standard data relationships with each other, and could require other partners to adopt the standards of the original two or require third party translators, which increases costs in the transport of goods. The many-to-many relationships also ensure that data initiated by the first partner will allow other partners equal access and can also help customs agencies to access data early in the progress of goods coming through the supply chain.

Intelligent transport systems — Electronic information exchange to facilitate the movement of freight and its intermodal transfer — Road transport information exchange methodology

1 Scope

This Technical Specification specifies the data concepts applicable to the movement of freight and its intermodal transfer. These data concepts include information entities (data elements), aggregated/associated information entities (groups of data elements) and messages that comprise information exchanges at transport interfaces along the chain of participants responsible for the delivery of goods from the point of origin through to the final recipient as presented in Figure 1. This Technical Specification focuses on a single "thread" of the overall end-to-end supply chain.

It includes motor transport data needs within the international supply chain to satisfy the requirements of both businesses and governmental organizations. This Technical Specification is applicable to shipments that originate in one country and terminate in another. It may also be applied to shipments that originate and terminate in a single country. This Technical Specification is applicable to freight movements that interface with other modes and incorporates requirements set for those other modes.

This Technical Specification does not constrain the requirements of customs, regulatory, and safety bodies at border crossings but does include the data elements likely to be required by customs authorities. The same is true with the requirements of any particular mode of operation.




Figure 1 — Information exchanges at intermodal interface

NOTE This thread may be generalized to address the various combinations of segments that occur in the global supply chain while focusing on the information exchange at the interchange points.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

- 2.1 agent**
name and address of a person or organization authorized to act for or on behalf of another party
- 2.2 air carrier**
carrier using aircraft to transport goods
- 2.3 air waybill**
particular type of bill of lading, specifically a non-negotiable consignment note used to cover the transport of goods by airfreight
- NOTE An air waybill serves as a receipt for the shipper, indicating that the carrier has accepted the goods listed therein, and obligates it to carry the consignment to the airport of destination according to specified conditions.
- 2.4 authority**
statutory body existing within a jurisdiction and a specific area of responsibility that administers legislation to regulate trade and/or monitors compliance with existing legislation
- 2.5 bill of lading**
document which evidences a contract of the carriage and the taking over or loading of the goods by the carrier, and by which the carrier undertakes to deliver the goods against surrender of the document
- NOTE A provision in the document that the goods are to be delivered to the order of a named person, or to order, or to bearer, constitutes such an undertaking. The document has the following functions: 1) a receipt for goods, signed by a duly authorised person on behalf of the carriers, 2) a document of title to the goods described therein, 3) evidence of the terms and conditions of carriage agreed upon between the two parties.
- 2.6 buyer**
customer
ultimate consignee
individual or entity purchasing goods or services
- 2.7 carrier**
person or organisation, which owns and/or operates a transport means, engaged in the transportation of passengers or property by land, rail, air or water
- 2.8 certificate of origin**
international business document that certifies the country of origin of the shipment
- 2.9 chain of possession**
identification and appropriate collection of a history of the party with possession of some unit of freight, such as a consignment, and relevant supporting data attributes about the party, the freight, and the assets involved in enabling the transport or distribution of that freight
- 2.10 conformance**
adherence of a candidate's implementation to a standard

iTeh STANDARD PREVIEW

(standardsite.com)

ISO/TS 24533:2012

<https://standards.iteh.ai/catalog/standards/sist/43052012/iso-ts-24533-2012>

912656257723iso-ts-24533-2012

2.11**consignee
receiver**

person or company to whom goods are shipped

2.12**consignment**

separately identifiable amount of goods items (available to be) transported from one consignor to one consignee via one or more modes of transport and specified in one single transport document

2.13**consignor
shipper**

party which, by contract with a carrier, consigns or sends goods with the carrier, or has them conveyed by him

2.14**consolidation**

grouping together of individual consignments of goods into a combined consignment for carriage

2.15**consolidator**

person or organization engaged in the process of combining more than one consignment loaded in a container destined to one or more consignees, combining carload or truckload consignments to make carload or truckload movements

2.16**container**

receptacle for the transport of goods, especially one readily transferable from one form of transport to another

2.17**customs**

government organization that deals with the levying of duties and taxes on imported goods from foreign countries and the control over the export and import of goods

2.18**customs manifest**

document itemising a list of cargo prepared by shipping companies from bills of lading which is presented to customs for formal report of cargo

2.19**delivery party**

party to whom goods should be delivered, if not identical to consignee

2.20**despatch party**

party to whom goods are to be, or have been, taken over, if not identical to carrier

2.21**electronic freight manifest**

electronic supply chain manifest (ESCM)

proposed concept of generating, storing, distributing, and accessing manifest-related data along the end-to-end supply chain, facilitated by this Technical Specification

2.22**export agent**

person or organisation authorised to act for or on behalf of another person or organisation in business or as a broker in respect of services concerning the export of goods out of the country

2.23

exporter

name and address of the person who makes, or on whose behalf the "export declaration" is made, and who is the owner of the goods or has similar right of disposal over them at the time when the declaration is accepted

2.24

freight

goods

any transported commodity

2.25

freight forwarder

party arranging the carriage of goods, including connected services and/or associated formalities, on behalf of a consignor or consignee

2.26

governance

system by which organizations are directed and controlled

2.27

house air waybill

document made out by an agent/consolidator which evidences the contract between the shipper and the agent/consolidator for the arrangement of carriage of goods

2.28

house bill of lading

freight forwarder's document which performs similar functions to the bill of lading but which is not a document of title, nor is it negotiable

iTeh STANDARD PREVIEW
(standards.iteh.ai)

NOTE A house bill of lading is used mainly as a control for the goods within the freight forwarder's own service system.

<https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-d32656257723/iso-ts-24533-2012>

2.29

import agent

person or organisation authorised to act for or on behalf of another person or organisation in business or as a broker in respect of services concerning the import of goods into the country

2.30

importer

name and address of party who makes, or on whose behalf a customs clearing agent or other authorised person makes, an import declaration

NOTE This may include a person who has possession of the goods or to whom the goods are consigned.

2.31

intermediary

commercial party who provides services to customers, suppliers or authorities within the supply chain

NOTE This includes, but is not limited to, freight transport.

2.32

intermodal container

freight container designed and constructed to permit it to be used interchangeably in two or more modes of transport

2.33**intermodal freight**

cargo containers interchanged between transport modes, and where equipment is compatible within multiple systems

NOTE Transport modes include: motor, rail, water, and air carriers.

2.34**intermodal (freight) transport**

movement of goods in one and the same loading unit (e.g. intermodal container) or vehicle which uses several modes of transport successively without handling the goods themselves when changing modes

2.35**journey**

physical movement of goods from the supplier to the consignee

2.36**manifest**

specification of all cargo on board the transportation vessel or any other means of transport

NOTE The manifest contains details of contents, shipper, consignee, and other details that may be required by customs or consular authorities. Copies of manifests are provided for the country of export and country of import customs authorities.

2.37**manufacturer**

party that manufactures goods

NOTE In the context of this Technical Specification, the manufacturer may be the seller.

2.38**master air waybill**

air waybill covering a consolidated consignment, showing the consolidator as shipper

[ISO/TS 24533:2012](https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-)

<https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347->

2.39**master bill of lading**

bill of lading issued by the master of a vessel (in actuality, the owner or charterer of the vessel)

NOTE A master bill of lading can cover a number of house bills.

2.40**(transport) mode**

any transportation method, including rail, highway, air, water or pipeline

2.41**motor carrier**

motor carriage

carrier using for-hire or private motorized transport on roads to transport goods

2.42**multimodal transport**

carriage of goods by at least two different modes of transport

NOTE In contrast, "intermodal transport" implies the change from one mode to another using the same form of loading unit. Multimodal transport implies that either there is more than one modal shift or that loads may be broken into partial loads as part of a modal change.

2.43**seller**

name and address of party selling merchandise to a buyer

2.44

shipment

identifiable collection of one or more goods items (available to be) transported together from the original shipper to the ultimate consignee

NOTE A shipment can be transported in different consignments.

2.45

shipping marks

physical identification shown on individual packages, used to help move them without delay or confusion to their final destination, and to facilitate verifying goods against their associated documents

2.46

supplier

party that provides goods

NOTE This may or may not be the same entity as the consignor/shipper. The supply chain physically begins with the supplier.

2.47

tracing

function of retrieving information concerning goods, goods items, consignments or equipment

2.48

tracking

function of maintaining status information of goods, goods items, consignments or equipment

2.49

transport document number

reference assigned by the carrier or his agent to the transport document

[ISO/TS 24533:2012](https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-d32656257723/iso-ts-24533-2012)

2.50

transport documentation

legal and commercial documents that accompany the transport means during a journey

<https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-d32656257723/iso-ts-24533-2012>

2.51

transport means

vehicle used for the transport of goods

EXAMPLE 1 A vessel, train, or truck.

EXAMPLE 2 The vehicles, trailers, vessels, aircraft, or combination thereof, to perform the journey to deliver the consignment to the receiver or return returnables, together with the driver/pilot/crew physically conducting the journey.

2.52

transport seal

equipment seal

mechanical or electronic device applied to a container, unit load device, trailer, etc. to guarantee authenticity or security

2.53

transport services provider

provider (seller) of transport services

2.54**waybill**

document made out by, or on behalf of, the shipper and which evidences the contract between shipper and carrier for carriage of cargo

NOTE A “through air waybill” covers the entire transportation from departure to destination of consignment. It is not a document of title.

3 Symbols and abbreviated terms

ABIE	Aggregate Business Information Entity
ACC	Aggregate Core Component
AEO	Authorized Economic Operator
AES	Automated Export System
ASBIE	Association Business Information Entity
ASCC	Association Core Component
BCC	Basic Core Component
BIE	Business Information Entity
BBIE	Basic Business Information Entity
BPAWG	Business Process Analysis Working Group 2012 https://standards.iteh.ai/catalog/standards/sist/7f30520d-fdd6-493b-b347-d32656257723/iso-ts-24533-2012
CC	Core Component
CCT	Core Component Type
CCTS	Core Component Technical Specification
CDL	Commercial Drivers License
DUNS	Dun & Bradstreet D-U-N-S Number
ebXML	Electronic Business Extensible Markup Language
EIN	Employer Identification Number
ESCM	Electronic Supply Chain Manifest
JIT	Just In Time
NDR	Naming and Design Rules (UBL)
OASIS	Organization for the Advancement of Structured Information Standards
SSN	Social Security Number
UBL	Universal Business Language
UCR	Unique Consignment Reference

UN/CEFACT United Nations Centre for Trade Facilitation and Electronic Business

UN/ECE United Nations Economic Commission for Europe

UN/TDED United Nations Trade Data Element Directory

USDOT US Department of Transportation

4 Intermodal freight context

4.1 General

The procedures active within the international supply chain are complex, and often cumbersome. At work are numerous interactions between different parties, which are guided by many factors, including type of product, country, terms of business, and the methods of operation of both the consignee and the seller. Given the broad range of activities possible, it is hardly surprising that within the context of actually transporting goods, a single transaction may involve many languages (both electronic and human), standards, and operational practices.

This Technical Specification addresses a methodology for using standard messages and tools that will maximize the efficiencies for transporting goods from a seller (or “consignor”) to a buyer (or “consignee”), using intermodal transport that includes motor carrier and air links. It is appropriate for supporting operational freight movements that occur worldwide, whether that freight travels from point of origin to destination domestically or internationally. While this Technical Specification is not focused on single mode movements, and any unique requirements therein, it is considered complementary to standards of uni-modal freight movement.

This Technical Specification considers the four types of economic agents involved in business, as defined by the basic resource-event-agent ontology used by UN/CEFACT's Unified Modeling Methodology. For the purposes of this Technical Specification, these are considered to be the following actor classes:

- Customer: A party who acquires, by way of trade, goods or services.
- Supplier: A party who provides, by way of trade, goods or services.
- Authority: A statutory body existing within a jurisdiction and a specific area of responsibility that administers legislation to regulate trade and/or monitors compliance with existing legislation.
- Intermediary: A commercial party who provides services to customers, suppliers or authorities within the supply chain. This includes, but is not limited to, freight transport.

There are many specific actors' roles within these classes that participate in the supply chain. Those that are affected by this Technical Specification are shown in Table 1.

Table 1 — Actors and their roles defined in this Technical Specification

Actor class	Actor roles
Customer	Consignee Buyer Receiver Final consignee Ultimate consignee
Supplier	Original consignor (might be the manufacturer) Consignor Shipper Seller
Authority	Customs agencies Receiving authorities (e.g. Port authority) Control government agencies (e.g. Police)
Intermediary	Motor carrier Air carrier Transport services provider Third party logistics provider Freight forwarder Import agent Export agent
Note	The seller, supplier, shipper and consignor are different parties that each have a specific role. Depending on the business transaction contract, their action can vary in the process. The same is true for customer, buyer and consignee.

It is noted that in many supply chains, common business practice may mean that an identified consignee is an intermediate point towards the transport of a consignment to the final, or “ultimate”, consignee. For example, a supplier may give a consignment to a third party logistics provider, who then creates a transaction to deliver to the final consignee. Unless otherwise noted in Clause 4, use of the term “consignee” refers to the “ultimate consignee”.

4.2 Intermodal freight — Road transport component concept of operations

4.2.1 Objectives

There are a great many different types of exchanges of information that are required in a supply chain, particularly one that is intermodal and international in scope. The exchanges span multiple business functions. This Technical Specification is concerned with distribution, transportation and security-related information. A concept of operation of how a data standard would be used operationally is driven by two major types of benefit: operational efficiency and security.

4.2.1.1 Operational efficiency

Suppliers and consignees articulate speed, visibility, and reliability as three important requirements of supply chains, necessary to ensure efficiency, high productivity and competitive positioning. Among the challenges to speed, visibility and reliability are the information requirements that must be met to trigger various activities along the physical supply chain. For example, information transactions accompanying international consignments must be filed with customs authorities as a requirement to gaining customs clearances that