



SLOVENSKI STANDARD
SIST EN 302 248 V2.1.1:2017
01-januar-2017

Navigacijski radar za uporabo na plovilih brez opreme SOLAS - Harmonizirani standard, ki zajema bistvene zahteve člena 3.2 direktive 2014/53/EU

Navigation radar for use on non-SOLAS vessels - Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **ETSI EN 302 248 V2.1.1 (2016-11)**

SIST EN 302 248 V2.1.1:2017
<https://standards.iteh.ai/catalog/standards/sist/a7e85954-0744-4801-9011-c71206dd3327/sist-en-302-248-v2-1-1-2017>

ICS:

33.060.99	Druga oprema za radijske komunikacije	Other equipment for radiocommunications
47.020.70	Navigacijska in krmilna oprema	Navigation and control equipment

SIST EN 302 248 V2.1.1:2017

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 302 248 V2.1.1:2017

<https://standards.iteh.ai/catalog/standards/sist/a7e85934-0744-4801-90ffc71206dd3327/sist-en-302-248-v2-1-1-2017>

ETSI EN 302 248 V2.1.1 (2016-11)



**Navigation radar for use on non-SOLAS vessels;
Harmonised Standard covering the essential requirements
of article 3.2 of the Directive 2014/53/EU**

[SIST EN 302 248 V2.1.1:2017](https://standards.iteh.ai/catalog/standards/sist/a7e85934-0744-4801-90ffc71206dd3327/sist-en-302-248-v2-1-1-2017)

<https://standards.iteh.ai/catalog/standards/sist/a7e85934-0744-4801-90ffc71206dd3327/sist-en-302-248-v2-1-1-2017>

Reference

REN/ERM-TG26-144

Keywords

harmonised standard, maritime, navigation,
radar, radio

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 302 248 V2.1.1:2017

<https://standards.iteh.ai/catalog/standards/sist/a7e85934-0744-4801-90ffc71206dd347e8d4df372244/v2-1-1-2017>

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	5
1 Scope	6
2 References	6
2.1 Normative references	6
2.2 Informative references.....	7
3 Definitions, symbols and abbreviations	7
3.1 Definitions.....	7
3.2 Symbols.....	7
3.3 Abbreviations	8
4 Testing for compliance with technical requirements.....	8
4.1 Environmental conditions for testing	8
4.1.0 General.....	8
4.1.1 Standard operating mode of the radar equipment	8
5 General conditions of measurement	9
5.1 Test conditions, power sources and ambient temperatures.....	9
5.1.1 Normal test conditions	9
5.1.1.1 Normal temperature and humidity	9
5.1.1.2 Normal test power supply	9
5.1.1.2.0 General	9
5.1.1.2.1 AC test power supply	9
5.1.1.2.2 DC test power supply	9
5.1.2 Extreme test conditions	10
5.1.2.1 Extreme temperatures	10
5.1.2.1.1 Protected unit	10
5.1.2.1.2 Outdoor unit	10
5.1.2.2 Extreme power supply voltage test conditions.....	10
6 Radio tests	10
6.1 Radiated emissions	10
6.1.1 Definition.....	10
6.1.2 Method of measurement	10
6.1.2.1 General	10
6.1.2.2 Frequency band 156 MHz to 165 MHz method 1	11
6.1.2.3 Frequency band 156 MHz to 165 MHz method 2.....	11
6.1.3 Limits.....	11
6.2 Operating frequency	12
6.2.1 Definition.....	12
6.2.2 Method of measurement	12
6.2.3 Limits.....	12
6.3 Transmitter pulse power	12
6.3.1 Definition.....	12
6.3.2 Method of measurement	12
6.3.3 Limits.....	12
6.4 Out of band emissions	13
6.4.1 Definition.....	13
6.4.1.0 General	13
6.4.1.1 Non-FM pulse radar	13
6.4.1.2 FM pulse radars.....	13
6.4.1.3 Other modulation formats	14
6.4.2 Method of measurement	14
6.4.3 Limits.....	14
6.4.3.1 Out of band limits	14

6.4.3.2	Out of band limits (excluded types)	15
6.5	Radiated spurious emissions.....	15
6.5.1	Definition.....	15
6.5.2	Method of measurement	16
6.5.3	Limits.....	16
6.6	Minimum range	16
6.6.1	Definition.....	16
6.6.2	Method of measurement	16
6.6.3	Limits.....	17
6.7	Range discrimination.....	17
6.7.1	Definition.....	17
6.7.2	Method of measurement	17
6.7.3	Limits.....	17
6.8	Bearing discrimination	17
6.8.1	Definition.....	17
6.8.2	Method of measurement	18
6.8.3	Limits.....	18
6.9	Range of first detection in minimal clutter	18
6.9.1	Definition.....	18
6.9.2	Method of measurement	18
6.9.3	Limits.....	18
7	Testing for compliance with technical requirements.....	18
7.1	Environmental conditions for testing	18
7.2	Interpretation of the measurement results	19
Annex A (normative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	20
Annex B (normative):	Transmission power and unwanted emissions of radar systems; measuring methods.....	21
B.1	Indirect connection via the rotating joint.....	21
B.2	Maximum permitted out of band emissions; power levels.....	22
B.3	Maximum permitted spurious emissions power levels	22
History	23

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.5] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

(standards.iteh.ai)

National transposition dates	
Date of adoption of this EN:	31 October 2016
Date of latest announcement of this EN (doa):	31 January 2017
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 July 2017
Date of withdrawal of any conflicting National Standard (dow):	31 July 2018

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document applies to non-SOLAS radar equipment.

The applicable frequencies of operation of this type of radio equipment are given in table 1. These frequencies are allocated to the radio navigation service, as defined in article 5 of the ITU Radio Regulations [i.2].

Table 1: Radio navigation service frequencies

	Radio navigation service frequencies
Transmit	2 900 MHz to 3 100 MHz
Receive	2 900 MHz to 3 100 MHz
Transmit	9 300 MHz to 9 500 MHz
Receive	9 300 MHz to 9 500 MHz

The present document contains requirements to demonstrate that radio equipment both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference.

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of Article 3 of the of Directive 2014/53/EU [i.1] may apply to equipment within the scope of the present document.

2 References

iTeh STANDARD PREVIEW
(standards.iteh.ai)

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] IEC 62388:2013/COR1:2014: "Corrigendum 1 - Maritime navigation and radiocommunication equipment and systems - Shipborne radar - Performance requirements, methods of testing and required test results".
- [2] Recommendation ITU-R M.1177-4 (2011): "Techniques for measurement of unwanted emissions of radar systems".
- [3] Recommendation ITU-R SM.1541-6 (2015): "Unwanted emissions in the out-of-band domain".
- [4] ETSI TS 103 052 (V1.1.1) (03-2011): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Radiated measurement methods and general arrangements for test sites up to 100 GHz".
- [5] CISPR 16-1-1:2015: "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus".
- [6] CISPR 16-1-4:2010+AMD1:2012: "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-4: Radio disturbance and immunity measuring apparatus - Antennas and test sites for radiated disturbance measurements".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.2] ITU Radio Regulations (2016).
- [i.3] ETSI TR 100 028-1 (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1".
- [i.4] ETSI TR 100 028-2 (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2".
- [i.5] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.6] Directive 2014/90/EU of the European Parliament and of the Council of 23 July 2014 on marine equipment and repealing Council Directive 96/98/EC.

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

non SOLAS: equipment not proscribed under the SOLAS Convention and not subject to the Marine Equipment Directive 2014/90/EU [i.6]

radar cross-section: cross-section determining the power density returned to the radar for a particular power density incident on a target

radar echo: signal reflected by a target to a radar antenna that appears in the radar video signal and radar image

3.2 Symbols

For the purposes of the present document, the following symbols apply:

B_{-40}	-40 dB bandwidth
P_m	Transmission mean power
P_t	Transmission pulse power
t	Time
t_p	Transmission pulse duration
t_r	Pulse rise time

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AC	Alternating Current
CISPR	Comité International Spécial des Perturbations Radioélectriques
CW	Carrier Wave
DC	Direct Current
EBL	Electronic Bearing Line
EFTA	European Free Trade Association
EN	European Norm
EUT	Equipment Under Test
FM	Frequency Modulation
FMCW	Frequency Modulated Carrier Wave
FTC	Fast Time Constant
IEC	International Electrotechnical Committee
ITU-R	International Telecommunications Union - Radiocommunications
LNA	Low Noise Amplifier
NM	Nautical Mile
OOB	Out Of Band
PEP	Peak Envelope Power
PRT	Pulse Repetition Time
RCS	Radar Cross-Section
RF	Radio Frequency
RJ	Rotary Joint
SOLAS	Safety Of Life At Sea
STC	Sensitivity Time Control
VRM	Variable Range Marker

STANDARD PREVIEW
(standards.iteh.ai)

4 Testing for compliance with technical requirements

<https://standards.iteh.ai/catalog/standards/sist/a7e85934-0744-4801-90ff-c71206dd3327/sist-en-302-248-v2-1-1-2017>

4.1 Environmental conditions for testing

4.1.0 General

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the manufacturer, but as a minimum, shall be that specified in the test conditions contained in the present document. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

4.1.1 Standard operating mode of the radar equipment

Unless otherwise stated the radar equipment shall be set to the standard operating mode which is understood to be as follows:

Operation state:	transmitting with antenna turning;
Antenna height:	15 m;
Pulse Width:	shortest;
TUNE setting:	optimal;
GAIN setting:	optimal;
STC setting:	off;
FTC setting:	off;

Range rings:	visible;
VRM:	visible;
EBL:	visible;
Brilliance of all attributes:	optimal (well readable).

5 General conditions of measurement

5.1 Test conditions, power sources and ambient temperatures

5.1.1 Normal test conditions

5.1.1.1 Normal temperature and humidity

The temperature and humidity conditions for tests shall be a combination of temperature and humidity within the following ranges:

- a) temperature: +15 °C to +35 °C; or within the manufacturers stated operating range and stated in the report;
- b) relative humidity: 20 % to 75 %.

When the relative humidity is lower than 20 %, it shall be stated in the test report.

5.1.1.2 Normal test power supply

5.1.1.2.0 General

For the purpose of the present document, the test power supply shall be the primary input source that the equipment is designed for. If the equipment is designed for direct connection to DC power supplies then that shall take precedent over a combination using an AC adaptor.

5.1.1.2.1 AC test power supply

The test voltage for equipment to be connected to an AC supply shall be the nominal mains voltage declared by the manufacturer -10 % to +10 %. For the purpose of the present document, the nominal voltage shall be the declared voltage or any of the declared voltages for which the equipment is indicated as having been designed. The frequency of the test voltage shall be within ± 1 Hz of the manufacturers declared specification.

5.1.1.2.2 DC test power supply

Where the equipment is designed to operate from a DC source, the normal test voltage shall be the nominal voltage as declared by the manufacturer -10 % to +20 %.

The internal impedance of the test power source shall be low enough for its effect on the test results to be negligible. For the purpose of testing the power source voltage shall be measured at the input terminals of the equipment.

During testing, the power source voltages shall be maintained within a tolerance of ± 3 % relative to the voltage level at the beginning of each test.