
**Intelligent transport systems — Use of
nomadic and portable devices to support
ITS service and multimedia provision in
vehicles**

*Systèmes intelligents de transport — Utilisation des dispositifs nomades
et portables pour la prise en charge des services ITS et des provisions
multimédia dans les véhicules*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/TR 10992:2011

<https://standards.iteh.ai/catalog/standards/sist/99771624-9c31-410d-8aff-412b3dc6c636/iso-tr-10992-2011>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/TR 10992:2011

<https://standards.iteh.ai/catalog/standards/sist/99771624-9c31-410d-8aff-412b3dc6c636/iso-tr-10992-2011>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Terms, definitions, and abbreviated terms	1
2.1 Terms and definitions	1
2.2 Abbreviated terms	2
3 Purpose of standardization	4
3.1 Communication media for nomadic and mobile devices	4
3.2 Vehicle communication network for nomadic & mobile devices	9
4 Nomadic and portable devices for ITS services	13
4.1 General	13
4.2 Service items	13
4.3 Standardization requirements	14
Bibliography	17

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/TR 10992:2011](https://standards.iteh.ai/catalog/standards/sist/99771624-9c31-410d-8aff-412b3dc6c636/iso-tr-10992-2011)

<https://standards.iteh.ai/catalog/standards/sist/99771624-9c31-410d-8aff-412b3dc6c636/iso-tr-10992-2011>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In exceptional circumstances, when a technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example), it may decide by a simple majority vote of its participating members to publish a Technical Report. A Technical Report is entirely informative in nature and does not have to be reviewed until the data it provides are considered to be no longer valid or useful.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TR 10992 was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*.

<https://standards.iteh.ai/catalog/standards/sist/99771624-9c31-410d-8aff-412b3dc6c636/iso-tr-10992-2011>

Introduction

International Standards on nomadic and portable devices for intelligent transport systems (ITS) services are designed to facilitate the development, promotion and standardization of the use of nomadic and portable devices to support ITS service provisions and multimedia use such as passenger information, automotive information, driver advisory and warning systems, and entertainment system interfaces to ITS service providers and motor vehicle communication networks. This Technical Report fosters the introduction of multimedia and telematics nomadic devices in the public transport and automotive world.

These International Standards are developed for the communications architecture and generic requirements to enable the connectivity between the vehicle and the infrastructure or other vehicles by using nomadic links within the vehicle (e.g. Bluetooth) and devices introduced into the vehicle (e.g. music players, PDAs etc.) including the provision of connectivity via mobile devices (2G/3G/Mobile Wireless Broadband etc.) to the infrastructure; the support of application services within the vehicle; and integration within the CALM architecture and in vehicle gateways.

Conceptual aspects of the road vehicle to ITS technology chain are illustrated in Figure 1.




Figure 1 — Road vehicle to ITS technology chain

Six different areas of competence are part of the technology chain.

— Road vehicle technology:

This competence is provided by the vehicle manufacturers and their electronic system suppliers. They design vehicle's domain network architecture and connected ECUs. The diagnostic communication data of each ECU might be documented according to ISO 22901, the ODX standard, or traditionally in office type documents. The vehicle manufacturer is obliged to provide the ECU's diagnostic communication data in a non-discriminatory form to any interested party.

— Vehicle interface technology:

This competence is provided by the diagnostic tool suppliers. The V-ITS-SG has a similar type of functionality compared to today's Vehicle Communication Interfaces (VCI). Many VCIs support a wireless interface to communicate with remote Human Machine Interface (HMI) devices e.g. Nomadic Devices.

— ITS Host Applications & Mobile Routing technology (Vehicle-ITS-Station):

This competence is provided by the IT application and communication companies.

— Short and Wide Range Communication technology:

This competence is provided by the IT communication companies.

— ITS Host Applications & Mobile Routing technology (Roadside-ITS-Station):

This competence is provided by the IT application and communication companies.

— ITS Back Office technology (Central-ITS-Station):

This competence is provided by the ITS service provider companies.

The vehicle interface technology connects the road vehicle technology with the ITS technology via the Vehicle Mobile Gateway (V-ITS-SG) protocol. The V-ITS-SG protocol provides a single solution access method via standardized XML vehicle data transfer services.

The V-ITS-SG provides vehicle manufacturer/V-ITS-SG supplier controlled access to vehicle data and functions. The ND (Vehicle Station) software applications have a similar functionality compared to an Internet browser.

Work on developing these International Standards includes the identification of existing International Standards for nomadic devices and existing vehicle communication network access International Standards.

- ISO 15031 defines emissions-related diagnostic data supported by vehicles in all countries requiring OBD compliance.
- ISO 27145 WWH-OBD defines diagnostic data (emissions-related systems, future safety related systems, etc.) to be supported by vehicles in all countries implementing the GTR (Global Technical Regulation) into their local legislation.
- ISO 22900-2 defines the Modular Vehicle Communication Interface (MVCI) D-PDU API to separate the protocol data unit (PDU) from the vehicle specific protocols.
- ISO 22901 defines the Open Diagnostic data eXchange (ODX) format which is an XML-based standard for describing diagnostic related ECU data. This International Standard is becoming the vehicle manufacturer's choice to document vehicle system diagnostic data and protocol information.

- ISO 22902 is a multimedia and telematics standard based on the AMI-C specification and reference documents for automotive industry. The important logical element of the architecture is a vehicle interface.
- ISO 22837 defines the reference architecture for probe vehicle systems and a basic data framework for probe data.
- ISO 29284 defines the standardization of information, communication and control systems in the field of urban and rural surface transportation, including intermodal and multimodal aspects thereof, traveller information, traffic management, public transport, commercial transport, emergency services and commercial services in the ITS field.
- SAE J2534 defines a standardized system for programming of ECUs in a vehicle.
- SAE J2735 defines the support of interoperability among DSRC applications through the use of standardized message sets, data frames and data elements.

The work also includes identifying further standardization requirements to support the provision of specific ITS services where provisions using nomadic devices have additional or different requirements than those for inbuilt communications media.

It also includes the provision of updating information from the passenger and the vehicle via nomadic devices to external service providers, and updating the nomadic device and/or the vehicle data systems, such as map updates, etc., and ensures that nomadic devices introduced into vehicles can be used safely to support ITS and multimedia services.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[ISO/TR 10992:2011](https://standards.iteh.ai/catalog/standards/sist/99771624-9c31-410d-8aff-412b3dc6c636/iso-tr-10992-2011)

<https://standards.iteh.ai/catalog/standards/sist/99771624-9c31-410d-8aff-412b3dc6c636/iso-tr-10992-2011>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/TR 10992:2011

<https://standards.iteh.ai/catalog/standards/sist/99771624-9c31-410d-8aff-412b3dc6c636/iso-tr-10992-2011>

Intelligent transport systems — Use of nomadic and portable devices to support ITS service and multimedia provision in vehicles

1 Scope

This Technical Report specifies the introduction of multimedia and telematics nomadic devices in the public transport and automotive world to support intelligent transport systems (ITS) service provisions and multimedia use such as passenger information, automotive information, driver advisory and warning systems, and entertainment system interfaces to ITS service providers and motor vehicle communication networks.

2 Terms, definitions, and abbreviated terms

2.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1.1

ALOHA

communication protocol developed at the University of Hawaii

NOTE Also known as ALOHAnet or the ALOHA system.

2.1.2

nomadic device

ND

device that provides communications connectivity via equipment such as cellular telephones, mobile wireless broadband (WIMAX, HC-SDMA etc.), Wi-Fi etc. and includes short range links, such as Bluetooth, Zigbee etc. to connect to the motor vehicle communications system network

2.1.3

STA

station

device that contains an IEEE 802.11 conformant medium access control (MAC) and physical layer (PHY) interface to the wireless medium (WM)

2.2 Abbreviated terms

ADSL	asymmetric digital subscriber line
AMI-C	Automotive Multimedia Information – Collaboration
CALM	communication access for land mobile
CAN	Controller Area Network
C-ITS-S	central - intelligent transport systems - station
ETC	electronic toll collection
DSRC	dedicated short range communication
DMB	digital multimedia broadcasting
D-PDU	diagnostic protocol data unit
DSRC	dedicated short range communication
DVB-H	Digital Video Broadcasting – Handheld
ECU	Electronic Control Unit
ETSI	European Telecommunications Standards Institute
FCP	Function Control Protocol
HC-SDMA	High Capacity Spatial Division Multiple Access
IDB	Intelligent Data Bus
IP	Internet Protocol
IR	Infra-red
ITS	intelligent transport systems
ITU-R	International Telecommunication Union Radio communication sector
LAN	Local Area Network
L2CAP	logical link control and adaptation protocol
M5	M5 Modem Remote Control Protocol
MAC	media access control
MM	Millimeter (Wave)
MOST	Media Oriented Systems Transport
MVCI	modular vehicle communication interface
ND	nomadic device
OBE	on-board equipment

ITeH STANDARD PREVIEW
(standards.iteh.ai)

ISO/TR 10992:2011

https://standards.iteh.ai/catalog/standards/sist/99771624-9c31-410d-8af6-412b3dc6c636/iso-tr-10992-2011

ODX	open diagnostic data exchange
OFDMA	Orthogonal Frequency-Division Multiple Access
OSGI	Open Services Gateway Initiative
OSI	open system interconnection
PDA	Personal Digital Assistant
PDU	Protocol Data Unit
P-ITS-S	personal - intelligent transport systems - station
PHY	physical layer of the OSI model
R-ITS-S	roadside - intelligent transport systems - station
RSE	roadside equipment
RSS	Really Simple Syndication
S-DMB	Satellite – Digital Multimedia Broadcasting
SWG	sub working group
TCP	transmission control protocol
TDD	time division duplex
T-DMB	Terrestrial – Digital Multimedia Broadcasting
TICS	transport information and control system
UDP	user datagram protocol
UDS	Unified Diagnostic Services
VEG	Vehicle Expert Group
V-ITS-SG	vehicle - intelligent transport systems - station gateway
WAVE	wireless access for vehicular environment
WiBro	Wireless Broadband
WiMax	Worldwide Interoperability for Microwave Access
WLAN	Wireless Local Area Network