



**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Digital Mobile Radio (DMR) Systems;
Part 4: DMR trunking protocol**

PREVIEW
iTech.com (http://www.it-easy.info)
https://standards.iteh.ai/catalog/standards/sist/b2aed85-
a276-4a28-bac5-5b8526d11122/etsi-102-361-4-v1.8.1-
2016-02

ReferenceRTS/ERM-TGDMR-327

Keywordsdata, digital, MS, radio, signalling, trunking

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	14
Foreword.....	14
Modal verbs terminology.....	14
1 Scope	15
2 References	15
2.1 Normative references	15
2.2 Informative references.....	16
3 Definitions, symbols and abbreviations	16
3.1 Definitions.....	16
3.2 Symbols.....	20
3.3 Abbreviations	20
4 Overview	22
4.0 Overview introduction.....	22
4.1 Protocol architecture.....	24
4.1.0 Protocol architecture - Introduction	24
4.1.1 Air Interface Physical Layer (layer 1).....	25
4.1.2 Air Interface Data Link Layer (layer 2)	25
4.1.3 Air Interface Call Control Layer (layer 3)	25
4.2 Services and Facilities	26
4.3 Device Addresses	27
4.3.1 MS Addresses	27
4.3.2 Services and Gateway Addresses.....	27
4.4 Conventional/Trunked Systems.....	27
4.5 MS Location.....	28
4.6 Tier III Services.....	28
4.6.0 Tier III Services - Introduction	28
4.6.1 MS initiating calls.....	28
4.6.2 MS receiving calls	29
4.6.2.0 MS receiving calls - Introduction	29
4.6.2.1 MS receiving individual calls.....	29
4.6.2.1.0 MS receiving individual calls - Introduction	29
4.6.2.1.1 Off Air Call Set-Up (OACSU)	29
4.6.2.1.2 Full Off Air Call Set-Up (FOACSU).....	29
4.6.2.2 MS receiving calls to talkgroups	29
4.6.2.3 MS receiving calls to All_MS.....	29
4.7 Physical Link Organization	30
4.7.0 Physical Link Organization - Introduction.....	30
4.7.1 Radio Frequency Allocation	30
4.7.2 Colour Code (CC).....	30
4.8 DMR TDMA burst and channel structure	30
4.9 TS Structure.....	32
4.9.0 Introduction to the TS Structure	32
4.9.1 An individual voice call example	32
4.9.1.1 Individual Call using OACSU.....	32
4.9.1.2 Individual Call using FOACSU	33
4.9.2 A talkgroup call example	34
4.10 Network architecture	36
4.10.0 Network architecture - Introduction.....	36
4.10.1 Network functions	36
4.10.1.0 Network functions - Introduction.....	36
4.10.1.1 Establishing service.....	36
4.10.1.2 Network Identifier.....	36
4.10.2 MS Location by Registration	36
4.11 Trunking methods.....	37
4.11.0 Trunking methods - Introduction	37

4.11.1	Message trunking.....	37
4.11.2	Transmission trunking	37
4.11.3	Quasi-Transmission trunking.....	37
5	Trunking Control Channel Formats	37
5.0	Trunking Control Channel Formats - Introduction.....	37
5.1	The use of the CACH.....	38
5.1.0	System Identity Code Structure	38
5.1.1	C_SYS_Parms and P_SYS Parms - System Identity Code Subset	38
5.1.2	C_SYS_Parms - Reg.....	38
5.1.3	C_SYS_Parms - Common_Slot_Counter	38
5.2	Tier III signalling.....	39
5.3	Modes of control channel	39
5.3.0	Control channel modes - Introduction	39
5.3.1	Dedicated TSCC	39
5.3.2	Non-Dedicated TSCC	40
5.3.3	Operation in shared spectrum	40
5.4	CSBK/MBC/UDT Block Structure	40
5.4.0	CSBK/MBC/UDT Block Structure - Introduction.....	40
5.4.1	CSBK/MBC/UDT PDUs on the TSCC outbound channel	40
5.4.2	CSBK/MBC/UDT PDUs on the TSCC inbound channel	42
5.4.3	CSBK/MBC PDUs on the Payload Channel Outbound channel	42
5.4.4	CSBK PDUs on the Payload Channel Inbound channel.....	43
6	Trunking Procedures	44
6.1	Basic Structure	44
6.1.1	Channel Structure	44
6.1.1.1	Fully Regulated Structure	44
6.1.1.2	Shared Channel Unregulated Structure	44
6.1.2	Physical Channel Addressing	44
6.1.3	Sub-Division of the MS population	45
6.2	Random Access Procedures	46
6.2.0	Random Access Procedures - Introduction	46
6.2.1	The Random Access Principle.....	46
6.2.1.0	Random Access Principle - Introduction.....	46
6.2.1.1	Random Access Control.....	46
6.2.1.1.0	Random Access Control - Introduction	46
6.2.1.1.1	Sub dividing the MS population.....	47
6.2.1.1.2	Checking the Service-Function	47
6.2.1.1.3	Withdrawing slots from Random-Access	48
6.2.1.1.4	TSCC responses to Random Access attempts	48
6.2.1.1.5	Noting the response delay.....	49
6.2.1.1.6	Random Backoff.....	49
6.2.1.1.7	Retry decision and time-outs	51
6.2.1.1.8	Random Access (non-emergency) SDL for an MS as defined in clause 6.2	52
6.2.1.1.9	Random Access (emergency) SDL for an MS as defined in clause 6.2	55
6.2.1.2	Action after receiving an acknowledgement	57
6.2.1.3	MS Arriving on a Control Channel	58
6.3	Control Channel Acquisition and Retention.....	58
6.3.0	Control Channel Acquisition and Retention - Introduction	58
6.3.1	MS Parameter Volatility	59
6.3.2	Control Channel Acquisition Procedures.....	60
6.3.2.0	Control Channel Acquisition Procedures - Introduction	60
6.3.2.1	Entry into TSCC Acquisition Procedures	60
6.3.2.2	Identifying a Candidate Control Channel.....	60
6.3.2.2.0	Identifying a Candidate Control Channel - Introduction	60
6.3.2.2.1	Checking the System Identity Code	61
6.3.2.2.2	TSCC Authorization Procedure	63
6.3.2.2.3	Checking the SYS_AREA information element	64
6.3.2.3	Confirmation - Monitoring the TSCC outbound channel signal quality	65
6.3.2.4	Reading the Colour Code	65
6.3.3	MS Leaving a Control Channel	66

6.3.3.1	Reasons for Leaving a Control Channel when active but idle	66
6.3.3.2	Leaving a Control Channel Whilst Waiting for Signalling	66
6.4	Registration, Power Save, and Authentication Procedures.....	66
6.4.0	Registration, Power Save, and Auth Procedures - Introduction.....	66
6.4.1	Registration.....	67
6.4.1.1	Introduction.....	67
6.4.1.2	The Principle.....	67
6.4.2	MS Parameter Volatility	68
6.4.3	Action on confirmation of a TSCC.....	69
6.4.4	Registration Procedures	69
6.4.4.0	Registration Procedures - Introduction.....	69
6.4.4.1	Registration by Random Access	69
6.4.4.1.0	Registration by Random Access - Introduction.....	69
6.4.4.1.1	Intermediate Acknowledgement.....	71
6.4.4.1.2	Registration accepted.....	71
6.4.4.1.3	Registration Refused	71
6.4.4.1.4	Registration Denied.....	71
6.4.4.1.5	Challenge and Response Authentication	71
6.4.4.1.6	Registration Attempt Times Out.....	72
6.4.4.1.7	Registration Demand Received During Random Access Registration.....	72
6.4.4.1.8	No answer response Received after the maximum number of random access attempts	72
6.4.4.1.9	Registration Action on Switch-on or equivalent.....	72
6.4.4.1.10	Registration scenario MSC.....	73
6.4.4.1.11	Registration with MS authentication	74
6.4.4.1.12	Acceptance of user initiated service requests.....	75
6.4.4.1.13	Talkgroup Subscription and Talkgroup Attachment.....	75
6.4.5	Mass re-registration	78
6.4.5.0	Mass re-registration - Introduction.....	78
6.4.5.1	Procedure for MS on receipt of Mass Re-registration Broadcast.....	79
6.4.6	De-registration	79
6.4.7	Power Save	80
6.4.7.1	Overview.....	80
6.4.7.2	Power Save Procedures	81
6.4.7.2.1	Basic Power Save Procedures.....	81
6.4.8	Authentication Procedures.....	82
6.4.8.0	Authentication Procedures - Introduction	82
6.4.8.1	Key Management	83
6.4.8.2	Authentication Procedures for the TSCC to authenticate an MS	83
6.4.8.3	Authentication Procedures for the MS	83
6.4.9	MS Stun/Revive.....	83
6.4.9.0	MS Stun/Revive - Introduction	83
6.4.9.1	MS Stun/Revive without authentication.....	84
6.4.9.1.0	MS Stun/Revive without authentication - Introduction	84
6.4.9.1.1	Stun / Revive procedures for the TSCC	84
6.4.9.1.2	Stun / Revive procedures for the MS.....	84
6.4.9.2	MS Stun/Revive with authentication.....	85
6.4.9.2.0	MS Stun/Revive with authentication - Introduction	85
6.4.9.2.1	Stun / Revive procedures with authentication for the TSCC	85
6.4.9.2.2	Stun / Revive procedures with authentication for the MS	86
6.4.10	MS Kill	86
6.4.10.0	MS Kill - Introduction.....	86
6.4.10.1	Kill procedures with authentication for the TSCC	87
6.4.10.2	Kill procedures with authentication for the MS	88
6.4.11	IP Connection Advice.....	89
6.4.11.0	IP Connection Advice - Introduction	89
6.4.11.1	IP Connection Advice procedures for the MS.....	89
6.4.11.1.0	IP Connection Advice procedures for the MS - Introduction.....	89
6.4.11.1.1	Registration Attempt Times Out.....	90
6.4.11.1.2	No answer response received after the maximum number of random access attempts	90
6.4.11.1.3	MS response to C_AHOY inviting the MS to send an IP address.....	90
6.4.11.1.4	Final acknowledgment to IP connection advice received by the calling MS	90
6.4.11.2	IP Connection Advice procedures for the TSCC	90

6.4.12	Unsolicited MS Radio Check.....	91
6.4.13	Supplementary_User Data Service	92
6.4.13.0	Supplementary_User Data Service - Introduction.....	92
6.4.13.1	Supplementary data Inbound Phase	92
6.4.13.2	Supplementary Data Outbound Phase.....	93
6.4.14	MS Power Control and PTT De-key.....	96
6.4.14.0	MS Power Control and PTT De-key - Introduction	96
6.4.14.1	Reverse Channel	96
6.4.14.2	Procedures for Power Control.....	96
6.4.14.3	Procedures for PTT De-key.....	97
6.4.15	Transmit Interrupt.....	97
6.4.15.1	TSCC Initiated Interrupt	97
6.4.15.2	Payload Interrupt Command	97
6.4.15.2.0	Payload Interrupt - Introduction	97
6.4.15.2.1	TSCC and TS Procedures for the Transmit Interrupt	98
6.4.15.2.2	MS Procedures for the Interrupting MS	99
6.4.15.2.3	MS Procedures for the MS being interrupted	99
6.4.15.3	Payload Interrupt Request	99
6.4.15.3.0	General	99
6.4.15.3.1	TSCC and TS Procedures for the Transmit Interrupt	100
6.4.15.3.2	MS Procedures for the Interrupting MS	100
6.4.15.3.3	MS Procedures for the MS being interrupted	101
6.5	Unified Data Transport Mechanism	101
6.5.0	Unified Data Transport Mechanism - Introduction.....	101
6.5.1	Format of the appended data.....	104
6.5.1.0	Format of the appended data - Introduction	104
6.5.1.1	UDT Block Structure	105
6.5.1.2	UDT Content for Services Carried on the Outbound channel.....	105
6.5.1.3	UDT Mechanism for the Inbound channel.....	106
6.6	Call procedures.....	107
6.6.0	Call procedures - Introduction	107
6.6.1	Procedures common to Voice calls and Packet Data Calls	109
6.6.1.1	MS Availability Checks	109
6.6.1.1.1	Availability of calling MS	109
6.6.1.1.2	Availability of called party as part of a call.....	109
6.6.1.1.3	General MS radio check	109
6.6.1.2	Call Cancellation.....	109
6.6.1.2.0	Call Cancellation - Introduction	109
6.6.1.2.1	Cancelling a OACSU Call.....	109
6.6.1.2.2	Cancelling a FOACSU Call.....	109
6.6.1.3	Acknowledgements sent to calling MS	110
6.6.1.4	Called Party Answering Mechanism	110
6.6.1.4.0	Called Party Answering Mechanism - Introduction	110
6.6.1.4.1	TSCC response to the Call Answer Random Access.....	111
6.6.1.4.2	Call Party Answer behaviour for the MS.....	112
6.6.1.5	Maintenance of call progress waiting timers.....	112
6.6.1.5.1	Call waiting timer for the calling MS	112
6.6.1.5.2	Call waiting timer for the called MS	113
6.6.1.6	Payload Channel Assignment to a Payload Channel.....	114
6.6.1.6.1	Payload Channel Assignment	114
6.6.1.6.2	Timing requirements for the allocation of a Payload Channel and PDUs that may be sent	114
6.6.1.7	Calls to ALLMSID, ALLMSIDL and ALLMSIDZ.....	115
6.6.2	Voice Call Procedures	116
6.6.2.0	Voice Call Procedures - Introduction	116
6.6.2.1	Voice Call Procedures for the TSCC	116
6.6.2.1.0	Voice Call Procedures for the TSCC - Introduction.....	116
6.6.2.1.1	TSCC Response to single-part voice call set-up.....	117
6.6.2.1.2	TSCC Response to multi-part voice call set-up.....	117
6.6.2.1.3	Acknowledgements sent by the TSCC to the calling MS (voice).....	118
6.6.2.1.4	Voice Radio Check.....	118
6.6.2.1.5	Availability Check for Voice Calls connected through Gateways	119
6.6.2.2	Voice Call Procedures for MS	119

6.6.2.2.0	Voice Call Procedures for MS - Introduction	119
6.6.2.2.1	Initiating a single-part voice call service	120
6.6.2.2.2	Response to the single-part voice service request.....	120
6.6.2.2.3	Response to the multi-part voice service request.....	121
6.6.2.2.4	Acknowledgements received by the calling MS (voice)	121
6.6.2.2.5	Availability Check to the called party (voice)	122
6.6.2.2.6	Payload Channel Allocation	122
6.6.2.2.7	Calling MS in single part voice call setup SDL.....	123
6.6.2.2.8	Call set-up MSC that also transfers supplementary_user data.....	126
6.6.2.3	Procedures for the Voice Payload Channel	126
6.6.2.3.0	Procedures for the Voice Payload Channel - Introduction	126
6.6.2.3.1	TS Procedures for the Voice Payload Channel.....	127
6.6.2.3.2	MS Procedures for the Voice Payload Channel.....	131
6.6.2.4	Late Entry.....	132
6.6.2.4.1	The Principle	132
6.6.2.4.2	The Call Timer	133
6.6.3	Packet Data Call Procedures	133
6.6.3.0	Packet Data Call Procedures - Introduction	133
6.6.3.1	Packet Data Call Procedures for the TSCC.....	133
6.6.3.1.0	Packet Data Call Procedures for the TSCC - Introduction	133
6.6.3.1.1	TSCC Response to single-part packet data call set-up	133
6.6.3.1.2	TSCC Response to multi-part packet data call setup.....	134
6.6.3.1.3	Acknowledgements sent on the TSCC to the calling MS (packet).....	134
6.6.3.1.4	Radio Check for packet data.....	135
6.6.3.1.5	Availability Check for Packet Calls connected through Gateways	135
6.6.3.2	Packet Data Call Procedures for MS	135
6.6.3.2.0	Packet Data Call Procedures for MS - Introduction	135
6.6.3.2.1	Initiating a single-part packet data call service.....	136
6.6.3.2.2	Response to the single-part packet data service request	136
6.6.3.2.3	Response to the multi-part packet data service request	137
6.6.3.2.4	Acknowledgements received by the calling MS (packet data).....	137
6.6.3.2.5	Availability Check to the called MS (packet data)	138
6.6.3.2.6	Payload Channel Allocation	138
6.6.3.3	Procedures for the Packet Data Payload Channel	138
6.6.3.3.0	Procedures for the Packet Data Payload Channel - Introduction.....	138
6.6.3.3.1	TS Procedures for the Packet Data Payload Channel	139
6.6.3.3.2	MS Procedures for the Packet Data Payload Channel	141
6.6.3.4	Application Data Over IP Bearer Service	142
6.6.3.4.0	Application Data Over IP Bearer Service - Introduction.....	142
6.6.3.4.1	Text Messaging	142
6.6.3.4.2	Location.....	142
6.6.4	Short Data Message Procedure	142
6.6.4.0	Short Data Message Procedure - Introduction.....	142
6.6.4.1	Short Data Procedures for the TSCC	144
6.6.4.1.0	Short Data Procedures for the TSCC - Introduction.....	144
6.6.4.1.1	TSCC Response to a call to an individual MS or talkgroup (upload phase).....	145
6.6.4.1.2	TSCC Response to a call to an extended_address destination (upload phase)	145
6.6.4.1.3	Availability Check to the called MS (UDT short data)	146
6.6.4.1.4	Sending the Short Data to the Called Party (download phase).....	146
6.6.4.1.5	Final acknowledgement to the calling party	146
6.6.4.2	Short Data Message procedures for MS	146
6.6.4.3	Initiating a Short Data Message service	147
6.6.4.4	Response to a random access UDT short data message call service	147
6.6.4.5	Acknowledgements received by the calling MS	148
6.6.4.6	Timeout waiting for further signalling	148
6.6.4.7	MS receiving a UDT short data message	148
6.6.4.8	Short Data Message procedure MSC	149
6.6.5	Short Data Polling Service.....	150
6.6.5.0	Short Data Polling Service - Introduction	150
6.6.5.1	Short Data Polling Procedures for the TSCC	151
6.6.5.1.0	Short Data Polling Procedures for the TSCC - Introduction	151
6.6.5.1.1	TSCC Response to a poll request from an MS	151

6.6.5.1.2	Availability Check to the called MS (UDT short data poll)	152
6.6.5.1.3	Delivery of the polled data to the calling party	152
6.6.5.1.4	Final acknowledgement by the calling party to the TSCC	152
6.6.5.1.5	Short Data Polling procedures from a TSCC gateway	152
6.6.5.2	Short Data Polling Message procedures for MS	152
6.6.5.3	Initiating a Short Data Polling service	153
6.6.5.4	Response to a random access UDT short data polling message	153
6.6.5.5	Final Acknowledgement transmitted by the calling MS	153
6.6.5.6	Timeout waiting for further signalling	153
6.6.5.7	MS receiving a C_AHOY poll for a short polling message	153
6.6.6	Status Call Service	154
6.6.6.0	Status Call Service - Introduction	154
6.6.6.1	Status Service Delivery Procedure	154
6.6.6.1.0	Status Service Delivery Procedure - Introduction	154
6.6.6.1.1	Status Service Delivery Procedures for the TSCC	155
6.6.6.1.2	Status Service Delivery Procedures for MS	157
6.6.6.2	Status Polling Service Procedure	159
6.6.6.2.0	Status Polling Service Procedure - Introduction	159
6.6.6.2.1	Status Service Polling Procedures for the TSCC	160
6.6.6.2.2	Status Polling Service Procedures for MS	161
6.6.6.3	Defined Status Values for Status Call Service	163
6.6.6.3.1	Emergency Alarm	163
6.6.7	Call Diversion	163
6.6.7.1	Call Diversion Service	163
6.6.7.1.0	Call Diversion Service - Introduction	163
6.6.7.1.1	TSCC Procedures for the Call Diversion Service	164
6.6.7.1.2	MS Procedures for the Call Diversion Service	166
6.6.7.2	Diverting Calls	168
6.6.8	Dynamic Group Numbering Assignment Service	170
6.6.8.0	Dynamic Group Numbering Assignment Service - Introduction	170
6.6.8.1	Rules for the allocation of Dynamic Group Addresses	171
6.6.8.1.0	Allocation Rules - Introduction	171
6.6.8.1.1	DGNA_Address Mode	171
6.6.8.1.2	DGNA_Alias Mode	172
6.6.8.2	Dynamic Group Numbering Assignment Procedures for the TSCC	173
6.6.8.2.0	Dynamic Group Numbering Assignment Procedures for the TSCC - Introduction	173
6.6.8.2.1	TSCC Response to a call to an individual MS or talkgroup	173
6.6.8.2.2	UDT Outbound phase	173
6.6.8.2.3	Final acknowledgement to the calling party	174
6.6.8.3	Dynamic Group Numbering Assignment procedures for MS	174
6.6.8.3.0	DGNA Procedures for MS - Introduction	174
6.6.8.3.1	Initiating a Dynamic Group Numbering service	175
6.6.8.3.2	Response to a random access UDT Dynamic Group Numbering service	175
6.6.8.3.3	MS Response to the TSCC AHOY for the UDT Inbound	175
6.6.8.3.4	Acknowledgements received by the calling MS	176
6.6.8.3.5	Timeout waiting for further signalling	177
6.6.8.3.6	MS receiving a UDT Dynamic Group Numbering PDU	177
6.6.9	Full-Duplex MS to MS Voice Call Procedures	177
6.6.9.0	Full-Duplex MS to MS Voice Call Procedures - Introduction	177
6.6.9.1	Full-Duplex MS to MS Voice Call Procedures for the TSCC	177
6.6.9.1.0	Full-Duplex MS to MS Voice Call Procedures for the TSCC - Introduction	177
6.6.9.1.1	TSCC Response to single-part voice call set-up	177
6.6.9.1.2	TSCC Response to multi-part voice call set-up	178
6.6.9.1.3	Acknowledgements sent by the TSCC to the calling MS (voice)	178
6.6.9.1.4	Voice Radio Check	178
6.6.9.2	Full-Duplex MS to MS Voice Call Procedures for MS	178
6.6.9.2.0	Full-Duplex MS to MS Voice Call Procedures for MS - Introduction	178
6.6.9.2.1	Initiating a single-part voice call service	179
6.6.9.2.2	Response to the single-part voice service request	179
6.6.9.2.3	Response to the multi-part voice service request	179
6.6.9.2.4	Acknowledgements received by the calling MS (voice)	180
6.6.9.2.5	Availability Check to the called party (voice)	180

6.6.9.2.6	Payload Channel Allocation	181
6.6.9.2.7	Calling MS in single part voice call setup SDL.....	181
6.6.9.2.8	Call set-up MSC that also transfers supplementary_user data.....	181
6.6.9.3	Timing requirements for the allocation of a Payload Channel.....	181
6.6.9.4	Procedures for the Voice Payload Channel.....	181
6.6.9.4.0	Procedures for the Voice Payload Channel - Introduction	181
6.6.9.4.1	TS Procedures for the Voice Payload Channel.....	181
6.6.9.4.2	MS Procedures for the Voice Payload Channel.....	182
6.6.10	Full-Duplex MS to MS Packet Data Call Procedures.....	182
6.6.10.0	Full-Duplex MS to MS Packet Data Call Procedures - Introduction	182
6.6.10.1	Full-Duplex MS to MS Packet Data Call Procedures for the TSCC.....	182
6.6.10.1.0	Full-Duplex MS to MS Packet Data Call Procedures for the TSCC - Introduction	182
6.6.10.1.1	TSCC Response to single-part packet call set-up.....	182
6.6.10.1.2	TSCC Response to multi-part packet call setup	182
6.6.10.1.3	Acknowledgements sent on the TSCC to the calling MS (packet).....	182
6.6.10.1.4	Radio Check for packet data.....	182
6.6.10.2	Full-Duplex MS to MS Packet Data Call Procedures for MS.....	183
6.6.10.2.0	Full-Duplex MS to MS Packet Data Call Procedures for MS - Introduction	183
6.6.10.2.1	Initiating a single-part packet data call service.....	183
6.6.10.2.2	Response to the single-part packet service request.....	184
6.6.10.2.3	Response to the multi-part packet data service request	184
6.6.10.2.4	Acknowledgements received by the calling MS (packet data).....	184
6.6.10.2.5	Availability Check to the called MS (packet data)	184
6.6.10.2.6	Payload Channel Allocation	185
6.6.10.3	Procedures for the Packet Data Payload Channel.....	185
6.6.10.3.0	Procedures for the Packet Data Payload Channel - Introduction.....	185
6.6.10.3.1	TS Procedures for the Packet Data Payload Channel.....	185
6.6.10.3.2	MS Procedures for the Packet Data Payload Channel.....	185
6.7	System Management Procedures.....	185
6.7.1	Network System Announcements.....	185
6.7.1.0	Network System Announcements - Introduction.....	185
6.7.1.1	Announce/Withdraw TSCC	186
6.7.1.2	Specify Call Timer parameters.....	186
6.7.1.3	Vote now advice.....	186
6.7.1.4	Announce Local Time.....	187
6.7.1.5	Mass Registration.....	187
6.7.1.6	Announce a logical physical channel relationship	188
6.7.1.7	Adjacent Site Information	188
7	PDU description.....	188
7.0	PDU description - Introduction	188
7.1	Layer 3 PDUs.....	188
7.1.0	Layer 3 PDUs - Introduction.....	188
7.1.1	Control Signalling Block (CSBK/MBC/UDT) PDUs.....	189
7.1.1.0	Control Signalling Block (CSBK/MBC/UDT) PDUs - Introduction.....	189
7.1.1.1	TSCC Outbound channel CSBK/MBC/UDT.....	193
7.1.1.1.1	Channel Grant CSBK/MBC PDU	193
7.1.1.1.2	Channel Grant Absolute Parameters (CG_AP) appended MBC PDU	202
7.1.1.1.3	Move TSCC (C_MOVE) CSBK/MBC PDU.....	203
7.1.1.1.4	Aloha (C_ALOHA) CSBK PDU.....	204
7.1.1.1.5	Announcements (C_BCAST) CSBK/MBC PDU.....	205
7.1.1.1.6	Ahoy (AHOY) CSBK PDU.....	207
7.1.1.1.7	Acknowledgement (C_ACKD) TSCC Response CSBK PDU.....	208
7.1.1.1.8	Unified Data Transport Outbound Header (C_UDTHD) UDT PDU	209
7.1.1.2	TSCC Inbound channel CSBKs/UDTs transmitted by MS.....	210
7.1.1.2.1	Random Access Request (C_RAND) PDU	210
7.1.1.2.2	C_Ackvitation (C_ACKVIT) CSBK PDU	211
7.1.1.2.3	C_Acknowledge (C_ACKU) MS Response CSBK PDU	212
7.1.1.2.4	Unified Data Transport Inbound channel Header (C_UDTHU) UDT PDU.....	213
7.1.1.3	Outbound channel CSBKs transmitted on a Payload Channel by a TS	214
7.1.1.3.1	Channel Grant (P_GRANT) CSBK/MBC PDU.....	214
7.1.1.3.2	Clear (P_CLEAR) CSBK PDU	215

7.1.1.3.3	Protect (P_PROTECT) CSBK PDU	216
7.1.1.3.4	Ahoy (P_AHOY) CSBK PDU	217
7.1.1.3.5	P_Acknowledgement response.....	217
7.1.1.4	Inbound channel CSBKs transmitted on a Payload Channel by MS(s).....	218
7.1.1.4.1	Random Access Request PDU	218
7.1.1.4.2	P_ACK Acknowledgements.....	218
7.1.1.4.3	P_MAINT Maintenance PDUs.....	219
7.1.2	Short Link Control PDUs	219
7.1.2.1	Control Channel System Parameters.....	219
7.1.2.2	Payload Channel System Parameters	220
7.2	Layer 3 information element coding	220
7.2.0	Layer 3 information element coding - Introduction.....	220
7.2.1	Mask	220
7.2.2	Service Function	221
7.2.3	NRand_Wait	221
7.2.4	Reg	221
7.2.5	Backoff	222
7.2.6	System Identity Code.....	222
7.2.7	Response_Info	222
7.2.8	Reason	223
7.2.8.0	Reason - Introduction.....	223
7.2.8.1	Acknowledgements C_ACK.....	223
7.2.8.2	Acknowledgements C_NACK.....	224
7.2.8.3	Acknowledgements C_QACK, C_WACK.....	227
7.2.9	Digits	228
7.2.10	Active_Connection	228
7.2.11	HI_RATE.....	228
7.2.12	Service_Kind	229
7.2.12.0	Service_Kind - Introduction.....	229
7.2.12.1	Service_Kind_Flag.....	229
7.2.12.2	UDT_Option_Flag	230
7.2.13	Service_Options.....	231
7.2.13.0	Service Options - Introduction.....	231
7.2.13.1	Service_Options for a Voice Service Request.....	231
7.2.13.2	Service_Options for a Packet Data Service Request.....	231
7.2.13.3	Service_Options for a Call Diversion Service Request.....	232
7.2.13.4	Service_Options for a Registration Service Request.....	232
7.2.13.5	Service_Options for an Include Call Service Request	233
7.2.13.6	Service_Options for a Status Transport Request.....	233
7.2.13.7	Service_Options for the Short Data Service.....	233
7.2.13.8	Service Options for the Supplementary Data Service	234
7.2.13.9	Service Options for a Short Data Polling Request	234
7.2.14	Service_Options_Mirror	234
7.2.14.0	Service_Options_Mirror - Introduction.....	234
7.2.14.1	Service_Options_Mirror for MS Authentication.....	234
7.2.14.2	Service_Options_Mirror for MS Stun/Revive.....	235
7.2.14.3	Service_Options_Mirror for MS Kill.....	235
7.2.15	Proxy Flag.....	235
7.2.16	POL_FMT.....	236
7.2.17	Appended_Block	236
7.2.18	Opcode.....	236
7.2.19	Announcement type	237
7.2.19.0	Announcement type - Introduction	237
7.2.19.1	Announce/Withdraw TSCC (Ann-WD_TSCC).....	237
7.2.19.2	Specify Call Timer Parameters (CallTimer_Parms).....	238
7.2.19.3	Vote Now Advice (Vote_Now).....	238
7.2.19.3.0	Vote Now - Introduction.....	238
7.2.19.3.1	Vote Now Absolute Parameters (VN_AP) appended MBC PDU	238
7.2.19.4	Broadcast Local Time (Local_Time)	239
7.2.19.4.0	Broadcast Local Time - Introduction.....	239
7.2.19.4.1	Broadcast Local Time - Month (B_MONTH).....	240
7.2.19.4.2	Broadcast Local Time - Day of Week (DAYSOFF_WEEK)	240

7.2.19.5	Broadcast Mass Registration (MassReg)	240
7.2.19.5.0	Broadcast Mass Registration - Introduction	240
7.2.19.5.1	Reg_Window	241
7.2.19.6	Broadcast Adjacent Site information	241
7.2.19.7	CdefParms absolute frequency relationship	241
7.2.20	Individual/Group (IG).....	242
7.2.21	Protect_Kind	242
7.2.22	Maint_Kind.....	242
7.2.23	Response expected (A)	242
7.2.24	Format.....	243
7.2.25	Service Access Point (SAP).....	243
7.2.26	Pad Nibble (PN).....	244
7.2.27	UDT Format.....	244
7.2.28	Offset	244
7.2.29	Protect Flag (PF).....	244
7.2.30	Privacy	245
7.2.31	STATUS	245
7.2.32	Version.....	245
7.2.33	Target Address Contents.....	245
7.2.34	Payload Channel Type	246
7.2.35	Site Time Slot Synchronization	246
7.2.36	One Key format flag (OK).....	246
7.2.37	Single Item Multi-Item(SIMI) data.....	246
Annex A (normative): Timers, constants levels and addresses.....		247
A.0	Timers, constants levels and addresses - Introduction	247
A.1	Layer 3 timers.....	247
A.2	Layer 3 constants.....	249
A.3	Layer 3 levels	249
A.4	Tier III Gateways/Identifiers	250
Annex B (normative): Opcode Reference Lists.....		251
B.1	CSBK/MBC/UDT Opcode List.....	251
B.2	Short Link Control Opcode List.....	252
B.3	Appended Data Information Elements	252
B.3.0	Appended Data Information Elements - Introduction	252
B.3.1	Appended Data Binary Format.....	252
B.3.2	Appended Data Addressing Format	254
B.3.3	Appended Data BCD Format	255
B.3.4	Appended Data ISO 7 bit character set Format	257
B.3.5	Appended Data ISO 8 bit Character Format.....	259
B.3.6	Appended Data NMEA (IEC 61162-1) format	261
B.3.6.0	Appended Data NMEA - Introduction.....	261
B.3.6.1	Short NMEA (IEC 61162-1) format	261
B.3.6.2	Long NMEA (IEC 61162-1) format specified	262
B.3.6.3	Long NMEA (IEC 61162-1) format unspecified	262
B.3.7	UDT DMR IP format	263
B.3.8	Appended Data Unicode 16 bit UTF-16BE Character Format.....	264
B.3.9	Appended Data Mixed Format	265
Annex C (informative): Physical Channel Plan.....		268
C.1	Transmission and Reception	268
C.1.1	RF carriers	268
C.1.1.1	Nominal carriers frequencies	268
C.1.1.2	Fixed Channel Plan.....	268
C.1.1.3	Flexible Channel Plan.....	270

C.1.1.4	Determination of Transmitter and Receiver frequency from CdefParms	270
Annex D (informative): Control Channel Hunting Procedures		271
D.1	Control Channel Hunting Procedures.....	271
D.1.0	Introduction	271
D.1.1	Resuming a TSCC hunt channel.....	273
D.1.2	Commanded TSCC hunt channel	273
D.1.2.1	Conditions to enter a Commanded TSCC hunt.....	273
D.1.2.2	Nominated Channel for the Single Channel Hunt.....	273
D.1.2.3	Short Hunt Sequence	274
D.1.2.3.0	Short Hunt Sequence - Introduction.....	274
D.1.2.3.1	Conditions to enter a Short Channel Hunt.....	274
D.1.2.4	Comprehensive Hunt Sequence	274
D.1.2.4.0	Comprehensive Hunt Sequence - Introduction.....	274
D.1.2.4.1	Conditions to enter a Comprehensive Channel Hunt	274
D.1.2.5	Receiver Sensitivity During Control Channel Acquisition	275
Annex E (informative): Fleet numbering and dialling plan		276
E.1	Introduction	276
E.2	Subscriber mapping.....	277
E.2.0	Subscriber mapping - Introduction.....	277
E.2.1	User Interface - Air Interface	277
E.3	Numbering Plan.....	278
E.3.0	Numbering Plan - Introduction.....	278
E.3.1	Definition of User Number and Address	279
E.3.1.0	User Number - Introduction.....	279
E.3.1.1	Definition of Air Interface User Address.....	279
E.3.1.2	Relationship between NAI and Air Interface MS Address	280
E.3.1.3	Individual Number	280
E.3.1.3.1	Short Subscriber Identity (SSI)	280
E.3.1.3.2	Fleet Individual Identity	280
E.3.1.3.3	Algorithm to convert an Individual Number to an AI Address	280
E.3.1.4	Group Number	280
E.3.1.4.1	Group Identity	280
E.3.1.4.2	Fleet Group Identity	281
E.3.1.4.3	Algorithm to convert a Group Number to an AI Address	281
E.3.2	Dispatcher.....	281
E.3.3	Short Dispatcher Dialling.....	281
E.3.4	All Call Dialed Strings	282
E.3.4.0	All Call Dialed Strings Introduction.....	282
E.3.4.1	Dialed Strings for Local All Calls	282
E.3.4.2	Dialed Strings used to address all MS in a subset of the system's radio sites as a talkgroup.....	282
E.3.4.3	Dialed Strings used to address all MS in the System as a talkgroup	283
E.3.5	Call Modifiers	283
E.3.6	Dialed Function Strings.....	284
E.3.7	Calls to Line Connected Destinations	284
E.3.7.1	Calls to the PABX and PSTN	284
E.3.7.1.0	Calls to the PABX and PSTN - Introduction	284
E.3.7.1.1	Calls to the PSTN.....	284
E.3.7.1.2	Calls to the PABX.....	284
Annex F (informative): Use of MSC and SDL diagrams.....		285
F.1	Introduction	285
F.2	Principle	285
F.3	Notation.....	285

Annex G (informative):	Bibliography.....	286
History		287

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/bf2aed85-a276-4a28-bac5-5b8526d1c672/etsi-ts-102-361-4-v1.8.1-2016-02>