



**Ground-based UHF radio transmitters,  
receivers and transceivers for the UHF  
aeronautical mobile service using amplitude modulation;  
Part 2: Harmonised Standard covering the essential  
requirements of article 3.2 of the Directive 2014/53/EU**

REDACTED  
<https://standards.itea.eu/FullCatalogue/2015-08-12/41da-a811-0431c6592b>

---

Reference

REN/ERM-JTFAEA-18

---

Keywords

aeronautical, AM, DSB, radio, testing, UHF

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD (Standards) Review  
Full standard:  
<http://www.etsi.org/standards-search>

---

**Important notice**

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.

**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

## Contents

Intellectual Property Rights .....	5
Foreword.....	5
Modal verbs terminology.....	5
Executive summary .....	6
1    Scope .....	7
2    References .....	7
2.1    Normative references .....	7
2.2    Informative references.....	7
3    Definitions and abbreviations.....	8
3.1    Definitions.....	8
3.2    Abbreviations .....	8
4    Technical requirements specifications .....	8
4.1    Environmental profile.....	8
4.2    Conformance requirements .....	8
4.2.1    Transmitter requirements.....	8
4.2.1.0    Applicability.....	8
4.2.1.1    Frequency error .....	9
4.2.1.2    Carrier power (conducted) .....	9
4.2.1.3    Adjacent channel power .....	9
4.2.1.4    Conducted spurious emissions .....	9
4.2.1.5    Intermodulation attenuation .....	9
4.2.1.6    Keying transient frequency behaviour .....	9
4.2.1.7    Cabinet Radiation.....	9
4.2.2    Receiver requirements .....	9
4.2.2.1    General .....	9
4.2.2.2    Sensitivity .....	10
4.2.2.3    Adjacent channel rejection .....	10
4.2.2.4    Spurious response rejection.....	10
4.2.2.5    Intermodulation response rejection .....	10
4.2.2.6    Blocking or desensitization .....	10
4.2.2.7    Conducted spurious emissions .....	10
4.2.2.8    Cross modulation rejection .....	10
4.2.2.9    Cabinet radiation .....	10
5    Testing for compliance with technical requirements.....	10
5.1    Environmental conditions for testing .....	10
5.2    Interpretation of the measurement results .....	11
5.3    Radio test suites.....	11
5.3.1    Transmitter test specifications .....	11
5.3.1.1    Frequency error .....	11
5.3.1.2    Carrier power (conducted) .....	12
5.3.1.3    Adjacent channel power .....	12
5.3.1.4    Conducted spurious emissions .....	12
5.3.1.5    Intermodulation attenuation .....	12
5.3.1.6    Keying transient frequency behaviour .....	12
5.3.1.7    Cabinet Radiation.....	12
5.3.2    Receiver test specifications.....	12
5.3.2.1    Sensitivity .....	12
5.3.2.2    Adjacent channel rejection .....	12
5.3.2.3    Spurious response rejection.....	12
5.3.2.4    Intermodulation response rejection .....	12
5.3.2.5    Blocking or desensitization .....	12
5.3.2.6    Conducted spurious emissions .....	12
5.3.2.7    Cross modulation rejection .....	12
5.3.2.8    Cabinet Radiation.....	12

<b>Annex A (normative):</b>	<b>Relationship between the present document and the essential requirements of Directive 2014/53/EU.....</b>	<b>13</b>
History .....	.....	15

iTeh STANDARD PREVIEW  
(Standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/b8f34366-2a85-41da-a811-0433ce6592b/etsi-en-302-617-2-v2.1.1-2015-12>

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Foreword

This draft Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document has been prepared to provide a means of conforming to the essential requirements of Directive 2014/53/EU [i.2] of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.

**NOTE:** The corresponding Commission's standardisation request is expected shortly.

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

The present document is part 2 of a multi-part deliverable covering Ground-based UHF radio transmitters, receivers and transceivers for the UHF aeronautical mobile service using amplitude modulation, as identified below:

**Part 1:** "Technical characteristics and methods of measurement";

**Part 2:** "**Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU**".

<b>Proposed national transposition dates</b>	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are NOT allowed in ETSI deliverables except when used in direct citation.

---

## Executive summary

The present document covers the essential requirements for efficient use of radio spectrum by DSB AM ground base stations, with channel separations of 25 kHz intended for analogue speech. The present document includes necessary changes due to adaption to the new Radio Equipment Directive.

iTeh STANDARD PREVIEW  
(Standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/b834366-2a85-41da-a811-0433ce6592b/etsi-en-302-617-2-v2.1.1-2015-12>

# 1 Scope

The present document applies to ground based transmitters, receivers and transceivers. These radio equipment types are capable of operating in all or any part of the aeronautical frequency band between 225 MHz and 399,975 MHz.

The present document contains requirements to demonstrate that "... *Radio equipment shall be so constructed that it both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference*" [i.2].

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the RE Directive [i.2] as well as essential requirements under the Single European Sky Interoperability Regulation (as amended) [i.3] and related implementing rules and/or essential requirements under the EASA basic regulation 216/2008 [i.5] may apply to equipment within the scope of the present document.

# 2 References

## 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 302 617-1 (V1.1.1) (01-2009): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Ground-based UHF radio transmitters, receivers and transceivers for the UHF aeronautical mobile service using amplitude modulation; Part 1: Technical characteristics and methods of measurement".
- [2] ETSI EN 300 113-1 (V1.6.2) (11-2009): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Land mobile service; Radio equipment intended for the transmission of data (and/or speech) using constant or non-constant envelope modulation and having an antenna connector; Part 1: Technical characteristics and methods of measurement".

## 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI TR 100 028 (all parts) (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [i.2] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.3] Regulation (EC) 552/2004 of the European Parliament and Council of 10 March 2004 on the interoperability of the European Air Traffic Management network (the interoperability Regulation), OJEU L96, 31.03.2004, p. 26-42 as amended by Regulation (EC) 1070/2009 of the European Parliament and of the Council of 21 October 2009, OJEU L300/34, 14/11/2009.

- [i.4] ETSI TR 100 028-2 (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2".
- [i.5] Regulation (EC) 216/2008 of the European Parliament and of the Council of 20 February 2008 on common rules in the field of civil aviation and establishing a European Aviation Safety Agency, and repealing Council Directive 91/670/EEC, Regulation (EC) No 1592/2002 and Directive 2004/36/EC.

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in the RE Directive [i.2] and the following apply:

**aeronautical mobile service:** mobile service between aeronautical stations and aircraft stations, or between aircraft stations, in which survival craft stations may participate

**conducted measurements:** measurements which are made using a direct RF connection to the equipment under test

**environmental profile:** range of environmental conditions under which equipment within the scope of the present document is required to comply with the provisions of the present document

**ground base station:** aeronautical station equipment, in the aeronautical mobile service, for use with an external antenna and intended for use at a fixed location

**radiated measurements:** measurements which involve the measurement of a radiated field

### 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AM	Amplitude Modulation
DSB	Double Side Band
EASA	European Aviation Safety Agency
EFTA	European Free Trade Association
RE	Radio Equipment
RF	Radio Frequency
UHF	Ultra High Frequency

## 4 Technical requirements specifications

### 4.1 Environmental profile

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the supplier, but as a minimum, shall be that specified in the test conditions contained in the present document. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

### 4.2 Conformance requirements

#### 4.2.1 Transmitter requirements

##### 4.2.1.0 Applicability

All technical requirements in clause 4.2.1 shall only be applicable to transmitter equipment (including transceiver equipment).

#### 4.2.1.1 Frequency error

The frequency error as defined in clause 7.2 of ETSI EN 302 617-1 [1] shall not exceed the values shown in table 1 of ETSI EN 302 617-1 [1].

The conformance test shall be as given in clause 5.3.1.1.

#### 4.2.1.2 Carrier power (conducted)

The carrier power as defined in clause 7.3.1 of ETSI EN 302 617-1 [1] shall conform to the requirements in clause 7.3.3 of ETSI EN 302 617-1 [1].

The conformance test shall be as given in clause 5.3.1.2.

#### 4.2.1.3 Adjacent channel power

Adjacent channel power as defined in clause 7.5.1 of ETSI EN 302 617-1 [1] shall conform to the requirements in clause 7.5.3 of ETSI EN 302 617-1 [1].

The conformance test shall be as given in clause 5.3.1.3.

#### 4.2.1.4 Conducted spurious emissions

Conducted spurious emissions as defined in clause 7.7.1 of ETSI EN 302 617-1 [1] shall conform to the limits in clause 7.7.3, table 3 of ETSI EN 302 617-1 [1].

The conformance test shall be as given in clause 5.3.1.4.

#### 4.2.1.5 Intermodulation attenuation

Intermodulation attenuation as defined in clause 7.8.1 of ETSI EN 302 617-1 [1] shall conform to the limits in clause 7.8.3 of ETSI EN 302 617-1 [1].

This requirement shall not apply to ground mobile and hand held radio.

The conformance test shall be as given in clause 5.3.1.5.

#### 4.2.1.6 Keying transient frequency behaviour

Keying transient frequency behaviour as defined in clause 7.10.1 of ETSI EN 302 617-1 [1] shall conform to the limits in clause 7.10.3 of ETSI EN 302 617-1 [1].

This requirement shall not apply to ground mobile and hand held radio.

The conformance test shall be as given in clause 5.3.1.6.

#### 4.2.1.7 Cabinet Radiation

Cabinet radiation as defined in clause 7.12 of ETSI EN 302 617-1 [1] shall conform to the limits in clause 7.5.4 of ETSI EN 300 113-1 [2].

The conformance test shall be as given in clause 5.3.1.7.

### 4.2.2 Receiver requirements

#### 4.2.2.1 General

The aspects and parameters in clause 4.2.2 shall be considered essential to ensure immediate and successful ground to air communication. Inadequate performance in any of these aspects may lead to retransmission with consequential inefficient use of the spectrum.

All technical requirements in clause 4.2.2 shall only be applicable to receiver equipment (including transceiver equipment).