

SLOVENSKI STANDARD
SIST ETS 300 392-3-5 E1:2003

01-december-2003

Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 3. del: Medsebojno delovanje na medsistemskega vmesnika (ISI) - 5. poddel: Dodatna omrežna funkcija: upravljanje mobilnosti (ANF-ISIMM)

Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 3: Interworking at the Inter-System Interface (ISI); Sub-part 5: Additional Network Feature for Mobility Management (ANF-ISIMM)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 392-3-5 E1:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/fb585ec6-8f6d-4f65-8cf3-e5edbe9f14af/sist-ets-300-392-3-5-e1-2003>

Ta slovenski standard je istoveten z: ETS 300 392-3-5 Edition 1

ICS:

| | | |
|-----------|------------------------------------|--------------------------------------|
| 33.070.10 | Prizemni snopovni radio (TETRA) | Terrestrial Trunked Radio (TETRA) |
|-----------|------------------------------------|--------------------------------------|

SIST ETS 300 392-3-5 E1:2003 **en**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST ETS 300 392-3-5 E1:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/fb585ec6-8f6d-4f65-8cf3-e5edbe9f14af/sist-ets-300-392-3-5-e1-2003>



EUROPEAN TELECOMMUNICATION STANDARD

ETS 300 392-3-5

January 2000

Source: TETRA

Reference: DE/TETRA-03001-03-5

ICS: 33.020

Key words: radio, interworking, management, mobility, TETRA, V+D

iTeh STANDARD PREVIEW
**Terrestrial Trunked Radio (TETRA);
 Voice plus Data (V+D);
 (standards.iteh.ai)**

**Part 3: Interworking at the Inter-System Interface (ISI);
 Sub-part 5: Additional Network Feature for Mobility Management
 (ANF-ISIMM)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE
Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE
Internet: secretariat@etsi.fr - <http://www.etsi.org>

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000. All rights reserved.

Page 2

ETS 300 392-3-5: January 2000

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 392-3-5 E1:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/fb585ec6-8f6d-4f65-8cf3-e5edbe9f14af/sist-ets-300-392-3-5-e1-2003>

Contents

| | |
|--|----|
| Foreword..... | 15 |
| 1 Scope | 17 |
| 2 References | 18 |
| 3 Definitions and abbreviations | 19 |
| 3.1 Definitions | 19 |
| 3.2 Abbreviations | 21 |
| 4 Overview..... | 22 |
| 4.1 General | 22 |
| 4.2 Applicability | 22 |
| 4.2.1 Entities..... | 22 |
| 4.2.2 Services..... | 22 |
| 4.3 Testability..... | 23 |
| 4.4 Provision/withdrawal | 23 |
| 4.5 Activation/deactivation | 23 |
| 4.6 Charging..... | 24 |
| 5 The generic ANF-ISIMM stage 1 service model..... | 24 |
| 5.1 ANF-ISIMM - the service provider | 24 |
| 5.2 SwMI MMs - the ANF-ISIMM service users | 24 |
| 5.3 Stage 1 description conventions..... | 25 |
| 6 Migration service description (stage 1)..... | 26 |
| 6.1 Pre-requisite requirements for the migration service..... | 26 |
| 6.2 Service definition..... | 26 |
| 6.3 Service description..... | 26 |
| 6.4 Service architecture | 27 |
| 6.5 Normal procedures | 27 |
| 6.5.1 Invocation | 27 |
| 6.5.1.1 Invocation criteria..... | 27 |
| 6.5.1.2 Invocation of ANF-ISIMM..... | 28 |
| 6.5.2 Operation..... | 30 |
| 6.5.2.1 Migration with pre-defined migration profile(s)..... | 30 |
| 6.5.2.1.1 Support for call restoration..... | 31 |
| 6.5.2.1.2 Final migration approval..... | 31 |
| 6.5.2.2 Migration with migration profile exchange | 32 |
| 6.5.2.2.1 Basic migration profile exchange | 33 |
| 6.5.2.2.2 SS-migration profile(s) exchange | 42 |
| 6.5.2.2.3 Support for call restoration..... | 45 |
| 6.5.2.2.4 Final migration approval..... | 45 |
| 6.5.2.2.5 SS-migration profile exchange after final migration approval..... | 45 |
| 6.5.6 Exceptional procedures | 46 |
| 6.6.1 Detected by the visited SwMI MM | 47 |
| 6.6.2 Detected by the home SwMI MM | 48 |
| 6.7 Interactions | 48 |
| 6.7.1 Interactions with the authentication service | 48 |
| 6.7.2 Interactions with the group attachment and the group detachment services | 48 |
| 6.8 Dynamic description..... | 49 |
| 7 Restricted migration service description (stage 1) | 53 |
| 7.1 Pre-requisite requirements for the restricted migration service | 53 |
| 7.2 Service definition..... | 53 |

| | | |
|----------|---|----|
| 7.3 | Service description | 53 |
| 7.4 | Service architecture..... | 54 |
| 7.5 | Normal procedures..... | 54 |
| 7.5.1 | Invocation..... | 54 |
| 7.5.1.1 | Invocation criteria | 54 |
| 7.5.1.2 | Invocation of ANF-ISIMM | 55 |
| 7.5.2 | Operation | 58 |
| 7.5.2.1 | Operation when the visited SwMI MM invokes restricted migration | 58 |
| 7.5.2.2 | Invocation of RSI | 59 |
| 7.5.2.3 | Support for emergency call restoration | 59 |
| 7.5.2.4 | Receipt of restricted migration approval..... | 59 |
| 7.6 | Exceptional procedures | 60 |
| 7.6.1 | Detected by the visited SwMI MM | 61 |
| 7.6.2 | Detected by the home SwMI MM..... | 61 |
| 7.7 | Interactions | 61 |
| 7.7.1 | Interactions with the authentication service | 61 |
| 7.7.2 | Interactions with the group attachment and the group detachment services..... | 61 |
| 7.8 | Dynamic description | 61 |
| 8 | Removal of Subscriber Information (RSI) service description (stage 1)..... | 63 |
| 8.1 | Service definition | 63 |
| 8.2 | Service description | 63 |
| 8.3 | Service architecture..... | 64 |
| 8.4 | Normal procedures..... | 64 |
| 8.4.1 | Invocation..... | 64 |
| 8.4.1.1 | Invocation criteria | 64 |
| 8.4.1.2 | Invocation of ANFISIMM | 65 |
| 8.4.2 | Operation | 66 |
| 8.5 | Exceptional procedures | 67 |
| 8.6 | Interaction with authentication | 68 |
| 8.7 | Dynamic description | 68 |
| 9 | De-registration service description (stage 1)..... | 69 |
| 9.1 | Service definition | 69 |
| 9.2 | Service description | 70 |
| 9.3 | Service architecture..... | 70 |
| 9.4 | Normal procedures..... | 70 |
| 9.4.1 | Invocation..... | 70 |
| 9.4.1.1 | Invocation criteria | 70 |
| 9.4.1.2 | Invocation of ANF-ISIMM | 71 |
| 9.4.2 | Operation | 71 |
| 9.5 | Exceptional procedures | 72 |
| 9.5.1 | Detected by the visited SwMI MM | 73 |
| 9.5.2 | Detected by the home SwMI MM..... | 73 |
| 9.6 | Dynamic description | 73 |
| 10 | Profile update service description (stage 1)..... | 75 |
| 10.1 | Service definition | 75 |
| 10.2 | Service description | 75 |
| 10.3 | Service architecture..... | 75 |
| 10.4 | Normal procedures..... | 75 |
| 10.4.1 | Invocation..... | 75 |
| 10.4.1.1 | Invocation criteria | 75 |
| 10.4.1.2 | Invocation of ANF-ISIMM | 76 |
| 10.4.2 | Operation | 85 |
| 10.5 | Exceptional operation | 95 |
| 10.6 | Dynamic description | 95 |
| 11 | SS-profile update service description (stage 1) | 96 |
| 11.1 | Service definition | 96 |
| 11.2 | Service description | 97 |

| | | |
|------------|---|-----|
| 11.3 | Service architecture | 97 |
| 11.4 | Normal procedures | 97 |
| 11.4.1 | Invocation | 97 |
| 11.4.1.1 | Invocation criteria..... | 97 |
| 11.4.1.2 | Invocation of ANF-ISIMM..... | 98 |
| 11.4.2 | Operation..... | 98 |
| 11.4.2.1 | Creation of temporary SS-migration profiles..... | 98 |
| 11.4.2.2 | Informing home SwMI MM about the temporary SS-migration profiles | 99 |
| 11.5 | Exceptional operation..... | 101 |
| 11.6 | Dynamic description..... | 101 |
| 12 | Authentication service description (stage 1)..... | 103 |
| 12.1 | Pre-requisite requirements for the authentication service | 103 |
| 12.2 | Service definition..... | 103 |
| 12.3 | Service description..... | 103 |
| 12.4 | Service architecture | 104 |
| 12.5 | Normal procedures | 104 |
| 12.5.1 | Invocation | 104 |
| 12.5.1.1 | Invocation criteria..... | 104 |
| 12.5.1.2 | Invocation of ANF-ISIMM..... | 105 |
| 12.5.2 | Operation..... | 105 |
| 12.5.2.1 | Exchange of authentication parameters | 106 |
| 12.5.2.2 | Sending of authentication result | 106 |
| 12.6 | Exceptional procedures | 107 |
| 12.6.1 | Detected by the visited SwMI MM | 108 |
| 12.6.2 | Detected by the home SwMI MM | 108 |
| 12.7 | Interaction with migration and restricted migration | 109 |
| 12.7.1 | Normal operation..... | 109 |
| 12.7.2 | Exceptional procedures..... | 109 |
| 12.8 | Dynamic description..... | 110 |
| 13 | Over The Air Re-keying (OTAR) service description (stage 1) | 111 |
| 13.1 | Pre-requisite requirements..... | 111 |
| 13.2 | Service definition..... | 111 |
| 13.3 | Service description..... | 111 |
| 13.4 | Service architecture | 112 |
| 13.5 | Normal procedures | 113 |
| 13.5.1 | Invocation | 113 |
| 13.5.1.1 | Invocation criteria..... | 113 |
| 13.5.1.2 | Invocation of ANF-ISIMM..... | 113 |
| 13.5.1.2.1 | Case 1) | 113 |
| 13.5.1.2.2 | Case 2) | 114 |
| 13.5.1.2.3 | Case 3) | 114 |
| 13.5.1.2.4 | Case 4) | 115 |
| 13.5.2 | Operation..... | 115 |
| 13.5.2.1 | Case 1) | 115 |
| 13.5.2.2 | Case 2) | 116 |
| 13.5.2.3 | Case 3) | 117 |
| 13.5.2.4 | Case 4) | 118 |
| 13.6 | Exceptional procedures | 118 |
| 13.6.1 | Detected by the visited SwMI MM | 120 |
| 13.6.2 | Detected by the home SwMI MM | 120 |
| 13.7 | Dynamic description..... | 120 |
| 14 | Individual subscriber Database Recovery (IDR) service description (stage 1) | 122 |
| 14.1 | Service definition..... | 122 |
| 14.2 | Service description..... | 122 |
| 14.3 | Service architecture | 123 |
| 14.4 | Normal procedures | 124 |
| 14.4.1 | Invocation | 124 |
| 14.4.1.1 | Invocation criteria..... | 124 |
| 14.4.1.2 | Invocation of ANF-ISIMM..... | 124 |

| | | | |
|------------|--|---|-----|
| 14.4.2 | Operation | 126 | |
| 14.4.2.1 | The visited SwMI MM receives the HMM recovery indication | 126 | |
| 14.4.2.1A | The home SwMI MM receives the VMM recovery indication | 127 | |
| 14.4.2.2 | The virtual migration or restricted migration..... | 127 | |
| 14.4.2.3 | The virtual RSI | 128 | |
| 14.4.2.4 | The iteration | 128 | |
| 14.4.2.5 | The completion of the IDR | 128 | |
| 14.4.2.5.1 | VMM recovery | 128 | |
| 14.4.2.5.2 | HMM recovery | 129 | |
| 14.5 | Exceptional procedures | 129 | |
| 14.6 | Dynamic description | 130 | |
| 15 | Group attachment service description (stage 1)..... | 134 | |
| 15.1 | Service definition | 134 | |
| 15.2 | Service description | 134 | |
| 15.3 | Service architecture..... | 135 | |
| 15.4 | Normal procedures..... | 135 | |
| 15.4.1 | Invocation..... | 135 | |
| 15.4.1.1 | Invocation criteria | 135 | |
| 15.4.1.2 | Invocation of ANF-ISIMM | 136 | |
| 15.4.1.2.1 | Case 1)..... | 136 | |
| 15.4.1.2.2 | Cases 2) - 4)..... | 138 | |
| 15.4.1.2.3 | Case 5)..... | 139 | |
| 15.4.1.2.4 | Case 6)..... | 144 | |
| 15.4.2 | Operation | 145 | |
| 15.4.2.1 | Case 1)..... | 145 | |
| 15.4.2.1.1 | SIST ETS 300 392-3-5 E1:2003 https://standards.iteh.africa/catalog/standard/sist/300392-3-5-e1:2003 e5edbe947f1f51-ets-300-392-3-5-e1:2003 | Group attachment with pre-defined migration profile(s)..... | 145 |
| 15.4.2.1.2 | Group attachment with migration profile exchange | 147 | |
| 15.4.2.1.3 | SS-migration profile(s) exchange | 152 | |
| 15.4.2.2 | Cases 2) - 4) | 156 | |
| 15.4.2.2.1 | Updates to G-HDB | 156 | |
| 15.4.2.2.2 | Sending of group attachment approval..... | 156 | |
| 15.4.2.2.3 | Receipt of group attachment approval | 156 | |
| 15.4.2.3 | Case 5)..... | 157 | |
| 15.4.2.3.1 | Home SwMI MM initiated group attachment with pre-defined migration profile(s) | 157 | |
| 15.4.2.3.2 | Home SwMI MM initiated group attachment with migration profile exchange | 158 | |
| 15.5 | Exceptional procedures | 161 | |
| 15.5.1 | Detected by the visited SwMI MM..... | 163 | |
| 15.5.2 | Detected by the home SwMI MM..... | 164 | |
| 15.6 | Interactions | 164 | |
| 15.7 | Dynamic description | 165 | |
| 16 | Group detachment service description (stage 1)..... | 168 | |
| 16.1 | Service definition | 168 | |
| 16.2 | Service description | 169 | |
| 16.3 | Service architecture..... | 170 | |
| 16.4 | Normal procedures..... | 170 | |
| 16.4.1 | Invocation..... | 170 | |
| 16.4.1.1 | Invocation criteria | 170 | |
| 16.4.1.2 | Invocation of ANF-ISIMM | 171 | |
| 16.4.1.2.1 | Cases 1) - 3)..... | 171 | |
| 16.4.1.2.2 | Case 4)..... | 172 | |
| 16.4.2 | Operation | 172 | |
| 16.4.2.1 | Cases 1) - 3) | 172 | |
| 16.4.2.2 | Case 4)..... | 173 | |

| | | |
|------------|---|-----|
| 16.5 | Exceptional procedures | 174 |
| 16.6 | Interactions | 176 |
| 16.7 | Dynamic description..... | 177 |
| 17 | Group Database Recovery (GDR) service description (stage 1) | 178 |
| 17.1 | Service definition..... | 178 |
| 17.2 | Service description..... | 178 |
| 17.3 | Service architecture | 179 |
| 17.4 | Normal procedures | 180 |
| 17.4.1 | Invocation | 180 |
| 17.4.1.1 | Invocation criteria..... | 180 |
| 17.4.1.2 | Invocation of ANF-ISIMM..... | 180 |
| 17.4.2 | Operation..... | 181 |
| 17.4.2.1 | Verification of age information | 182 |
| 17.4.2.2 | The visited SwMI MM receives the G-HDR indication | 182 |
| 17.4.2.3 | The home SwMI MM receives the G-VDR indication | 183 |
| 17.4.2.4 | The virtual group attachment and detachment | 183 |
| 17.4.2.5 | The iteration | 184 |
| 17.4.2.6 | The completion of the GDR | 185 |
| 17.4.2.6.1 | G-HDR | 185 |
| 17.4.2.6.2 | G-VDR | 185 |
| 17.5 | Exceptional procedures | 186 |
| 17.6 | Dynamic description..... | 187 |
| 18 | Group linking/unlinking service description (stage 1) | 190 |
| 18.1 | Service definition..... | 190 |
| 18.2 | Service description..... | 190 |
| 18.3 | Service architecture | 192 |
| 18.4 | Normal procedures | 192 |
| 18.4.1 | Invocation | 192 |
| 18.4.1.1 | Invocation criteria..... | 192 |
| 18.4.1.2 | Invocation of ANF-ISIMM..... | 193 |
| 18.4.1.2.1 | SIST ETS 300 392-3-5 E1:2003 Case 1) - group linking service | 193 |
| 18.4.1.2.2 | Case 2) - group unlinking service | 194 |
| 18.4.1.2.3 | Case 3) - remote group unlinking service..... | 194 |
| 18.4.2 | Operation..... | 194 |
| 18.4.2.1 | Case 1) - group linking service | 194 |
| 18.4.2.1.1 | First phase of group linking service | 194 |
| 18.4.2.1.2 | Second phase of group linking service | 195 |
| 18.4.2.2 | Case 2) - group unlinking service | 196 |
| 18.4.2.3 | Case 3) - remote group unlinking service | 197 |
| 18.5 | Exceptional procedures | 197 |
| 18.5.1 | Case 1) - group linking service | 197 |
| 18.5.2 | Case 2) - group unlinking service | 199 |
| 18.5.3 | Case 3) - remote group unlinking service..... | 199 |
| 18.6 | Interactions | 200 |
| 18.7 | Dynamic description..... | 200 |
| 19 | ANF-ISIMM stage 2 specification | 204 |
| 19.1 | General | 204 |
| 19.2 | Functional model..... | 204 |
| 19.3 | Information flow diagrams..... | 205 |
| 20 | Migration - stage 2 information flow sequences | 206 |
| 20.1 | Normal operation | 206 |
| 20.1.1 | Migration with pre-defined profile(s) | 206 |
| 20.1.2 | Migration with basic migration profile exchange..... | 207 |
| 20.1.3 | Migration with basic migration and SS-migration profiles exchange | 208 |
| 20.1.3.1 | SS-migration profiles exchanged before final migration approval | 208 |
| 20.1.3.2 | SS-migration profiles exchanged after final migration approval | 210 |

| | | |
|--------|---|-----|
| 20.2 | Exceptional operation | 212 |
| 20.2.1 | Migration rejection request upon receipt of the Migration_ind | 212 |
| 20.2.2 | Migration rejection request upon receipt of Profile update_conf and SS-profile update_conf | 213 |
| 20.3 | FE actions for subscriber migration..... | 214 |
| 20.3.1 | FE actions of FE1 | 214 |
| 20.3.2 | FE actions of FE3 | 215 |
| 21 | Restricted migration - stage 2 information flow sequences | 216 |
| 21.1 | Normal operation..... | 216 |
| 21.1.1 | Restricted migration requested by visited SwMI MM | 216 |
| 21.1.2 | Restricted migration requested by home SwMI upon receipt of MIGRATION_ind from the visited SwMI MM | 216 |
| 21.1.3 | Restricted migration requested by home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the visited SwMI MM | 216 |
| 21.2 | Exceptional operation | 217 |
| 21.3 | FE actions for restricted migration | 217 |
| 21.3.1 | FE actions of FE1 | 217 |
| 21.3.2 | FE actions of FE3 | 217 |
| 22 | Removal of Subscriber Information - stage 2 information flow sequences | 218 |
| 22.1 | Normal operation..... | 218 |
| 22.2 | Exceptional operation..... | 219 |
| 22.3 | FE actions for subscriber migration..... | 219 |
| 22.3.1 | FE actions of FE1 | 219 |
| 22.3.2 | FE actions of FE4 | 219 |
| 23 | De-registration - stage 2 information flow sequences | 220 |
| 23.1 | Normal operation..... | 220 |
| 23.1.1 | Visited SwMI MM initiated de-registration | 220 |
| 23.1.2 | Home SwMI MM initiated de-registration | 221 |
| 23.2 | Exceptional operation | 222 |
| 23.2.1 | Visited SwMI MM initiated de-registration rejected | 222 |
| 23.2.2 | Home SwMI MM initiated de-registration rejected | 223 |
| 23.3 | FE actions | 223 |
| 23.3.1 | FE actions of FE1 | 223 |
| 23.3.2 | FE actions of FE3 | 224 |
| 24 | Profile update - stage 2 information flow sequences | 225 |
| 24.1 | Normal operation..... | 225 |
| 24.2 | Profile update rejection..... | 226 |
| 24.3 | FE actions for Profile update | 226 |
| 24.3.1 | FE actions of FE1 | 226 |
| 24.3.2 | FE actions of FE3 | 226 |
| 25 | SS-profile update - stage 2 information flow sequences | 227 |
| 25.1 | Normal operation..... | 227 |
| 25.2 | SS-profile update rejection | 228 |
| 25.3 | FE actions for SS-profile update | 228 |
| 25.3.1 | FE actions of FE1 | 228 |
| 25.3.2 | FE actions of FE3 | 228 |
| 26 | Authentication - stage 2 information flow sequences | 229 |
| 26.1 | Normal operation..... | 229 |
| 26.1.1 | Authentication | 229 |
| 26.1.2 | Successful subsequent authentication | 230 |
| 26.2 | Authentication invoked in conjunction with migration | 231 |
| 26.3 | Exceptional operation | 233 |
| 26.3.1 | Authentication rejection in the visited SwMI..... | 233 |
| 26.4 | FE actions for authentication..... | 234 |
| 26.4.1 | FE actions of FE1 | 234 |
| 26.4.2 | FE actions of FE3 | 235 |

| | | |
|--------|--|-----|
| 27 | Over The Air Re-keying (OTAR) - stage 2 information flow sequences..... | 236 |
| 27.1 | Normal operation | 236 |
| 27.1.1 | OTAR SCK generation service..... | 236 |
| 27.1.2 | Visited SwMI MM initiated OTAR SCK delivery service | 237 |
| 27.1.3 | Home SwMI MM initiated OTAR SCK delivery service | 238 |
| 27.1.4 | OTAR SCK generation service, subsequent use of parameters..... | 239 |
| 27.2 | Exceptional operation..... | 240 |
| 27.2.1 | Failed OTAR SCK generation service..... | 240 |
| 27.2.2 | Failed visited SwMI MM initiated OTAR SCK delivery..... | 241 |
| 27.2.3 | Failed home SwMI MM initiated OTAR SCK delivery..... | 242 |
| 27.2.4 | Failed subsequent use of OTAR SCK generation parameters | 243 |
| 27.3 | FE actions for OTAR..... | 243 |
| 27.3.1 | FE actions of FE1..... | 243 |
| 27.3.2 | FE actions of FE3..... | 244 |
| 28 | Individual subscriber database recovery - stage 2 information flow sequences | 245 |
| 28.1 | Normal operation | 245 |
| 28.1.1 | HMM recovery | 245 |
| 28.1.2 | VMM recovery | 248 |
| 28.2 | Exceptional operation..... | 251 |
| 28.2.1 | Rejection of HMM recovery | 251 |
| 28.2.2 | Rejection of VMM recovery | 252 |
| 28.3 | FE actions | 252 |
| 28.3.1 | FE actions of FE1..... | 252 |
| 28.3.2 | FE actions of FE3..... | 253 |
| | 28.3.3 FE actions of FE4..... | 253 |
| 29 | Group attachment - stage 2 information flow sequences..... | 254 |
| 29.1 | Normal operation | 254 |
| 29.1.1 | Visited SwMI MM initiated group attachment without migration profile exchange | 254 |
| 29.1.2 | Visited SwMI MM initiated first group attachment with migration profile exchange | 255 |
| 29.1.3 | Home SwMI MM initiated group attachment without migration profile exchange | 257 |
| 29.1.4 | Home SwMI MM initiated group attachment with migration profile exchange | 258 |
| 29.2 | Exceptional operation..... | 260 |
| 29.2.1 | Rejection of visited SwMI MM initiated group attachment without migration profile exchange | 260 |
| 29.2.2 | Rejection of home SwMI MM initiated group attachment with migration profile exchange | 261 |
| 29.2.3 | Rejection of home SwMI MM initiated group attachment without migration profile exchange | 262 |
| 29.2.4 | Rejection of home SwMI MM initiated group attachment with migration profile exchange, rejected by subscriber | 263 |
| 29.3 | FE actions | 264 |
| 29.3.1 | FE actions of FE2..... | 264 |
| 29.3.2 | FE actions of FE3..... | 265 |
| 30 | Normal operation for group detachment - stage 2 information flow sequences..... | 266 |
| 30.1 | Normal operation | 266 |
| 30.1.1 | Visited SwMI MM initiated group detachment | 266 |
| 30.1.2 | Home SwMI MM initiated group detachment | 267 |
| 30.2 | Exceptional operation..... | 268 |
| 30.2.1 | Rejection of visited SwMI MM initiated group detachment | 268 |
| 30.2.2 | Rejection of home SwMI MM initiated group detachment rejection | 269 |
| 30.3 | FE actions | 269 |
| 30.3.1 | FE actions of FE2..... | 269 |
| 30.3.2 | FE actions of FE3..... | 270 |
| 31 | Group database recovery - stage 2 information flow sequences | 271 |
| 31.1 | Normal operation | 271 |

| | | |
|-----------|--|-----|
| 31.1.1 | G-HDR | 271 |
| 31.1.2 | G-VDR | 274 |
| 31.2 | Exceptional operation | 277 |
| 31.2.1 | Rejection of G-HDR | 277 |
| 31.2.2 | Rejection of G-VDR | 278 |
| 31.3 | FE actions | 278 |
| 31.3.1 | FE actions of FE2 | 278 |
| 31.3.2 | FE actions of FE3 | 279 |
| 32 | Group linking/unlinking - stage 2 information flow scenarios | 279 |
| 32.1 | Normal operation | 279 |
| 32.1.1 | Group linking | 279 |
| 32.1.2 | Group unlinking | 279 |
| 32.1.3 | Remote group unlinking | 279 |
| 32.2 | Exceptional operation - group linking rejected by participating SwMI | 280 |
| 32.3 | FE actions | 280 |
| 32.3.1 | FE actions of FE5 | 280 |
| 32.3.2 | FE actions of FE6 | 280 |
| 33 | Definition of stage 2 information flows | 280 |
| 33.1 | AUTHENTICATION DEMAND | 280 |
| 33.2 | AUTHENTICATION RESPONSE | 281 |
| 33.3 | AUTHENTICATION RESULT | 281 |
| 33.4 | AUTH REJECT | 281 |
| 33.5 | DE-REGISTRATION | 282 |
| 33.6 | DE-REG REJECT | 282 |
| 33.7 | GROUP ATTACHMENT | 282 |
| 33.8 | GROUP ATT REJECT | 282 |
| 33.9 | GROUP DETACHMENT | 283 |
| 33.10 | GROUP DET REJECT | 283 |
| 33.11 | HMM RECOVERY | 283 |
| 33.12 | HMM RECOVERY COMPLETED | 284 |
| 33.13 | HMM RECOVERY REJECT | 284 |
| 33.14 | LINKING | 285 |
| 33.15 | LINKING COMMAND | 285 |
| 33.16 | LINKING REJECT | 285 |
| 33.17 | MIGRATION | 285 |
| 33.18 | MIGRATION REJECT | 285 |
| 33.19 | OTAR-KEY DEMAND | 286 |
| 33.20 | OTAR-KEY PROVIDE | 286 |
| 33.21 | OTAR-KEY REJECT | 286 |
| 33.22 | OTAR-KEY RESULT | 287 |
| 33.23 | OTAR-PARAM DEMAND | 287 |
| 33.24 | OTAR-PARAM PROVIDE | 287 |
| 33.25 | OTAR-PARAM REJECT | 288 |
| 33.26 | OTAR-PARAM RESULT | 288 |
| 33.27 | PROFILE REJECT | 288 |
| 33.28 | PROFILE UPDATE | 289 |
| 33.29 | REMOTE UNLINKING | 289 |
| 33.30 | REMOVE REJECT | 289 |
| 33.31 | REMOVE SUBS | 289 |
| 33.32 | SS-PROFILE REJECT | 290 |
| 33.33 | SS-PROFILE UPDATE | 290 |
| 33.34 | UNLINKING | 291 |
| 33.35 | UNLINKING REJECT | 291 |
| 33.36 | VMM RECOVERY | 291 |
| 33.37 | VMM RECOVERY COMPLETED | 291 |
| 33.38 | VMM RECOVERY REJECT | 292 |
| 33.39 | Profiles | 292 |
| 33.39.1 | Basic migration profiles | 292 |
| 33.39.1.1 | Group basic migration profile (original and temporary) | 292 |
| 33.39.1.2 | Individual basic migration profile | 294 |
| 33.39.2 | SS-migration profile (original and temporary) | 295 |

| | | |
|---------|---|-----|
| 33.39.3 | Relation between subscribers and group | 295 |
| 34 | ANF-ISIMM encoding requirements - stage 3 | 296 |
| 34.1 | ANF-ISIMM PDU description tables..... | 296 |
| 34.1.1 | AUTHENTICATION DEMAND | 296 |
| 34.1.2 | AUTHENTICATION RESPONSE..... | 296 |
| 34.1.3 | AUTHENTICATION RESULT..... | 297 |
| 34.1.4 | AUTH REJECT..... | 298 |
| 34.1.5 | DE-REGISTRATION | 298 |
| 34.1.6 | DE-REGISTRATION RESPONSE | 298 |
| 34.1.7 | DE-REG REJECT | 299 |
| 34.1.8 | GROUP ATTACHMENT..... | 299 |
| 34.1.9 | GROUP ATTACHMENT RESPONSE..... | 300 |
| 34.1.10 | GROUP ATT REJECT | 300 |
| 34.1.11 | GROUP DETACHMENT | 301 |
| 34.1.12 | GROUP DETACHMENT RESPONSE | 301 |
| 34.1.13 | GROUP DET REJECT | 301 |
| 34.1.14 | HMM RECOVERY | 302 |
| 34.1.15 | HMM RECOVERY COMPLETED | 302 |
| 34.1.16 | HMM RECOVERY REJECT | 302 |
| 34.1.17 | HMM RECOVERY RESPONSE | 303 |
| 34.1.18 | LINKING | 303 |
| 34.1.19 | LINKING COMMAND | 303 |
| 34.1.20 | LINKING COMMAND RESPONSE | 303 |
| 34.1.21 | LINKING REJECT | 303 |
| 34.1.22 | LINKING RESPONSE | 304 |
| 34.1.23 | MIGRATION | 304 |
| 34.1.24 | MIGRATION REJECT | 304 |
| 34.1.25 | MIGRATION REJECT RESPONSE | 305 |
| 34.1.26 | MIGRATION RESPONSE | 305 |
| 34.1.27 | OTAR-KEY DEMAND | 305 |
| 34.1.28 | OTAR-KEY PROVIDE | 306 |
| 34.1.29 | OTAR-KEY REJECT | 306 |
| 34.1.30 | OTAR-KEY RESULT | 307 |
| 34.1.31 | OTAR-PARAM DEMAND | 307 |
| 34.1.32 | OTAR-PARAM PROVIDE | 307 |
| 34.1.33 | OTAR-PARAM REJECT | 308 |
| 34.1.34 | OTAR-PARAM RESULT | 308 |
| 34.1.35 | PROFILE REJECT | 309 |
| 34.1.36 | PROFILE UPDATE | 309 |
| 34.1.37 | PROFILE UPDATE RESPONSE | 310 |
| 34.1.38 | REMOTE UNLINKING | 310 |
| 34.1.39 | REMOVE REJECT | 310 |
| 34.1.40 | REMOVE SUBS | 310 |
| 34.1.41 | REMOVE SUBS RESPONSE | 311 |
| 34.1.42 | SS-PROFILE REJECT | 311 |
| 34.1.43 | SS-PROFILE UPDATE | 312 |
| 34.1.44 | SS-PROFILE UPDATE RESPONSE | 312 |
| 34.1.45 | UNLINKING | 312 |
| 34.1.46 | UNLINKING REJECT | 313 |
| 34.1.47 | UNLINKING RESPONSE | 313 |
| 34.1.48 | VMM RECOVERY | 313 |
| 34.1.49 | VMM RECOVERY COMPLETED..... | 313 |
| 34.1.50 | VMM RECOVERY REJECT | 313 |
| 34.1.51 | VMM RECOVERY RESPONSE | 314 |
| 34.2 | PDU information element encoding | 314 |
| 34.2.1 | Advanced link | 314 |
| 34.2.2 | Age stamp | 315 |
| 34.2.3 | AI security class (participating SwMI)..... | 315 |
| 34.2.4 | AI security class (requested) | 315 |
| 34.2.5 | AI encryption state list | 315 |
| 34.2.6 | ANF-ISIMM invoke id..... | 316 |
| 34.2.7 | Authentication invocation..... | 316 |

| | | |
|-----------|--|-----|
| 34.2.8 | Authentication rejection cause | 317 |
| 34.2.9 | Authentication service..... | 317 |
| 34.2.10 | Authentication type..... | 317 |
| 34.2.11 | Basic migration profile info..... | 318 |
| 34.2.12 | Call restoration support..... | 318 |
| 34.2.13 | Call time-out set-up phase timer (T301) | 318 |
| 34.2.14 | Call time-out timer (T310) | 318 |
| 34.2.15 | Circuit mode protected (high) data service | 319 |
| 34.2.16 | Circuit mode protected (low) data service | 319 |
| 34.2.17 | Circuit mode unprotected speech + data service | 320 |
| 34.2.18 | CONS..... | 320 |
| 34.2.19 | Default SS-information..... | 321 |
| 34.2.20 | De-registration rejection cause | 321 |
| 34.2.21 | De-registration type..... | 321 |
| 34.2.22 | Duplex service | 322 |
| 34.2.23 | End-to-end encryption service | 322 |
| 34.2.24 | First/Subsequent Group attachment..... | 323 |
| 34.2.25 | Following conditional element(s) present..... | 323 |
| 34.2.25.1 | Forced removal | 323 |
| 34.2.26 | Group attachment/detachment | 323 |
| 34.2.27 | Group attachment rejection cause..... | 324 |
| 34.2.28 | Group basic migration profile (original and temporary)..... | 324 |
| 34.2.29 | Group detachment rejection cause..... | 326 |
| 34.2.30 | Group information | 326 |
| 34.2.31 | Group information in subscriber profile..... | 326 |
| 34.2.32 | Group priority | 326 |
| 34.2.33 | GSSI | 327 |
| 34.2.34 | Home/Visited SwMI MM initiated | 327 |
| 34.2.35 | Independent of authentication service | 327 |
| 34.2.36 | Individual basic migration profile (original and temporary)..... | 328 |
| 34.2.37 | Interleaving depth | 329 |
| 34.2.38 | IP service | 329 |
| 34.2.39 | ISSI | 330 |
| 34.2.40 | ISI profile type 3 element identifier..... | 330 |
| 34.2.41 | Last group detachment..... | 330 |
| 34.2.42 | Linking rejection cause | 330 |
| 34.2.43 | Maximum number of timeslots..... | 331 |
| 34.2.44 | Migration rejection cause | 331 |
| 34.2.45 | Migration type..... | 332 |
| 34.2.46 | MNI | 332 |
| 34.2.47 | MNIs of SSI and of visited SwMI MM following..... | 332 |
| 34.2.48 | Not supported SS..... | 332 |
| 34.2.49 | Number of following elements | 332 |
| 34.2.50 | Number of not supported SSs | 333 |
| 34.2.51 | Number of SS-information | 333 |
| 34.2.52 | Original/Subsequent use of param | 333 |
| 34.2.53 | OTAR SCK delivery service | 333 |
| 34.2.54 | OTAR SCK generation service | 334 |
| 34.2.55 | OTAR SCK key rejection cause | 334 |
| 34.2.56 | OTAR SCK param rejection cause | 335 |
| 34.2.57 | Other linked group | 335 |
| 34.2.58 | PDU type | 336 |
| 34.2.59 | Pre-defined profile set reference(s) | 337 |
| 34.2.60 | Profile exchange support | 337 |
| 34.2.61 | Profile rejection cause | 337 |
| 34.2.62 | Profile type | 338 |
| 34.2.63 | Point-to-multipoint acknowledged service | 338 |
| 34.2.64 | Point-to-multipoint broadcast service | 338 |
| 34.2.65 | Point-to-multipoint service | 339 |
| 34.2.66 | Point-to-point service | 339 |
| 34.2.67 | Profile status | 340 |
| 34.2.68 | Proprietary | 340 |
| 34.2.69 | Recovery | 340 |

| | | |
|-----------|--|-----|
| 34.2.70 | Recovery rejection cause | 340 |
| 34.2.71 | Recovery type..... | 341 |
| 34.2.72 | Restricted migration support | 341 |
| 34.2.73 | RSI rejection cause | 341 |
| 34.2.74 | SCLNS..... | 341 |
| 34.2.75 | SDS profile | 342 |
| 34.2.76 | Speech service | 342 |
| 34.2.77 | SS-information..... | 343 |
| 34.2.78 | SS-information response..... | 343 |
| 34.2.79 | SS-migration profile (original) | 343 |
| 34.2.80 | SS-migration profile response (temporary) | 343 |
| 34.2.81 | SS-profile response status | 344 |
| 34.2.82 | SS-profile update indicator | 344 |
| 34.2.83 | SS-response status | 344 |
| 34.2.84 | SS-status | 344 |
| 34.2.85 | SS-type | 345 |
| 34.2.86 | Subscriber information | 345 |
| 34.2.87 | Subscriber information in group profile..... | 345 |
| 34.2.88 | Subscriber status..... | 345 |
| 34.2.89 | Type 3 element identifier | 345 |
| 34.2.90 | Unlinking rejection cause | 346 |
| 34.2.91 | Validity time | 346 |
| 34.2.92 | Validity time type..... | 346 |
| 35 | ANF-ISIMM procedures - stage 3..... | 346 |
| 35.1 | General | 346 |
| 35.2 | Generic procedures | 347 |
| 35.2.1 | Invoking SwMI | 347 |
| 35.2.2 | Receiving SwMI..... | 347 |
| 35.2.3 | Clearing of ISI GFP transport connection..... | 347 |
| 35.2.4 | Convert primitive to PDU | 347 |
| 35.2.5 | Convert PDU to primitive | 347 |
| 35.2.6 | Correspondence between ANF-ISIMM primitives and PDUs | 347 |
| 35.3 | SDL descriptions | 348 |
| 35.4 | Migration | 349 |
| 35.4.1 | Visited SwMI ANF-ISIMM | 349 |
| 35.4.2 | Home SwMI ANF-ISIMM | 353 |
| 35.5 | Restricted migration | 357 |
| 35.5.1 | Visited SwMI ANF-ISIMM | 357 |
| 35.5.2 | Home SwMI ANF-ISIMM | 358 |
| 35.6 | Removal of Subscriber Information | 358 |
| 35.6.1 | Home SwMI ANF-ISIMM | 358 |
| 35.6.2 | Previous visited SwMI ANF-ISIMM | 359 |
| 35.7 | De-registration | 360 |
| 35.7.1 | Visited SwMI ANF-ISIMM | 360 |
| 35.7.2 | Home SwMI ANF-ISIMM | 361 |
| 35.8 | Profile update | 362 |
| 35.8.1 | Home SwMI ANF-ISIMM | 362 |
| 35.8.2 | Visited SwMI ANF-ISIMM | 363 |
| 35.9 | SS-profile update | 364 |
| 35.9.1 | Home SwMI ANF-ISIMM | 364 |
| 35.9.2 | Visited SwMI ANF-ISIMM | 365 |
| 35.10 | Authentication | 366 |
| 35.10.1 | Visited SwMI ANF-ISIMM | 366 |
| 35.10.2 | Home SwMI ANF-ISIMM | 367 |
| 35.11 | Over the air re-keying..... | 369 |
| 35.11.1 | OTAR SCK generation | 369 |
| 35.11.1.1 | Visited SwMI ANF-ISIMM | 369 |
| 35.11.1.2 | Home SwMI ANF-ISIMM | 371 |
| 35.11.2 | OTAR SCK delivery..... | 373 |
| 35.11.2.1 | Visited SwMI ANF-ISIMM | 373 |
| 35.11.2.2 | Home SwMI ANF-ISIMM | 375 |
| 35.12 | Individual subscriber database recovery..... | 377 |